



CONCORD
FANS

SUNSET
LIGHTING

Divisions of LUMINANCE BRANDS™



SUNSET
LIGHTING



CONCORD FANS

Divisions of LUMINANCE BRANDS™

TABLE OF CONTENTS

SUNSET

4	Color Finish Codes
5	Style Guide

	Families
56	Abbot
12	Avery
59	Dalton
9	Easton
36	Esquire
46	Hadley
14	Halston
18	Maxwell
29	Messier
26	Onyx
50	Payton
34	Qairo
43	Quartz
20	Remi
31	Riella
39	Somes
53	Starling
22	Stella

63	Chandeliers
72	Pendants
84	Sconces
96	Vanities
148	Flush Mounts
166	Semi Flush Mounts
169	Track Lighting
172	Exterior Lighting
189	Address Lights
190	Rope Light
192	Light Bulbs
291	Index

CONCORD

Concord Fans	195
Accessories	273
Fan Features	280
Fan Specs	284
Fan Finishes	288
Blade Finishes	289
Fan Blade Chart	290
Index	291

LIGHT BULB CODES for Sunset & Concord

Medium Base	MB
Candelabra Base	CB
Mirrored Reflector	MR
GU GX Pin Base	GU


DIMENSION CODES for Sunset & Concord

Diameter	D
Length	L
Width	W
Square	SQ
Height	H
Extension	E
Overall Height	OH
Overall Diameter	OD


COLOR FINISH CODES



-10 (PB)
Polished Brass



-12 (AQG)
Antique Gold



-15 (PC)
Polished Chrome




-16 (SA)
Satin Aluminum



-18 (CG)
Champagne Gold



-23 (BSG)
Matte Black and
Satin Gold



-24 (BBSN)
Matte Black and
Bright Satin Nickel




-30 (WH)
White




-31 (BK)
Black




-44 (OB)
Oil Bronze




-49 (AZB)
Aztec Bronze



-52 (SNP)
Satin Nickel Painted




-53 (SN)
Satin Nickel



-54 (PPW)
Pewter Painted



-57 (AGM)
Antique Gunmetal



-58 (SPC)
Silver Powder Coat



-59 (SG)
Steel Gray



-62 (RB)
Rubbed Bronze



-64 (PBR)
Provincial Bronze



-66 (BZ)
Bronze



-74 (BKC)
Blackened Copper



-80 (BSN)
Bright Satin Nickel



-81 (WBSN)
Timber Gray &
Bright Satin Nickel




-85 (WPBR)
Farmhouse &
Provincial Bronze

STYLE GUIDE



Easton Sconce
Pg.11



Easton 2LT Vanity
Pg.11



Easton 5LT Chandelier
Pg.10



Easton Semi Flush
Pg.11



Avery Sconce
Pg.13



Avery 2LT Vanity
Pg.13



Avery 3LT Vanity
Pg.13



Avery Mini Pendant
Pg.13



Halston Sconce
Pg.16



Halston 2LT Semi Flush
Pg.17



Halston 5LT Chandelier
Pg.15



Halston Mini Pendant
Pg.15



Maxwell Sconce
Pg.19



Maxwell 2LT Sconce
Pg.19



Maxwell 1LT Pendant
Pg.19

STYLE GUIDE



Remi Sconce
Pg.21



Remi 2LT Vanity
Pg.21



Remi 3LT Chandelier
Pg.21



Remi 5LT Chandelier
Pg.21



Stella Sconce
Pg.24



Stella 2LT Vanity
Pg.24



Stella 3LT Chandelier
Pg.23



Stella Semi Flush
Pg.25



Onyx Sconce
Pg.28



Onyx 2LT Vanity
Pg.28



Onyx 5LT Chandelier
Pg.27



Onyx Mini Pendant
Pg.27



Qairo Sconce
Pg.35



Qairo 2LT Vanity
Pg.35



Qairo 3LT Flush Mount
Pg.35



Qairo Mini Pendant
Pg.35

STYLE GUIDE



Esquire Sconce
Pg.38



Esquire 2LT Vanity
Pg.38



Esquire 5LT Chandelier
Pg.37



Esquire 8LT Chandelier
Pg.37



Somes Sconce
Pg.41



Somes Semi Flush
Pg.42



Somes Bowl Pendant
Pg.42



Somes 5LT Chandelier
Pg.40



Quartz Sconce
Pg.45



Quartz 2LT Vanity
Pg.45



Quartz Bowl Semi Flush
Pg.44



Quartz 5LT Chandelier
Pg.44



Hadley Sconce
Pg.48



Hadley Flush Mount
Pg.49



Hadley Mini Pendant
Pg.48



Hadley 5LT Chandelier
Pg.47

STYLE GUIDE



Payton Sconce
Pg.52



Payton Flush Mount
Pg.52



Payton 5LT Chandelier
Pg.51



Payton Mini Pendant
Pg.52



Starling Sconce
Pg.55



Starling 2LT Vanity
Pg.55



Starling 3LT Chandelier
Pg.54



Starling Mini Pendant
Pg.55



Abbot Sconce
Pg.58



Abbot Semi Flush
Pg.58



Abbot 5LT Chandelier
Pg.57



Abbot Mini Pendant
Pg.58



Dalton Sconce
Pg.62



Dalton 3LT Vanity
Pg.62



Dalton Semi Flush
Pg.61



Dalton 5LT Chandelier
Pg.60



EASTON
NEW FAMILY



Easton 3LT Chandelier
F17313-80 (BSN)
 F17213-31 (BK)
 S/O Ver: F17213-80, F17313-31



Easton 5LT Chandelier
F17215-31 (BK)
 F17315-80 (BSN)
 S/O Ver: F17215-80, F17315-31



Special-Order Versions Available:
 Black with Frosted Glass
 Bright Satin Nickel with Seeded Glass



Easton 1LT Mini Pendant
F17310-80 (BSN)
 F17210-31 (BK)
 S/O Ver: F17210-80, F17310-31

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17215-31	23-1/4"D x 13-5/8"H	5-100W MB	Clear Seeded	● Black
F17315-80	23-1/4"D x 13-5/8"H	5-100W MB	Frosted	Bright Satin Nickel
F17213-31	19-1/4"D x 13-5/8"H	3-100W MB	Clear Seeded	Black
F17313-80	19-1/4"D x 13-5/8"H	3-100W MB	Frosted	● Bright Satin Nickel
F17210-31	4-3/8"D x 5-7/8"H	1-100W MB	Clear Seeded	Black
F17310-80	4-3/8"D x 5-7/8"H	1-100W MB	Frosted	● Bright Satin Nickel



Easton 1LT Sconce
F17201-31 (BK)
 F17301-80 (BSN)
 S/O Ver: F17201-80, F17301-31



Easton 1LT Semi Flush
F17323-80 (BSN)
 F17223-31 (BK)
 S/O Ver: F17223-80, F17323-31



Easton 2LT Vanity
F17302-80 (BSN)
 F17202-31 (BK)
 S/O Ver: F17202-80, F17302-31



Easton 3LT Vanity
F17203-31 (BK)
 F17303-80 (BSN)
 S/O Ver: F17203-80, F17303-31



Easton 4LT Vanity
F17304-80 (BSN)
 F17204-31 (BK)
 S/O Ver: F17204-80, F17304-31

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17201-31	4-1/2"W x 7"H x 5-1/2"E	1-100W MB / Damp	Clear Seeded	● Black
F17301-80	4-1/2"W x 7"H x 5-1/2"E	1-100W MB / Damp	Frosted	Bright Satin Nickel
F17202-31	10-3/8"W x 7-5/8"H x 5-1/2"E	2-100W MB / Damp	Clear Seeded	Black
F17302-80	10-3/8"W x 7-5/8"H x 5-1/2"E	2-100W MB / Damp	Frosted	● Bright Satin Nickel
F17203-31	16-1/4"W x 7-5/8"H x 5-1/2"E	3-100W MB / Damp	Clear Seeded	● Black
F17303-80	16-1/4"W x 7-5/8"H x 5-1/2"E	3-100W MB / Damp	Frosted	Bright Satin Nickel
F17204-31	22-1/4"W x 7-5/8"H x 5-1/2"E	4-100W MB / Damp	Clear Seeded	Black
F17304-80	22-1/4"W x 7-5/8"H x 5-1/2"E	4-100W MB / Damp	Frosted	● Bright Satin Nickel
F17223-31	4-3/8"D x 7-1/2"H	1-100W MB	Clear Seeded	Black
F17323-80	4-3/8"D x 7-1/2"H	1-100W MB	Frosted	● Bright Satin Nickel



AVERY
NEW FAMILY



Avery 1LT Pendant
F17510-80 (BSN)
F17510-31 (BK)



Avery 2LT Vanity
F17502-80 (BSN)
F17502-31 (BK)



Avery 3LT Vanity
F17503-31 (BK)
F17503-80 (BSN)



Avery 1LT Sconce
F17501-31 (BK)
F17501-80 (BSN)



Avery 4LT Vanity
F17504-80 (BSN)
F17504-31 (BK)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17501-31	5-1/4"W x 11"H x 6-1/4"E	1-100W MB / Damp	Clear	● Matte Black
F17501-80	5-1/4"W x 11"H x 6-1/4"E	1-100W MB / Damp	Clear	Bright Satin Nickel
F17502-31	15-1/8"W x 11"H x 6-1/4"E	2-100W MB / Damp	Clear	Matte Black
F17502-80	15-1/8"W x 11"H x 6-1/4"E	2-100W MB / Damp	Clear	● Bright Satin Nickel
F17503-31	22-1/8"W x 11"H x 6-1/4"E	3-100W MB / Damp	Clear	● Matte Black
F17503-80	22-1/8"W x 11"H x 6-1/4"E	3-100W MB / Damp	Clear	Bright Satin Nickel
F17504-31	30-1/2"W x 11"H x 6-1/4"E	4-100W MB / Damp	Clear	Matte Black
F17504-80	30-1/2"W x 11"H x 6-1/4"E	4-100W MB / Damp	Clear	● Bright Satin Nickel
F17510-31	5-1/4"D x 8-3/8"H	1-100W MB	Clear	Matte Black
F17510-80	5-1/4"D x 8-3/8"H	1-100W MB	Clear	● Bright Satin Nickel



HALSTON

NEW FAMILY


**NEW
FAMILY!**



Halston 3LT Chandelier
F16223-81 (WBSN)
F16223-85 (WPBR)



Halston 5LT Chandelier
F16225-85 (WPBR)
F16225-81 (WBSN)



Halston 1LT Mini Pendant
F16210-85 (WPBR)
F16210-81 (WBSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F16210-81	4"D x 9-1/8"H	1-100W MB	Clear Bubble	Timber Gray & Bright Satin Nickel
F16210-85	4"D x 9-1/8"H	1-100W MB	Clear Bubble	● Farmhouse & Provincial Bronze
F16223-81	18-1/4"D x 11-5/8"H	3-100W MB	Clear Bubble	● Timber Gray & Bright Satin Nickel
F16223-85	18-1/4"D x 11-5/8"H	3-100W MB	Clear Bubble	Farmhouse & Provincial Bronze
F16225-81	24-1/4"D x 11-5/8"H	5-100W MB	Clear Bubble	Timber Gray & Bright Satin Nickel
F16225-85	24-1/4"D x 11-5/8"H	5-100W MB	Clear Bubble	● Farmhouse & Provincial Bronze



Halston 1LT Sconce
F16201-81 (WBSN)
F16201-85 (WPBR)



Halston 2LT Vanity
F16202-85 (WPBR)
F16202-81 (WBSN)



Halston 3LT Vanity
F16203-81 (WBSN)
F16203-85 (WPBR)



Halston 4LT Vanity
F16204-85 (WPBR)
F16204-81 (WBSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F16201-81	5-1/4"W x 11-5/8"H x 6-1/8"E	1-100W MB / Damp	Clear Bubble	● Timber Gray & Bright Satin Nickel
F16201-85	5-1/4"W x 11-5/8"H x 6-1/8"E	1-100W MB / Damp	Clear Bubble	Farmhouse & Provincial Bronze
F16202-81	16-1/2"W x 11-5/8"H x 6-1/8"E	2-100W MB / Damp	Clear Bubble	Timber Gray & Bright Satin Nickel
F16202-85	16-1/2"W x 11-5/8"H x 6-1/8"E	2-100W MB / Damp	Clear Bubble	● Farmhouse & Provincial Bronze
F16203-81	25-1/2"W x 11-5/8"H x 6-1/8"E	3-100W MB / Damp	Clear Bubble	● Timber Gray & Bright Satin Nickel
F16203-85	25-1/2"W x 11-5/8"H x 6-1/8"E	3-100W MB / Damp	Clear Bubble	Farmhouse & Provincial Bronze
F16204-81	35-1/2"W x 11-5/8"H x 6-1/8"E	4-100W MB / Damp	Clear Bubble	Timber Gray & Bright Satin Nickel
F16204-85	35-1/2"W x 11-5/8"H x 6-1/8"E	4-100W MB / Damp	Clear Bubble	● Farmhouse & Provincial Bronze



Halston 2LT Flush
F16215-85 (WPBR)
 F16215-81 (WBSN)



Halston 2LT Semi Flush
F16213-81 (WBSN)
 F16213-85 (WPBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F16213-81	15"D x 9-5/8"H	2-60W MB	Clear Bubble	● Timber Gray & Bright Satin Nickel
F16213-85	15"D x 9-5/8"H	2-60W MB	Clear Bubble	Farmhouse & Provincial Bronze
F16215-81	15"D x 5-5/8"H	2-60W MB / Damp	Clear Bubble	Timber Gray & Bright Satin Nickel
F16215-85	15"D x 5-5/8"H	2-60W MB / Damp	Clear Bubble	● Farmhouse & Provincial Bronze



MAXWELL
NEW FAMILY



Maxwell 1LT Sconce
F17801-31



Maxwell 2LT Sconce
F17802-31



Maxwell 1LT Pendant
F17803-31

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17801-31	7-7/8"W x 8-1/8"H x 8-5/8"E	1-100W MB / Damp	N/A	Matte Black
F17802-31	17-1/4"W x 8-1/8"H x 8-5/8"E	2-100W MB / Damp	N/A	Matte Black
F17803-31	7-7/8"D x 5-1/2"H	1-100W MB	N/A	Matte Black



REMI
NEW FAMILY



Remi 5LT Chandelier
F18205-80 (BSN)
F18205-31 (BK)



Remi 1LT Sconce
F18301-31 (BK)
F18301-80 (BSN)



Remi 2LT Vanity
F18302-80 (BSN)
F18302-31 (BK)



Remi 3LT Vanity
F18303-31 (BK)
F18303-80 (BSN)



Remi 3LT Chandelier
F18203-31 (BK)
F18203-80 (BSN)



Remi 4LT Vanity
F18304-80 (BSN)
F18304-31 (BK)

● Featured Finish

ITEM	DIMS.	WATTAGE	DIFFUSER	FINISH
F18301-31	5-1/4"W x 12-1/2"H x 6-1/8"E	1-40W MB / Damp	Linen Cloth	● Matte Black
F18301-80	5-1/4"W x 12-1/2"H x 6-1/8"E	1-40W MB / Damp	Linen Cloth	Bright Satin Nickel
F18302-31	16-1/2"W x 12-1/2"H x 6-1/8"E	2-40W MB / Damp	Linen Cloth	Matte Black
F18302-80	16-1/2"W x 12-1/2"H x 6-1/8"E	2-40W MB / Damp	Linen Cloth	● Bright Satin Nickel
F18303-31	25-3/8"W x 12-1/2"H x 6-1/8"E	3-40W MB / Damp	Linen Cloth	● Matte Black
F18303-80	25-3/8"W x 12-1/2"H x 6-1/8"E	3-40W MB / Damp	Linen Cloth	Bright Satin Nickel
F18304-31	35-1/2"W x 12-1/2"H x 6-1/8"E	4-40W MB / Damp	Linen Cloth	Matte Black
F18304-80	35-1/2"W x 12-1/2"H x 6-1/8"E	4-40W MB / Damp	Linen Cloth	● Bright Satin Nickel
F18203-31	18"D x 12-1/2"H	3-40W MB	Linen Cloth	● Matte Black
F18203-80	18"D x 12-1/2"H	3-40W MB	Linen Cloth	Bright Satin Nickel
F18205-31	23-7/8"D x 12-1/2"H	5-40W MB	Linen Cloth	Matte Black
F18205-80	23-7/8"D x 12-1/2"H	5-40W MB	Linen Cloth	● Bright Satin Nickel



STELLA
FAMILY



Stella 5LT Chandelier
F27035-18 (CG)
 F27035-31 (BK)



Stella 3LT Chandelier
F27033-31 (BK)
 F27033-18 (CG)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F27033-18	18-3/4"D x 22-7/8"H	3-100W MB	Clear	Champagne Gold
F27033-31	18-3/4"D x 22-7/8"H	3-100W MB	Clear	● Matte Black
F27035-18	25-3/4"D x 26-1/2"H	5-100W MB	Clear	● Champagne Gold
F27035-31	25-3/4"D x 26-1/2"H	5-100W MB	Clear	Matte Black



Stella 1LT Sconce
F27011-31 (BK)
F27011-18 (CG)



Stella 2LT Vanity
F27012-18 (CG)
F27012-31 (BK)



Stella 3LT Vanity
F27013-31 (BK)
F27013-18 (CG)



Stella 4LT Vanity
F27014-18 (CG)
F27014-31 (BK)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F27011-18	4-5/8"W x 11-1/4"H x 6"E	1-100W MB / Damp	Clear	Champagne Gold
F27011-31	4-5/8"W x 11-1/4"H x 6"E	1-100W MB / Damp	Clear	● Matte Black
F27012-18	14-1/8"W x 11-1/4"H x 6"E	2-100W MB / Damp	Clear	● Champagne Gold
F27012-31	14-1/8"W x 11-1/4"H x 6"E	2-100W MB / Damp	Clear	Matte Black
F27013-18	21-5/8"W x 11-1/4"H x 6"E	3-100W MB / Damp	Clear	Champagne Gold
F27013-31	21-5/8"W x 11-1/4"H x 6"E	3-100W MB / Damp	Clear	● Matte Black
F27014-18	30-1/8"W x 11-1/4"H x 6"E	4-100W MB / Damp	Clear	● Champagne Gold
F27014-31	30-1/8"W x 11-1/4"H x 6"E	4-100W MB / Damp	Clear	Matte Black



Stella 1LT Mini Pendant
F27041-18 (CG)
F27041-31 (BK)



Stella 3LT Semi Flush
F27023-31 (BK)
F27023-18 (CG)



Stella 3LT Flush Mount
F27024-31 (BK)
F27024-18 (CG)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F27023-18	15-1/8"W x 9-1/2"H	3-100W MB / Damp	Clear	Champagne Gold
F27023-31	15-1/8"W x 9-1/2"H	3-100W MB / Damp	Clear	● Matte Black
F27024-18	15-1/8"W x 6-3/8"H	3-100W MB / Damp	Clear	Champagne Gold
F27024-31	15-1/8"W x 6-3/8"H	3-100W MB / Damp	Clear	● Matte Black
F27041-18	4-5/8"D x 11-1/4"H	1-100W MB	Clear	● Champagne Gold
F27041-31	4-5/8"D x 11-1/4"H	1-100W MB	Clear	Matte Black



ONYX
FAMILY



Onyx 5LT Chandelier
F28035-23 (BSG)



Onyx 3LT Chandelier
F28033-23 (BSG)



Onyx 1LT Mini Pendant
F28031-23 (BSG)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F28033-23	20-1/2"W x 22-3/8"H	3-100W MB	N/A	Matte Black and Satin Gold
F28035-23	27-1/8"W x 25-1/2"H	5-100W MB	N/A	Matte Black and Satin Gold
F28031-23	4-3/4"W x 10-1/2"H 10' of Cord	1-100W MB	N/A	Matte Black and Satin Gold



Onyx 1LT Sconce
F28001-23 (BSG)



Onyx 2LT Vanity
F28002-23 (BSG)



Onyx 3LT Vanity
F28003-23 (BSG)



Onyx 4LT Vanity
F28004-23 (BSG)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F28001-23	5"W x 8-1/2"H x 7-1/2"E	1-100W MB / Damp	N/A	Matte Black and Satin Gold
F28002-23	15"W x 8-1/2"H x 6-7/8"E	2-100W MB / Damp	N/A	Matte Black and Satin Gold
F28003-23	25-1/4"W x 8-1/2"H x 6-7/8"E	3-100W MB / Damp	N/A	Matte Black and Satin Gold
F28004-23	35-3/8"W x 8-1/2"H x 6-7/8"E	4-100W MB / Damp	N/A	Matte Black and Satin Gold



MESSIER

FAMILY



Messier 7LT Chandelier
F26117-64 (PBR)
F26117-57 (AQM)



Messier 5LT Chandelier
F26115-57 (AQM)
F26115-64 (PBR)



Messier 1LT Mini Pendant
F26111-64 (PBR)
F26111-57 (AQM)



Messier 1LT Flush Mount
F26110-57 (AQM)
F26110-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F26110-57	7-1/8"W x 9"H	1-60W MB / Damp	Clear Seeded	● Antique Gunmetal
F26110-64	7-1/8"W x 9"H	1-60W MB / Damp	Clear Seeded	Provincial Bronze
F26111-57	13-1/2"W x 20-1/4"H	1-60W MB	Clear Seeded	Antique Gunmetal
F26111-64	13-1/2"W x 20-1/4"H	1-60W MB	Clear Seeded	● Provincial Bronze
F26115-57	30-1/4"W x 30"H	5-60W MB	Clear Seeded	● Antique Gunmetal
F26115-64	30-1/4"W x 30"H	5-60W MB	Clear Seeded	Provincial Bronze
F26117-57	31-3/4"W x 35-3/4"H	7-60W MB	Clear Seeded	Antique Gunmetal
F26117-64	31-3/4"W x 35-3/4"H	7-60W MB	Clear Seeded	● Provincial Bronze



RIELLA

FAMILY



Riella 5LT Chandelier
F24015-80 (BSN)
 F24015-64 (PBR)




Riella 5LT Island Pendant
F24017-64 (PBR)
 F24017-80 (BSN)



Riella 8LT Chandelier
F24018-64 (PBR)
 F24018-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F24015-64	24"D x 24-1/8"H	5-100W MB	Clear Seeded	Provincial Bronze
F24015-80	24"D x 24-1/8"H	5-100W MB	Clear Seeded	● Bright Satin Nickel
F24017-64	43-1/4"W x 52-5/8"OH x 5-1/2"D	5-100W MB	Clear Seeded	● Provincial Bronze
F24017-80	43-1/4"W x 52-5/8"OH x 5-1/2"D	5-100W MB	Clear Seeded	Bright Satin Nickel
F24018-64	30"D x 29-1/8"H	8-60W MB	Clear Seeded	● Provincial Bronze
F24018-80	30"D x 29-1/8"H	8-60W MB	Clear Seeded	Bright Satin Nickel



Riella 1LT Mini Pendant
F24010-80 (BSN)
F24010-64 (PBR)



Riella 1LT Sconce
F24101-64 (PBR)
F24101-80 (BSN)



Riella 2LT Vanity
F24102-80 (BSN)
F24102-64 (PBR)



Riella 3LT Vanity
F24103-64 (PBR)
F24103-80 (BSN)



Riella 4LT Vanity
F24104-80 (BSN)
F24104-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F24010-64	5-1/2"D x 53-1/2"OH	1-100W MB	Clear Seeded	Provincial Bronze
F24010-80	5-1/2"D x 53-1/2"OH	1-100W MB	Clear Seeded	● Bright Satin Nickel
F24101-64	5-1/2"W x 8-3/4"H x 6-1/2"E	1-100W MB / Damp	Clear Seeded	● Provincial Bronze
F24101-80	5-1/2"W x 8-3/4"H x 6-1/2"E	1-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F24102-64	15"W x 9-5/8"H x 6-1/2"E	2-100W MB / Damp	Clear Seeded	Provincial Bronze
F24102-80	15"W x 9-5/8"H x 6-1/2"E	2-100W MB / Damp	Clear Seeded	● Bright Satin Nickel
F24103-64	24-3/8"W x 9-5/8"H x 6-1/2"E	3-100W MB / Damp	Clear Seeded	● Provincial Bronze
F24103-80	24-3/8"W x 9-5/8"H x 6-1/2"E	3-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F24104-64	33-7/8"W x 9-5/8"H x 6-1/2"E	4-100W MB / Damp	Clear Seeded	Provincial Bronze
F24104-80	33-7/8"W x 9-5/8"H x 6-1/2"E	4-100W MB / Damp	Clear Seeded	● Bright Satin Nickel



QAIRO

FAMILY



Qairo 3LT Flush Mount
F25018-80 (BSN)
F25008-64 (PBR)



Qairo 1LT Sconce
F25201-80 (BSN)
F25101-64 (PBR)



Qairo 2LT Vanity
F25102-64 (PBR)
F25202-80 (BSN)



Qairo 1LT Mini Pendant
F25010-64 (PBR)
F25021-80 (BSN)



Qairo 3LT Vanity
F25203-80 (BSN)
F25103-64 (PBR)



Qairo 4LT Vanity
F25104-64 (PBR)
F25204-80 (BSN)

● Featured Finish (-64 Comes with Frosted Seeded Glass Only)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F25008-64	11-5/8"D x 8"H	3-60W MB / Damp	Frosted Seeded	Provincial Bronze
F25018-80	11-5/8"D x 8"H	3-60W MB / Damp	Clear Seeded	● Bright Satin Nickel
F25010-64	4-3/4"W x 53"OH	1-100W MB	Frosted Seeded	● Provincial Bronze
F25021-80	4-3/4"W x 53"OH	1-100W MB	Clear Seeded	Bright Satin Nickel
F25101-64	5"W x 10-1/4"H x 6-1/2"E	1-100W MB / Damp	Frosted Seeded	Provincial Bronze
F25201-80	5"W x 10-1/4"H x 6-1/2"E	1-100W MB / Damp	Clear Seeded	● Bright Satin Nickel
F25102-64	15-3/4"W x 10-1/4"H x 6-3/4"E	2-100W MB / Damp	Frosted Seeded	● Provincial Bronze
F25202-80	15-3/4"W x 10-1/4"H x 6-3/4"E	2-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F25103-64	24"W x 10-1/4"H x 6-3/4"E	3-100W MB / Damp	Frosted Seeded	Provincial Bronze
F25203-80	24"W x 10-1/4"H x 6-3/4"E	3-100W MB / Damp	Clear Seeded	● Bright Satin Nickel
F25104-64	32-1/4"W x 10-1/4"H x 6-3/4"E	4-100W MB / Damp	Frosted Seeded	● Provincial Bronze
F25204-80	32-1/4"W x 10-1/4"H x 6-3/4"E	4-100W MB / Damp	Clear Seeded	Bright Satin Nickel



ESQUIRE

FAMILY



Esquire 5LT Chandelier
F17115-57 (AQM)



Esquire 3LT Chandelier
F17113-57 (AQM)



Esquire 8LT Chandelier
F17118-57 (AQM)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17113-57	22"D x 23-5/8"H	3-100W MB	Clear	Antique Gunmetal
F17115-57	26"D x 25-1/4"H	5-100W MB	Clear	Antique Gunmetal
F17118-57	30"D x 24-5/8"H	8-60W MB	Clear	Antique Gunmetal



Esquire 1LT Sconce
F17101-57 (AQM)



Esquire 2LT Vanity
F17102-57 (AQM)



Esquire 3LT Vanity
F17103-57 (AQM)



Esquire 4LT Vanity
F17104-57 (AQM)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17101-57	4-3/4"W x 15-3/4"H x 5"E	1-100W MB / Damp	Clear	Antique Gunmetal
F17102-57	11-3/4"W x 12-1/8"H x 5"E	2-100W MB / Damp	Clear	Antique Gunmetal
F17103-57	19-7/8"W x 12-1/8"H x 5"E	3-100W MB / Damp	Clear	Antique Gunmetal
F17104-57	28"W x 12-1/8"H x 5"E	4-100W MB / Damp	Clear	Antique Gunmetal



SOMES

FAMILY



Somes 5LT Chandelier
F17025-80 (BSN)
F17025-64 (PBR)



Somes 3LT Chandelier
F17023-64 (PBR)
F17023-80 (BSN)



Somes 9LT 2-Tier Chandelier
F17029-64 (PBR)
F17029-80 (BSN)



Linen Glass

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17023-64	18-1/2"D x 19-1/8"H	3-100W MB	Linen	● Provincial Bronze
F17023-80	18-1/2"D x 19-1/8"H	3-100W MB	Linen	Bright Satin Nickel
F17025-64	21"D x 20-3/4"H	5-100W MB	Linen	Provincial Bronze
F17025-80	21"D x 20-3/4"H	5-100W MB	Linen	● Bright Satin Nickel
F17029-64	28"D x 30-5/8"H	9-60W MB	Linen	● Provincial Bronze
F17029-80	28"D x 30-5/8"H	9-60W MB	Linen	Bright Satin Nickel



Somes 1LT Mini Pendant
F17030-64 (PBR)
F17030-80 (BSN)



Somes 1LT Sconce
F17031-80 (BSN)
F17031-64 (PBR)



Somes 2LT Vanity
F17032-64 (PBR)
F17032-80 (BSN)



Somes 3LT Vanity
F17033-80 (BSN)
F17033-64 (PBR)



Somes 4LT Vanity
F17034-64 (PBR)
F17034-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17030-64	3-7/8"D x 52"OH	1-100W MB	Linen	● Provincial Bronze
F17030-80	3-7/8"D x 52"OH	1-100W MB	Linen	Bright Satin Nickel
F17031-64	4-1/2"W x 9-5/8"H x 6-1/8"E	1-100W MB / Damp	Linen	Provincial Bronze
F17031-80	4-1/2"W x 9-5/8"H x 6-1/8"E	1-100W MB / Damp	Linen	● Bright Satin Nickel
F17032-64	13"W x 9-5/8"H x 6-1/8"E	2-100W MB / Damp	Linen	● Provincial Bronze
F17032-80	13"W x 9-5/8"H x 6-1/8"E	2-100W MB / Damp	Linen	Bright Satin Nickel
F17033-64	22"W x 9-5/8"H x 6-1/8"E	3-100W MB / Damp	Linen	Provincial Bronze
F17033-80	22"W x 9-5/8"H x 6-1/8"E	3-100W MB / Damp	Linen	● Bright Satin Nickel
F17034-64	31-1/8"W x 9-5/8"H x 6-1/8"E	4-100W MB / Damp	Linen	● Provincial Bronze
F17034-80	31-1/8"W x 9-5/8"H x 6-1/8"E	4-100W MB / Damp	Linen	Bright Satin Nickel



Somes 3LT Semi Flush
F17036-64 (PBR)
F17036-80 (BSN)

Somes 2LT Flush Mount
F17038-80 (BSN)
F17038-64 (PBR)

Somes 3LT Pendant
F17027-80 (BSN)
F17027-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17027-64	18"D x 24"H	3-100W MB	Linen	Provincial Bronze
F17027-80	18"D x 24"H	3-100W MB	Linen	● Bright Satin Nickel
F17036-64	12-1/4"D x 9-1/2"H	3-100W MB	Linen	● Provincial Bronze
F17036-80	12-1/4"D x 9-1/2"H	3-100W MB	Linen	Bright Satin Nickel
F17038-64	12-1/4"D x 4-1/2"H	2-60W MB / Damp	Linen	Provincial Bronze
F17038-80	12-1/4"D x 4-1/2"H	2-60W MB / Damp	Linen	● Bright Satin Nickel



QUARTZ

FAMILY



Quartz 5LT Chandelier
F19025-80 (BSN)
 F19025-64 (PBR)



Quartz 3LT Flush Mount
F19028-80 (BSN)
 F19028-64 (PBR)



Quartz 3LT Semi Flush
F19036-64 (PBR)
 F19036-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F19025-64	24-1/8"D x 21-3/4"H	5-100W MB	Opal	Provincial Bronze
F19025-80	24-1/8"D x 21-3/4"H	5-100W MB	Opal	● Bright Satin Nickel
F19028-64	13-3/4"D x 4-5/8"H	3-60W MB / Damp	Opal	Provincial Bronze
F19028-80	13-3/4"D x 4-5/8"H	3-60W MB / Damp	Opal	● Bright Satin Nickel
F19036-64	13-3/4"D x 9-1/8"H	3-100W MB	Opal	● Provincial Bronze
F19036-80	13-3/4"D x 9-1/8"H	3-100W MB	Opal	Bright Satin Nickel



Quartz 1LT Mini Pendant
F19020-64 (PBR)
F19020-80 (BSN)



Quartz 1LT Sconce
F19031-80 (BSN)
F19031-64 (PBR)



Quartz 2LT Vanity
F19032-64 (PBR)
F19032-80 (BSN)



Quartz 3LT Vanity
F19033-80 (BSN)
F19033-64 (PBR)



Quartz 4LT Vanity
F19034-64 (PBR)
F19034-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F19020-64	4-7/8"D x 51-1/2"OH	1-100W MB	Opal	● Provincial Bronze
F19020-80	4-7/8"D x 51-1/2"OH	1-100W MB	Opal	Bright Satin Nickel
F19031-64	4-7/8"W x 7-1/4"H x 7-3/8"E	1-100W MB / Damp	Opal	Provincial Bronze
F19031-80	4-7/8"W x 7-1/4"H x 7-3/8"E	1-100W MB / Damp	Opal	● Bright Satin Nickel
F19032-64	13-3/4"W x 7-1/4"H x 7-3/8"E	2-100W MB / Damp	Opal	● Provincial Bronze
F19032-80	13-3/4"W x 7-1/4"H x 7-3/8"E	2-100W MB / Damp	Opal	Bright Satin Nickel
F19033-64	22-5/8"W x 7-1/4"H x 7-3/8"E	3-100W MB / Damp	Opal	Provincial Bronze
F19033-80	22-5/8"W x 7-1/4"H x 7-3/8"E	3-100W MB / Damp	Opal	● Bright Satin Nickel
F19034-64	31-1/2"W x 7-1/4"H x 7-3/8"E	4-100W MB / Damp	Opal	● Provincial Bronze
F19034-80	31-1/2"W x 7-1/4"H x 7-3/8"E	4-100W MB / Damp	Opal	Bright Satin Nickel



HADLEY

FAMILY



Hadley 3LT Chandelier
F22004-80 (BSN)



Hadley 5LT Chandelier
F22005-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F22004-80	19-5/8"D x 20-5/8"H	3-100W MB	Opal	Bright Satin Nickel
F22005-80	24-3/8"D x 22-5/8"H	5-100W MB	Opal	Bright Satin Nickel



Hadley 1LT Mini Pendant
F22010-80 (BSN)



Hadley 1LT Sconce
F22011-80 (BSN)



Hadley 2LT Vanity
F22012-80 (BSN)



Hadley 3LT Vanity
F22013-80 (BSN)



Hadley 4LT Vanity
F22014-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F22010-80	5"D x 53-1/4"OH	1-100W MB	Opal	Bright Satin Nickel
F22011-80	4-1/2"W x 10-7/8"H x 6-5/8"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F22012-80	12"W x 9-3/8"H x 5-7/8"E	2-100W MB / Damp	Opal	Bright Satin Nickel
F22013-80	24"W x 9-3/8"H x 5-7/8"E	3-100W MB / Damp	Opal	Bright Satin Nickel
F22014-80	30"W x 9-3/8"H x 5-7/8"E	4-100W MB / Damp	Opal	Bright Satin Nickel



Hadley 3LT Pendant
F22003-80 (BSN)



Hadley 3LT Semi Flush
F22006-80 (BSN)



Hadley 2LT Flush Mount
F22002-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F22002-80	13-1/2"D x 6-1/4"H	2-60W MB / Damp	Opal	Bright Satin Nickel
F22003-80	16-5/8"D x 21-1/2"H	3-100W MB	Opal	Bright Satin Nickel
F22006-80	13-1/2"D x 10-1/2"H	3-100W MB	Opal	Bright Satin Nickel



PAYTON

FAMILY



Payton 3LT Chandelier
F21003-80 (BSN)



Payton 3LT Pendant
F21007-80 (BSN)



Payton 5LT Chandelier
F21005-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F21003-80	20"D x 20"H	3-100W MB	Opal	Bright Satin Nickel
F21005-80	25-1/2"D x 22"H	5-100W MB	Opal	Bright Satin Nickel
F21007-80	16"D x 22-1/2"H	3-100W MB	Opal	Bright Satin Nickel



Payton 1LT Mini Pendant
F21010-80 (BSN)



Payton 2LT Flush Mount
F21002-80 (BSN)



Payton 3LT Semi Flush
F21008-80 (BSN)



Payton 1LT Sconce
F21011-80 (BSN)



Payton 2LT Vanity
F21012-80 (BSN)



Payton 3LT Vanity
F21013-80 (BSN)



Payton 4LT Vanity
F21014-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F21002-80	13"D x 6"H	2-60W MB / Damp	Opal	Bright Satin Nickel
F21008-80	13"D x 10-3/8"H	3-100W MB	Opal	Bright Satin Nickel
F21010-80	5"D x 52-1/2"OH	1-100W MB	Opal	Bright Satin Nickel
F21011-80	5"W x 10"H x 6-5/8"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F21012-80	14-3/8"W x 10"H x 6-5/8"E	2-100W MB / Damp	Opal	Bright Satin Nickel
F21013-80	24"W x 10"H x 6-5/8"E	3-100W MB / Damp	Opal	Bright Satin Nickel
F21014-80	33-1/2"W x 10"H x 6-5/8"E	4-100W MB / Damp	Opal	Bright Satin Nickel



STARLING

FAMILY



Starling 3LT Chandelier
F19003-80 (BSN)



Starling 5LT Chandelier
F19005-64 (PBR)
F19005-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F19003-80	21"D x 21-1/2"H	3-100W MB	Frosted Opal	● Bright Satin Nickel
F19005-64	26"D x 22-1/2"H	5-100W MB	Frosted Opal	● Provincial Bronze
F19005-80	26"D x 22-1/2"H	5-100W MB	Frosted Opal	Bright Satin Nickel



Starling 1LT Mini Pendant
F19010-64 (PBR)
F19010-80 (BSN)



Starling 1LT Sconce
F19011-64 (PBR)



Starling 2LT Vanity
F19012-80 (BSN)
F19012-64 (PBR)



Starling 3LT Vanity
F19013-64 (PBR)
F19013-80 (BSN)



Starling 4LT Vanity
F19014-80 (BSN)
F19014-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F19010-64	5-1/2"SQ x 50-3/4"OH	1-100W MB	Frosted Opal	● Provincial Bronze
F19010-80	5-1/2"SQ x 50-3/4"OH	1-100W MB	Frosted Opal	Bright Satin Nickel
F19011-64	5-1/2"W x 8-3/8"H x 6-3/8"E	1-100W MB / Damp	Frosted Opal	● Provincial Bronze
F19012-64	15-3/4"W x 8"H x 6-3/8"E	2-100W MB / Damp	Frosted Opal	Provincial Bronze
F19012-80	15-3/4"W x 8"H x 6-3/8"E	2-100W MB / Damp	Frosted Opal	● Bright Satin Nickel
F19013-64	23"W x 8"H x 6"E	3-100W MB / Damp	Frosted Opal	● Provincial Bronze
F19013-80	23"W x 8"H x 6"E	3-100W MB / Damp	Frosted Opal	Bright Satin Nickel
F19014-64	30-1/8"W x 8"H x 6"E	4-100W MB / Damp	Frosted Opal	Provincial Bronze
F19014-80	30-1/8"W x 8"H x 6"E	4-100W MB / Damp	Frosted Opal	● Bright Satin Nickel



ABBOT

FAMILY



Abbott 5LT Chandelier
F17005-64 (PBR)
F17005-80 (BSN)



Abbott 3LT Chandelier
F17003-80 (BSN)
F17003-64 (PBR)



Abbott 9LT 2-Tier Chandelier
F17009-64 (PBR)
F17009-80 (BSN)

● Featured Finish


ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17003-64	20-1/4"D x 19"H	3-100W MB	Clear Seedy / Frosted Opal	Provincial Bronze
F17003-80	20-1/4"D x 19"H	3-100W MB	Clear Seedy / Frosted Opal	● Bright Satin Nickel
F17005-64	25-3/4"D x 20-1/2"H	5-100W MB	Clear Seedy / Frosted Opal	● Provincial Bronze
F17005-80	25-3/4"D x 20-1/2"H	5-100W MB	Clear Seedy / Frosted Opal	Bright Satin Nickel
F17009-64	31-1/2"D x 28-1/2"H	9-60W MB	Clear Seedy / Frosted Opal	● Provincial Bronze
F17009-80	31-1/2"D x 28-1/2"H	9-60W MB	Clear Seedy / Frosted Opal	Bright Satin Nickel




Abbot 1LT Mini Pendant
F17010-64 (PBR)
F17010-80 (BSN)



Abbot 2LT Vanity
F17012-80 (BSN)
F17012-64 (PBR)



Abbot 3LT Vanity
F17013-64 (PBR)
F17013-80 (BSN)



Abbot 4LT Vanity
F17014-80 (BSN)
F17014-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17010-64	5-1/2"D x 50-1/2"OH	1-100W MB	Clear Seedy / Frosted Opal	● Provincial Bronze
F17010-80	5-1/2"D x 50-1/2"OH	1-100W MB	Clear Seedy / Frosted Opal	Bright Satin Nickel
F17012-64	15-3/4"W x 6-1/8"H x 7-3/4"E	2-100W MB / Damp	Clear Seedy / Frosted Opal	Provincial Bronze
F17012-80	15-3/4"W x 6-1/8"H x 7-3/4"E	2-100W MB / Damp	Clear Seedy / Frosted Opal	● Bright Satin Nickel
F17013-64	26"W x 6-1/8"H x 7-3/4"E	3-100W MB / Damp	Clear Seedy / Frosted Opal	● Provincial Bronze
F17013-80	26"W x 6-1/8"H x 7-3/4"E	3-100W MB / Damp	Clear Seedy / Frosted Opal	Bright Satin Nickel
F17014-64	36-1/8"W x 6-1/8"H x 7-3/4"E	4-100W MB / Damp	Clear Seedy / Frosted Opal	Provincial Bronze
F17014-80	36-1/8"W x 6-1/8"H x 7-3/4"E	4-100W MB / Damp	Clear Seedy / Frosted Opal	● Bright Satin Nickel



DALTON

FAMILY



Dalton 5LT Chandelier
F18005-64 (PBR)
F18005-80 (BSN)



Dalton 3LT Chandelier
F18003-80 (BSN)
F18003-64 (PBR)



Dalton 9LT 2-Tier Chandelier
F18009-80 (BSN)
F18009-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F18003-64	18-1/2"D x 19-1/2"H	3-100W MB	Opal Etched	Provincial Bronze
F18003-80	18-1/2"D x 19-1/2"H	3-100W MB	Opal Etched	● Bright Satin Nickel
F18005-64	23-3/4"D x 22-5/8"H	5-100W MB	Opal Etched	● Provincial Bronze
F18005-80	23-3/4"D x 22-5/8"H	5-100W MB	Opal Etched	Bright Satin Nickel
F18009-64	28-1/8"D x 29-3/8"H	9-60W MB	Opal Etched	Provincial Bronze
F18009-80	28-1/8"D x 29-3/8"H	9-60W MB	Opal Etched	● Bright Satin Nickel



Dalton 3LT Semi Flush
F18016-80 (BSN)
F18016-64 (PBR)



Dalton 3LT Pendant
F18007-64 (PBR)
F18007-80 (BSN)



Dalton 5LT Down Chandelier
F18006-80 (BSN)
F18006-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F18006-64	23-7/8"D x 24-3/8"H	5-100W MB	Opal Etched	Provincial Bronze
F18006-80	23-7/8"D x 24-3/8"H	5-100W MB	Opal Etched	● Bright Satin Nickel
F18007-64	16-3/4"D x 19-3/4"H	3-100W MB	Opal Etched	● Provincial Bronze
F18007-80	16-3/4"D x 19-3/4"H	3-100W MB	Opal Etched	Bright Satin Nickel
F18016-64	13-5/8"D x 10"H	3-100W MB	Opal Etched	Provincial Bronze
F18016-80	13-5/8"D x 10"H	3-100W MB	Opal Etched	● Bright Satin Nickel



Dalton 1LT Mini Pendant
F18010-64 (PBR)
 F18010-80 (BSN)
 F18010-80-LED-JA8 (BSN)



Dalton 1LT Sconce
F18011-80 (BSN)
 F18011-64 (PBR)



Dalton 2LT Vanity
F18012-64 (PBR)
 F18012-80 (BSN)



Dalton 3LT Vanity
F18013-80 (BSN)
 F18013-64 (PBR)



Dalton 4LT Vanity
F18014-64 (PBR)
 F18014-80 (BSN)

● Featured Finish ●   ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F18010-64	4"D x 52"OH	1-100W MB	Opal Etched	● Provincial Bronze
F18010-80	4"D x 52"OH	1-100W MB	Opal Etched	Bright Satin Nickel
F18010-80-LED-JA8 ● ● ●	4"D x 52"OH	8W / 3000K / 120V / 90CRI 710 Source Lm / 590 Delivered Lm 50,000hrs / Dimm.	Opal Etched	Bright Satin Nickel
F18011-64	4-3/4"W x 8-1/8"H x 5-3/4"E	1-100W MB / Damp	Opal Etched	Provincial Bronze
F18011-80	4-3/4"W x 8-1/8"H x 5-3/4"E	1-100W MB / Damp	Opal Etched	● Bright Satin Nickel
F18012-64	12"W x 8-1/8"H x 5-7/8"E	2-100W MB / Damp	Opal Etched	● Provincial Bronze
F18012-80	12"W x 8-1/8"H x 5-7/8"E	2-100W MB / Damp	Opal Etched	Bright Satin Nickel
F18013-64	24"W x 8-1/8"H x 5-7/8"E	3-100W MB / Damp	Opal Etched	Provincial Bronze
F18013-80	24"W x 8-1/8"H x 5-7/8"E	3-100W MB / Damp	Opal Etched	● Bright Satin Nickel
F18014-64	30"W x 8-1/8"H x 5-7/8"E	4-100W MB / Damp	Opal Etched	● Provincial Bronze
F18014-80	30"W x 8-1/8"H x 5-7/8"E	4-100W MB / Damp	Opal Etched	Bright Satin Nickel



CHANDELIERS



Somes 9LT 2-Tier Chandelier
F17029-64 (PBR)
F17029-80 (BSN)



Abbot 9LT 2-Tier Chandelier
F17009-64 (PBR)
F17009-80 (BSN)



Dalton 9LT 2-Tier Chandelier
F18009-80 (BSN)
F18009-64 (PBR)



Esquire 8LT Chandelier
F17118-57 (AGM)



Riella 8LT Chandelier
F24018-80 (BSN)
F24018-64 (PBR)



Messier 7LT Chandelier
F26117-64 (PBR)
F26117-57 (AGM)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17029-64	28"D x 30-5/8"H	9-60W MB	Linen	● Provincial Bronze
F17029-80	28"D x 30-5/8"H	9-60W MB	Linen	Bright Satin Nickel
F17009-64	31-1/2"D x 28-1/2"H	9-60W MB	Clear Seedy / Frosted Opal	● Provincial Bronze
F17009-80	31-1/2"D x 28-1/2"H	9-60W MB	Clear Seedy / Frosted Opal	Bright Satin Nickel
F18009-64	28-1/8"D x 29-3/8"H	9-60W MB	Opal Etched	Provincial Bronze
F18009-80	28-1/8"D x 29-3/8"H	9-60W MB	Opal Etched	● Bright Satin Nickel
F17118-57	30"D x 24-5/8"H	8-60W MB	Clear	Antique Gunmetal
F24018-64	30"D x 29-1/8"H	8-60W MB	Clear Seeded	Provincial Bronze
F24018-80	30"D x 29-1/8"H	8-60W MB	Clear Seeded	● Bright Satin Nickel
F26117-57	31-1/4"W x 35-3/4"H	7-60W MB	Clear Seeded	Antique Gunmetal
F26117-64	31-1/4"W x 35-3/4"H	7-60W MB	Clear Seeded	● Provincial Bronze



Easton 5LT Chandelier
F17215-31 (BK)
 F17315-80 (BSN)



Halston 5LT Chandelier
F16225-85 (WPBR)
 F16225-81 (WBSN)



Remi 5LT Chandelier
F18205-80 (BSN)
 F18205-31 (BK)



Stella 5LT Chandelier
F27035-18 (CG)
 F27035-31 (BK)



Onyx 5LT Chandelier
F28035-23 (BSG)



Messier 5LT Chandelier
F26115-57 (AQM)
 F26115-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17215-31	23-1/4"D x 13-5/8"H	5-100W MB	Clear Seeded	Black
F17315-80	23-1/4"D x 13-5/8"H	5-100W MB	Frosted	Bright Satin Nickel
F16225-81	24-1/4"D x 11-5/8"H	5-100W MB	Clear Bubble	Timber Gray & Bright Satin Nickel
F16225-85	24-1/4"D x 11-5/8"H	5-100W MB	Clear Bubble	● Farmhouse & Provincial Bronze
F18205-31	23-7/8"D x 12-1/2"H	5-40W MB	Linen Cloth	Matte Black
F18205-80	23-7/8"D x 12-1/2"H	5-40W MB	Linen Cloth	● Bright Satin Nickel
F27035-18	25-3/4"W x 26-1/2"H	5-100W MB	Clear	● Champagne Gold
F27035-31	25-3/4"W x 26-1/2"H	5-100W MB	Clear	Matte Black
F28035-23	27-1/8"W x 25-1/2"H	5-100W MB	N/A	Matte Black and Satin Gold
F26115-57	30-1/4"W x 30"H	5-60W MB	Clear Seeded	● Antique Gunmetal
F26115-64	30-1/4"W x 30"H	5-60W MB	Clear Seeded	Provincial Bronze



Esquire 5LT Chandelier
F17115-57 (AGM)



Riella 5LT Chandelier
F24015-80 (BSN)
F24015-64 (PBR)



Somes 5LT Chandelier
F17025-64 (PBR)
F17025-80 (BSN)



Quartz 5LT Chandelier
F19025-80 (BSN)
F19025-64 (PBR)



Hadley 5LT Chandelier
F22005-80 (BSN)



Payton 5LT Chandelier
F21005-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17115-57	26"D x 25-1/4"H	5-100W MB	Clear	Antique Gunmetal
F24015-64	24"D x 24-1/8"H	5-100W MB	Clear Seeded	Provincial Bronze
F24015-80	24"D x 24-1/8"H	5-100W MB	Clear Seeded	● Bright Satin Nickel
F17025-64	21"D x 20-3/4"H	5-100W MB	Linen	● Provincial Bronze
F17025-80	21"D x 20-3/4"H	5-100W MB	Linen	Bright Satin Nickel
F19025-64	24-1/8"D x 21-3/4"H	5-100W MB	Opal	Provincial Bronze
F19025-80	24-1/8"D x 21-3/4"H	5-100W MB	Opal	● Bright Satin Nickel
F22005-80	24-3/8"D x 22-5/8"H	5-100W MB	Opal	Bright Satin Nickel
F21005-80	25-1/2"D x 22"H	5-100W MB	Opal	Bright Satin Nickel



Starling 5LT Chandelier
F19005-64 (PBR)
F19005-80 (BSN)



Abbot 5LT Chandelier
F17005-64 (PBR)
F17005-80 (BSN)



Dalton 5LT Chandelier
F18005-64 (PBR)
F18005-80 (BSN)



Dalton 5LT Down Chandelier
F18006-80 (BSN)
F18006-64 (PBR)



Tempest 5LT Chandelier
F2485-53 (SN)



Alton 5LT Chandelier
F5455-53 (SN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F19005-64	26"D x 22-1/2"H	5-100W MB	Frosted Opal	● Provincial Bronze
F19005-80	26"D x 22-1/2"H	5-100W MB	Frosted Opal	Bright Satin Nickel
F17005-64	25-3/4"D x 20-1/2"H	5-100W MB	Clear Seedy / Frosted Opal	● Provincial Bronze
F17005-80	25-3/4"D x 20-1/2"H	5-100W MB	Clear Seedy / Frosted Opal	Bright Satin Nickel
F18005-64	23-3/4"D x 22-5/8"H	5-100W MB	Opal Etched	Provincial Bronze
F18005-80	23-3/4"D x 22-5/8"H	5-100W MB	Opal Etched	Bright Satin Nickel
F18006-64	23-7/8"D x 24-3/8"H	5-100W MB	Opal Etched	Provincial Bronze
F18006-80	23-7/8"D x 24-3/8"H	5-100W MB	Opal Etched	Bright Satin Nickel
F2485-53	22-1/8"D x 22-1/2"H	5-100W MB	Opal	Satin Nickel
F5455-53	24"D x 15-1/8"H	5-100W MB	Faux Alabaster	Satin Nickel



Madrid 5LT Chandelier
F6345-62 (RB)
F6345-53 (SN)



Metropolitan 5LT Chandelier
F5165-54 (PPW)



5LT Down Chandelier
F6316-53 (SN)



5LT Down Chandelier
F6313-53 (SN)



5LT Down Chandelier
F6315-53 (SN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6345-53	22-1/2"D x 18"H	5-100W MB	Faux Alabaster	Satin Nickel
F6345-62	22-1/2"D x 18"H	5-100W MB	Faux Alabaster	● Rubbed Bronze
F5165-54	25-3/4"D x 23"H	5-100W MB	Faux Alabaster	Pewter Painted
F6316-53	23"D x 13-1/4"H	5-60W MB	Faux Alabaster	Satin Nickel
F6313-53	23"D x 13"H	5-60W MB	Clear Prismatic	Satin Nickel
F6315-53	23"D x 13"H	5-60W MB	Faux Alabaster	Satin Nickel



Easton 3LT Chandelier
F17313-80 (BSN)
F17213-31 (BK)



Halston 3LT Chandelier
F16223-81 (WBSN)
F16223-85 (WPBR)



Remi 3LT Chandelier
F18203-31 (BK)
F18203-80 (BSN)



Stella 3LT Chandelier
F27033-31 (BK)
F27033-18 (CG)



Onyx 3LT Chandelier
F28033-23 (BSG)



Esquire 3LT Chandelier
F17113-57 (AGM)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17213-31	19-1/4"D x 13-5/8"H	3-100W MB	Clear Seeded	Black
F17313-80	19-1/4"D x 13-5/8"H	3-100W MB	Frosted	● Bright Satin Nickel
F16223-81	18-1/4"D x 11-5/8"H	3-100W MB	Clear Bubble	● Timber Gray & Bright Satin Nickel
F16223-85	18-1/4"D x 11-5/8"H	3-100W MB	Clear Bubble	Farmhouse & Provincial Bronze
F18203-31	18"D x 12-1/2"H	3-40W MB	Linen Cloth	● Matte Black
F18203-80	18"D x 12-1/2"H	3-40W MB	Linen Cloth	Bright Satin Nickel
F27033-18	18-3/4"W x 22-7/8"H	3-100W MB	Clear	Champagne Gold
F27033-31	18-3/4"W x 22-7/8"H	3-100W MB	Clear	● Matte Black
F28033-23	20-1/2"W x 22-3/8"H	3-100W MB	N/A	Matte Black and Satin Gold
F17113-57	22"D x 23-5/8"H	3-100W MB	Clear	Antique Gunmetal



Somes 3LT Chandelier
F17023-64 (PBR)
F17023-80 (BSN)



Hadley 3LT Chandelier
F22004-80 (BSN)



Payton 3LT Chandelier
F21003-80 (BSN)



Starling 3LT Chandelier
F19003-80 (BSN)



Abbot 3LT Chandelier
F17003-64 (PBR)
F17003-80 (BSN)



Dalton 3LT Chandelier
F18003-80 (BSN)
F18003-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17023-64	18-1/2"D x 19-1/8"H	3-100W MB	Linen	● Provincial Bronze
F17023-80	18-1/2"D x 19-1/8"H	3-100W MB	Linen	Bright Satin Nickel
F22004-80	19-5/8"D x 20-5/8"H	3-100W MB	Opal	Bright Satin Nickel
F21003-80	20"D x 20"H	3-100W MB	Opal	Bright Satin Nickel
F19003-80	21"D x 21-1/2"H	3-100W MB	Frosted Opal	Bright Satin Nickel
F17003-64	20-1/4"D x 19"H	3-100W MB	Clear Seedy / Frosted Opal	● Provincial Bronze
F17003-80	20-1/4"D x 19"H	3-100W MB	Clear Seedy / Frosted Opal	Bright Satin Nickel
F18003-64	18-1/2"D x 19-1/2"H	3-100W MB	Opal Etched	Provincial Bronze
F18003-80	18-1/2"D x 19-1/2"H	3-100W MB	Opal Etched	● Bright Satin Nickel



Tempest 3LT Chandelier
F2483-53 (SN)



Alton 3LT Chandelier
F5453-53 (SN)



3LT Down Chandelier
F5503-53 (SN)



3LT Down Chandelier
F5504-53 (SN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2483-53	17-3/8"D x 19-1/8"H	3-100W MB	Opal	Satin Nickel
F5453-53	18-1/2"D x 12-1/2"H	3-100W MB	Faux Alabaster	Satin Nickel
F5503-53	23"D x 13"H	3-60W MB	Faux Alabaster	Satin Nickel
F5504-53	23"D x 13-3/4"H	3-60W MB	Faux Alabaster	Satin Nickel



PENDANTS



Raven 3LT Cage Pendant
F3712-64 (PBR)



Raven 4LT Cage Pendant
F3716-64 (PBR)



Raven 8LT Cage Pendant
F3720-64 (PBR)



Harmony 1LT Cage Pendant
F3417-64 (PBR)



Harmony 3LT Cage Pendant
F3418-64 (PBR)



Harmony 5LT Cage Pendant
F3419-64 (PBR)


ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3712-64	12"W x 19"H x 12"L	3-60W CB	N/A	Provincial Bronze
F3716-64	16"W x 24-1/4"H x 16"L	4-60W CB	N/A	Provincial Bronze
F3720-64	20"W x 33-1/4"H x 20"L	8-60W CB	N/A	Provincial Bronze
F3417-64	10"W x 9-1/2"H	1-100W MB	N/A	Provincial Bronze
F3418-64	16-1/2"W x 15-1/2"H	3-100W CB	N/A	Provincial Bronze
F3419-64	24"W x 22-1/2"H	5-60W CB	N/A	Provincial Bronze



Lyric 1LT Cage Pendant
F3421-64 (PBR)



Lyric 3LT Cage Pendant
F3423-64 (PBR)



Lyric 9LT Cage Pendant
F3429-64 (PBR)



Lyric 6LT Cage Pendant
F3426-64 (PBR)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3421-64	10"W x 15-3/4"H	1-60W MB	N/A	Provincial Bronze
F3423-64	18"W x 25-1/2"H	3-60W CB	N/A	Provincial Bronze
F3426-64	24"W x 33-3/8"H	6-60W CB	N/A	Provincial Bronze
F3429-64	35-1/2"W x 48-1/2"H	9-40W CB	N/A	Provincial Bronze



Plover 1LT Pendant
F3615-80 (BSN)



Kala 1LT Pendant
F3592-31 (BK)



Citrine 1LT Pendant
F3711-31 (BK)



Ballad 1LT Glass Pendant
F3415-53 (SN)



Riella 5LT Island Pendant
F24017-64 (PBR)
F24017-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3615-80	6-1/8"D x 9"H	1-60W MB / 10ft SVT3 Clear Wire	Smokey	Bright Satin Nickel
F3592-31	7"D x 13-3/8"H	1-60W MB / 10ft SVT3 Black Cord	Clear	Black
F3711-31	9-1/8"D x 8-1/4"H	1-60W MB / 10ft SVT3 Black Cord	Clear	Black
F3415-53	10"W x 12-1/4"H	1-100W MB	Clear	Satin Nickel
F24017-64	43-1/4"W x 52-5/8"OH x 5-1/2"D	5-100W MB	Clear Seeded	● Provincial Bronze
F24017-80	43-1/4"W x 52-5/8"OH x 5-1/2"D	5-100W MB	Clear Seeded	Bright Satin Nickel



Dining 1LT Metal Pendant
F4514-80 (BSN)
F4514-31 (BK)



Amala 3LT Bowl Pendant
F20004-80 (BSN)



Somes 3LT Pendant
F17027-80 (BSN)
F17027-64 (PBR)



Hadley 3LT Pendant
F22003-80 (BSN)



Payton 3LT Pendant
F21007-80 (BSN)



Dalton 5LT Pendant
F18007-64 (PBR)
F18007-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F4514-31	12-3/8"W x 55-3/8"OH	1-100W MB	Metal Shade	Black
F4514-80	12-3/8"W x 55-3/8"OH	1-100W MB	Metal Shade	● Bright Satin Nickel
F20004-80	16"D x 52-3/8"H	3-60W MB	Opal	Bright Satin Nickel
F17027-64	18"D x 24"H	3-100W MB	Linen	Provincial Bronze
F17027-80	18"D x 24"H	3-100W MB	Linen	● Bright Satin Nickel
F22003-80	16-5/8"D x 21-1/2"H	3-100W MB	Opal	● Bright Satin Nickel
F21007-80	16"D x 22-1/2"H	3-100W MB	Opal	Bright Satin Nickel
F18007-64	16-3/4"D x 19-3/4"H	3-100W MB	Opal Etched	● Provincial Bronze
F18007-80	16-3/4"D x 19-3/4"H	3-100W MB	Opal Etched	Bright Satin Nickel



Alton 3LT Pendant
F5433-53 (SN)



Metropolitan 3LT Pendant
F5161-54 (PPW)
F5161-62 (RB)



Madrid 3LT Pendant
F6351-53 (SN)



2LT Bowl Pendant
F7676-53 (SN)



3LT Bowl Pendant
F7678-62 (RB)
F7678-53 (SN)



2LT Bowl Pendant
F7679-53 (SN)

● Featured Finish ● 

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F5433-53	17-3/4"D x 25-1/2"H	3-100W MB	Faux Alabaster	Satin Nickel
F5161-54	15-1/2"D x 22-1/2"H	3-60W MB	Faux Alabaster	● Pewter Painted
F5161-62	15-1/2"D x 22-1/2"H	3-60W MB	Faux Alabaster	Rubbed Bronze
F6351-53	16"D x 20-3/4"H	3-60W MB	Faux Alabaster	Satin Nickel
F7676-53	15"D x 17"H	2-60W MB	Faux Alabaster	Satin Nickel
F7678-53	20-1/4"D x 24"H	3-60W MB	Faux Alabaster	Satin Nickel
F7678-62	20-1/4"D x 24"H	3-60W MB	Faux Alabaster	● Rubbed Bronze
F7679-53 ●	20-1/4"D x 24"H	2-18W GU-24 Self Ballast Bulb Included	Faux Alabaster	Satin Nickel



1LT Pendant
F3513-31 (BK)
F3513-30 (WH)



1LT Pendant
F6978-10 (PB)
F6978-53 (SN)



1LT Pendant
F3401-30 (WH)
F3402-30 (WH)
F3403-30 (WH)
F3401-31 (BK)
F3402-31 (BK)
F3403-31 (BK)



Rowley Pendant
F3515-80 (BSN)
F9515-80 (BSN)

● Featured Finish ● ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3513-30	15-3/4"D x 7"H	1-150W MB	N/A	● White
F3513-31	15-1/2"D x 7"H	1-150W MB	N/A	Matte Black
F6978-10	16"D x 9"H	1-150W MB	Faux Alabaster	● Polished Brass
F6978-53	16"D x 9"H	1-150W MB	Faux Alabaster	Satin Nickel
F3401-30	8"D x 8-5/8"H	1-75W MB	Opal	● White
F3401-31	8"D x 8-5/8"H	1-75W MB	Opal	Matte Black
F3402-30	10"D x 10-5/8"H	1-100W MB	Opal	White
F3402-31	10"D x 10-5/8"H	1-100W MB	Opal	Matte Black
F3403-30	12"D x 12-5/8"H	1-150W MB	Opal	White
F3403-31	12"D x 12-5/8"H	1-150W MB	Opal	Matte Black
F3515-80	18"D x 52"OH	3-60W MB	Acid Etched Glass	Bright Satin Nickel
F9515-80	18"D x 52"OH	32W / 3000K / 120V / 80CRI / Dimm. 3200 Source Lm / 3000 Delivered Lm	Acid Etched Glass	Bright Satin Nickel



LED Round Aluminum Pendant
F6903-31-LED (BK)
 F6903-44-LED (OB)
 F6903-58-LED (SPC)



6" Cylinder Cover Lens
P6903-31 (BK)
 P6903-44 (OB)
 P6903-58 (SPC)



NEW!

Easton 1LT Mini Pendant
F17310-80 (BSN)
 F17210-31 (BK)



NEW!

Halston 1LT Mini Pendant
F16210-85 (WPBR)
 F16210-81 (WBSN)

● Featured Finish ● ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6903-31-LED ● ●	6"W x 12"H	15W / 3000K / 120V / 90CRI / 36,000hrs 1800 Source Lm / 900 Delivered Lm	N/A	● Black
F6903-44-LED ● ●	6"W x 12"H	15W / 3000K / 120V / 90CRI / 36,000hrs 1800 Source Lm / 900 Delivered Lm	N/A	Oiled Bronze
F6903-58-LED ● ●	6"W x 12"H	15W / 3000K / 120V / 90CRI / 36,000hrs 1800 Source Lm / 900 Delivered Lm	N/A	Silver Powder Coat
P6903-31	6" Cylinder Cover Lens		Clear Lens	● Black
P6903-44	6" Cylinder Cover Lens		Clear Lens	Oiled Bronze
P6903-58	6" Cylinder Cover Lens		Clear Lens	Silver Powder Coat
F17210-31	4-3/8"D x 5-7/8"H	1-100W MB	Clear Seeded	Black
F17310-80	4-3/8"D x 5-7/8"H	1-100W MB	Frosted	Bright Satin Nickel
F16210-81	4"D x 9-1/8"H	1-100W MB	Clear Bubble	Timber Gray & Bright Satin Nickel
F16210-85	4"D x 9-1/8"H	1-100W MB	Clear Bubble	● Farmhouse & Provincial Bronze

NEW!

Maxwell 1LT Pendant
F17803-31 (BK)

NEW!

Avery 1LT Pendant
F17510-80 (BSN)
F17510-31 (BK)



Stella 1LT Mini Pendant
F27041-18 (CG)
F27041-31 (BK)



Onyx 1LT Mini Pendant
F28031-23 (BSG)



Messier 1LT Mini Pendant
F26111-64 (PBR)
F26111-57 (AQM)



Riella 1LT Mini Pendant
F24010-80 (BSN)
F24010-64 (PBR)

● Featured Finish ●  ● **LED**

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17803-31	7-7/8"D x 5-1/2"H	1-100W MB	N/A	Matte Black
F17510-31	5-1/4"D x 8-3/8"H	1-100W MB	Clear	Matte Black
F17510-80	5-1/4"D x 8-3/8"H	1-100W MB	Clear	● Bright Satin Nickel
F27041-18	4-5/8"W x 55-7/8"OH	1-100W MB	Clear	● Champagne Gold
F27041-31	4-5/8"W x 55-7/8"OH	1-100W MB	Clear	Matte Black
F28031-23	4-3/4"W x 10-1/2"H 10' of Cord	1-100W MB	N/A	Matte Black and Satin Gold
F26111-57	13-1/2"W x 20-1/4"H	1-60W MB	Clear Seeded	Antique Gunmetal
F26111-64	13-1/2"W x 20-1/4"H	1-60W MB	Clear Seeded	● Provincial Bronze
F24010-64	5-1/2"D x 53-1/2"OH	1-100W MB	Clear Seeded	Provincial Bronze
F24010-80	5-1/2"D x 53-1/2"OH	1-100W MB	Clear Seeded	● Bright Satin Nickel



Iris 1LT Mini Pendant
F11010-80 (BSN)



Somes 1LT Mini Pendant
F17030-64 (PBR)
F17030-80 (BSN)



Quartz 1LT Mini Pendant
F19020-64 (PBR)
F19020-80 (BSN)



Hadley 1LT Mini Pendant
F22010-80 (BSN)



Payton 1LT Mini Pendant
F21010-80 (BSN)



Starling 1LT Mini Pendant
F19010-64 (PBR)
F19010-80 (BSN)



Qairo 1LT Mini Pendant
F25010-64 (PBR)
F25021-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F11010-80	5-5/8"D x 50-7/8"OH	1-100W MB	Opal	Bright Satin Nickel
F17030-64	3-7/8"D x 52"OH	1-100W MB	Linen	● Provincial Bronze
F17030-80	3-7/8"D x 52"OH	1-100W MB	Linen	Bright Satin Nickel
F19020-64	4-7/8"D x 51-1/2"OH	1-100W MB	Opal	● Provincial Bronze
F19020-80	4-7/8"D x 51-1/2"OH	1-100W MB	Opal	Bright Satin Nickel
F22010-80	5"D x 53-1/4"OH	1-100W MB	Opal	Bright Satin Nickel
F21010-80	5"D x 52-1/2"OH	1-100W MB	Opal	Bright Satin Nickel
F19010-64	5-1/2"SQ x 50-3/4"OH	1-100W MB	Frosted Opal	● Provincial Bronze
F19010-80	5-1/2"SQ x 50-3/4"OH	1-100W MB	Frosted Opal	Bright Satin Nickel
F25010-64	4-3/4"W x 53"OH	1-100W MB	Frosted Seeded	● Provincial Bronze
F25021-80	4-3/4"W x 53"OH	1-100W MB	Clear Seeded	Bright Satin Nickel



Abbot 1LT Mini Pendant
F17010-64 (PBR)
F17010-80 (BSN)



Preston 1LT Mini Pendant
F16090-80 (BSN)



Dalton 1LT Mini Pendant
F18010-64 (PBR)
F18010-80 (BSN)
F18010-80-LED-JA8 (BSN)



Darby 1LT Mini Pendant
F18040-64 (PBR)
F18040-80 (BSN)



1LT Mini Pendant
F3455-31 (BK)
F3455-80 (BSN)



Wren 1LT Mini Pendant
F3190-64 (PBR)

● Featured Finish ● ● ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17010-64	5-1/2"D x 50-1/2"OH	1-100W MB	Clear Seedy / Frosted Opal	● Provincial Bronze
F17010-80	5-1/2"D x 50-1/2"OH	1-100W MB	Clear Seedy / Frosted Opal	Bright Satin Nickel
F16090-80	5-1/2"D x 52-1/8"OH	1-100W MB	Opal Etched	● Bright Satin Nickel
F18010-64	4"D x 52"OH	1-100W MB	Opal Etched	● Provincial Bronze
F18010-80	4"D x 52"OH	1-100W MB	Opal Etched	Bright Satin Nickel
F18010-80-LED-JA8 ● ● ●	4"D x 52"OH	8W / 3000K / 120V / 90CRI 710 Source Lm / 590 Delivered Lm 50,000hrs / Dimm.	Opal Etched	Bright Satin Nickel
F18040-64	6-3/8"D x 51-7/8"OH	1-100W MB	Opal Etched	● Provincial Bronze
F18040-80	6-3/8"D x 51-7/8"OH	1-100W MB	Opal Etched	Bright Satin Nickel
F3455-31	3-1/2"D x 53-1/8"OH	1-60W MB	Clear	● Matte Black
F3455-80	3-1/2"D x 53-1/8"OH	1-60W MB	Clear	Bright Satin Nickel
F3190-64	5-3/4"D x 51-5/8"OH	1-100W MB	Prismatic	Provincial Bronze



1LT Mini Pendant
F3459-31 (BK)
F3459-80 (BSN)



Bixby 1LT Mini Pendant
F3170-80 (BSN)



1LT Mini Pendant
F3450-53 (SN)



1LT Mini Pendant
F1028-53 (SN)



1LT Mini Pendant
F1018-53 (SN)



1LT Mini Pendant
F9140-53 (SN)
F9141-53 (SN)
F9140-53-LED-JA8 (SN)



1LT Mini Pendant Fitter
K1018-53 (SN)

**AVAILABLE
STEMS SOLD
SEPARATELY**



6" Individual Stems
K1001-53 (Satin Nickel)

12" Individual Stems
K1002-45
(Blackened Bronze)
K1002-53 (Satin Nickel)

● Featured Finish ● ● ● **LED** ●

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3459-31	5"D x 9-1/2"H	1-60W MB	Clear Translucent	● Matte Black
F3459-80	5"D x 9-1/2"H	1-60W MB	Clear Translucent	Bright Satin Nickel
F3170-80	5-1/8"D x 52"OH	1-100W MB	Opal Etched	Bright Satin Nickel
F3450-53	5-1/8"D x 51-3/4"OH	1-60W CB	Frosted	Satin Nickel
F1028-53	5"D x 51-3/8"OH	1-100W MB	Linen	Satin Nickel
F1018-53	7-1/2"D x 51"OH	1-100W MB	Faux Alabaster	Satin Nickel
F9140-53	3-5/8"D x 55-1/2"OH	1-60W CB	White Frosted Opal	● Satin Nickel
F9141-53 ●	3-5/8"D x 55-1/2"OH	1-13W GU-24	White Frosted Opal	Satin Nickel
F9140-53-LED-JA8 ● ●	4"D x 52"OH	8W / 3000K / 120V / 90CRI 790 Source Lm / 670 Delivered Lm 50,000hrs / Dimmable	White Frosted Opal	Satin Nickel
K1018-53	1-6" Stem & 3-12" Stems	1-100W MB / 120V Use on glass w/ 1-5/8" Opening	N/A	Satin Nickel



SCONCES



Alto 12" Sconce
F7216-31 (BK)



Alto 12" Sconce
F7216-23 (BSG)



Alto 12" Sconce
F7216-24 (BBSN)



Alto 18" Sconce
F7218-31 (BK)



Alto 18" Sconce
F7218-23 (BSG)



Alto 18" Sconce
F7218-24 (BBSN)



ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7216-31 ● ● ● ●	12"H x 6-1/8"W x 2"E	9W LED DOB / 90CRI / 120V / Dimm. / 50,000hrs CCT Tuning: 2700K/3000K/4000K 900 Source Lm / 630 Fixture Lm / Damp	Frosted Acrylic	Matte Black
F7216-23 ● ● ● ●	12"H x 6-1/8"W x 2"E	9W LED DOB / 90CRI / 120V / Dimm. / 50,000hrs CCT Tuning: 2700K/3000K/4000K 900 Source Lm / 630 Fixture Lm / Damp	Frosted Acrylic	Matte Black & Satin Gold
F7216-24 ● ● ● ●	12"H x 6-1/8"W x 2"E	9W LED DOB / 90CRI / 120V / Dimm. / 50,000hrs CCT Tuning: 2700K/3000K/4000K 900 Source Lm / 630 Fixture Lm / Damp	Frosted Acrylic	Matte Black & Bright Satin Nickel
F7218-31 ● ● ● ●	18"H x 6-1/8"W x 2"E	12W LED DOB / 90CRI / 120V / Dimm. / 50,000hrs CCT Tuning: 2700K/3000K/4000K 1200 Source Lm / 840 Fixture Lm / Damp	Frosted Acrylic	Matte Black
F7218-23 ● ● ● ●	18"H x 6-1/8"W x 2"E	12W LED DOB / 90CRI / 120V / Dimm. / 50,000hrs CCT Tuning: 2700K/3000K/4000K 1200 Source Lm / 840 Fixture Lm / Damp	Frosted Acrylic	Matte Black & Satin Gold
F7218-24 ● ● ● ●	18"H x 6-1/8"W x 2"E	12W LED DOB / 90CRI / 120V / Dimm. / 50,000hrs CCT Tuning: 2700K/3000K/4000K 1200 Source Lm / 840 Fixture Lm / Damp	Frosted Acrylic	Matte Black & Bright Satin Nickel



Walt Sconce
F8911-23 (BSG)



Walt Sconce
F8911-31 (BK)



Walt Sconce
F8911-80 (BSN)



Aurora Sconce
F8901-31 (BK)



Aurora Sconce
F8901-80 (BSN)



ITEM	DIMS.	WATTAGE	GLASS	FINISH
F8911-23 ● ● ● ●	4-1/2"W x 13-1/8"H x 3-1/2"E	9W LED DOB / 90CRI / 120V / Damp / 50,000hrs CCT Tuning: 2700K/3000K/4000K 900 Source Lm / 580 Delivered Lm / Dimm.	White PC	Matte Black & Satin Gold
F8911-31 ● ● ● ●	4-1/2"W x 13-1/8"H x 3-1/2"E	9W LED DOB / 90CRI / 120V / Damp / 50,000hrs CCT Tuning: 2700K/3000K/4000K 900 Source Lm / 580 Delivered Lm / Dimm.	White PC	Matte Black
F8911-80 ● ● ● ●	4-1/2"W x 13-1/8"H x 3-1/2"E	9W LED DOB / 90CRI / 120V / Damp / 50,000hrs CCT Tuning: 2700K/3000K/4000K 900 Source Lm / 580 Delivered Lm / Dimm.	White PC	Bright Satin Nickel
F8901-31 ● ● ● ●	4-1/2"W x 13-1/8"H x 3"E	9W LED DOB / 90CRI / 120V / 35,000hrs 575 Lm / Dimm. / 3000K / Damp	Etched White Opal Acrylic Lens	Matte Black
F8901-80 ● ● ● ●	4-1/2"W x 13-1/8"H x 3"E	9W LED DOB / 90CRI / 120V / 35,000hrs 575 Lm / Dimm. / 3000K / Damp	Etched White Opal Acrylic Lens	Bright Satin Nickel

NEW!

Easton 1LT Sconce
F17201-31 (BK)
 F17301-80 (BSN)

NEW!

Halston 1LT Sconce
F16201-85 (WPBR)
 F16201-81 (WBSN)

NEW!

Avery 1LT Sconce
F17501-31 (BK)
 F17501-80 (BSN)

NEW!

Remi 1LT Sconce
F18301-31 (BK)
 F18301-80 (BSN)

NEW!

Maxwell 1LT Sconce
F17801-31 (BK)

● **Featured Finish**

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17201-31	4-1/2"W x 7"H x 5-1/2"E	1-100W MB	Clear Seeded	● Black
F17301-80	4-1/2"W x 7"H x 5-1/2"E	1-100W MB	Frosted	Bright Satin Nickel
F16201-81	5-1/4"W x 12"H x 6-1/8"E	1-100W MB / Damp	Seeded	● Timber Gray & Bright Satin Nickel
F16201-85	5-1/4"W x 12"H x 6-1/8"E	1-100W MB / Damp	Seeded	Farmhouse & Provincial Bronze
F17501-31	5-1/4"W x 11"H x 6-1/4"E	1-100W MB / Damp	Clear	● Matte Black
F17501-80	5-1/4"W x 11"H x 6-1/4"E	1-100W MB / Damp	Clear	Bright Satin Nickel
F18301-31	5-1/4"W x 12-1/2"H x 6-1/8"E	1-40W MB / Damp	Linen Cloth	● Matte Black
F18301-80	5-1/4"W x 12-1/2"H x 6-1/8"E	1-40W MB / Damp	Linen Cloth	Bright Satin Nickel
F17801-31	7-7/8"W x 8-1/8"H x 8-5/8"E	1-100W MB / Damp	N/A	Matte Black



Chareleston 1LT Sconce
F6501-31 (BK)
F6511-80 (BSN)



Georgetown 1LT Sconce
F6611-80(BSN)
F6601-31(BK)



Stella 1LT Sconce
F27011-31 (BK)
F27011-18 (CG)



Onyx 1LT Sconce
F28001-23 (BSG)



Kelston 1LT Sconce
F7531-23 (BSG)



Clyde 1LT Sconce
F6871-31 (BK)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6501-31	4-3/4"W x 5-7/8"H x 4-3/4"E	1-100W MB / Damp	Clear Seeded	● Black
F6511-80	4-3/4"W x 5-7/8"H x 4-3/4"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F6601-31	4-3/4"W x 5-1/2"H x 4-5/8"E	1-100W MB / Damp	Clear Seeded	Black
F6611-80	4-3/4"W x 5-1/2"H x 4-5/8"E	1-100W MB / Damp	Opal	● Bright Satin Nickel
F27011-18	4-5/8"W x 11-1/4"H x 6"E	1-100W MB / Damp	Clear	Champagne Gold
F27011-31	4-5/8"W x 11-1/4"H x 6"E	1-100W MB / Damp	Clear	● Matte Black
F28001-23	5"W x 8-1/2"H x 7-1/2"E	1-100W MB / Damp	N/A	Matte Black and Satin Gold
F7531-23	4-1/2"W x 9-5/8"H x 6"E	1-100W MB / Damp	Clear Seeded	Matte Black and Satin Gold
F6871-31	4-1/2"W x 11-3/4"H x 6-3/4"E	1-100W MB / Damp	Clear Seeded	Black



Arden 1LT Sconce
F7221-80 (BSN)



Riella 1LT Sconce
F24101-64 (PBR)
F24101-80 (BSN)



Oriana 1LT Sconce
F29011-80 (BSN)
F29011-64 (PBR)



Qairo 1LT Sconce
F25101-64 (PBR)
F25201-80 (BSN)



Esquire 1LT Sconce
F17101-57 (AGM)



Prestige 1LT Sconce
F15001-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7221-80	4-3/4"W x 9-3/4"H x 6"E	1-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F24101-64	5-1/2"W x 8-3/4"H x 6-1/2"E	1-100W MB / Damp	Clear Seeded	● Provincial Bronze
F24101-80	5-1/2"W x 8-3/4"H x 6-1/2"E	1-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F29011-64	6-1/4"W x 9-1/2"H x 7-5/8"E	1-100W MB / Damp	Clear Seeded	Provincial Bronze
F29011-80	6-1/4"W x 9-1/2"H x 7-5/8"E	1-100W MB / Damp	Clear Seeded	● Bright Satin Nickel
F25101-64	5"W x 10-1/4"H x 6-1/2"E	1-100W MB / Damp	Clear Seeded	● Provincial Bronze
F25201-80	5"W x 10-1/4"H x 6-1/2"E	1-100W MB / Damp	Frosted Seeded	Bright Satin Nickel
F17101-57	4-3/4"W x 15-3/4"H x 5"E	1-100W MB / Damp	Clear	Antique Gunmetal
F15001-80	5-7/8"W x 13"H x 6"E	1-100W MB / Damp	Clear	Bright Satin Nickel



Iris 1LT Sconce
F11001-80 (BSN)



Somes 1LT Sconce
F17031-80 (BSN)
F17031-64 (PBR)



Quartz 1LT Sconce
F19031-80 (BSN)
F19031-64 (PBR)



Hadley 1LT Sconce
F22011-80 (BSN)



Payton 1LT Sconce
F21011-80 (BSN)



Starling 1LT Sconce
F19011-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F11001-80	6-7/8"W x 9"H x 5-7/8"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F17031-64	4-1/2"W x 9-5/8"H x 6-1/8"E	1-100W MB / Damp	Linen	Provincial Bronze
F17031-80	4-1/2"W x 9-5/8"H x 6-1/8"E	1-100W MB / Damp	Linen	● Bright Satin Nickel
F19031-64	4-7/8"W x 7-1/4"H x 7-3/8"E	1-100W MB / Damp	Opal	Provincial Bronze
F19031-80	4-7/8"W x 7-1/4"H x 7-3/8"E	1-100W MB / Damp	Opal	● Bright Satin Nickel
F22011-80	4-1/2"W x 10-7/8"H x 6-5/8"E	1-100W MB / Damp	Opal	● Bright Satin Nickel
F21011-80	5"W x 10"H x 6-5/8"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F19011-64	5-1/2"W x 8-3/8"H x 6-3/8"E	1-100W MB / Damp	Opal	● Provincial Bronze



Dalton 1LT Sconce
F18011-80 (BSN)
 F18011-64 (PBR)



Ledbury 1LT Sconce
F3151-64 (PBR)
 F3151-80 (BSN)



Wren 1LT Sconce
F3191-64 (PBR)
 F3191-80 (BSN)



Olen 1LT Sconce
F2811-80 (BSN)



Round Lexington 1LT Sconce
F3621-53 (SN)
 F3621-15 (CH)



Square Lexington 1LT Sconce
F3681-53 (SN)
 F3681-15 (CH)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F18011-64	4-3/4"W x 8-1/8"H x 5-3/4"E	1-100W MB / Damp	Opal Etched	Provincial Bronze
F18011-80	4-3/4"W x 8-1/8"H x 5-3/4"E	1-100W MB / Damp	Opal Etched	● Bright Satin Nickel
F3151-64	4-3/8"W x 7-1/2"H x 6-1/2"E	1-100W MB / Damp	Opal Etched	● Provincial Bronze
F3151-80	4-3/8"W x 7-1/2"H x 6-1/2"E	1-100W MB / Damp	Opal Etched	Bright Satin Nickel
F3191-64	5-3/4"W x 7-3/4"H x 7"E	1-100W MB / Damp	Clear Double Prismatic	● Provincial Bronze
F3191-80	5-3/4"W x 7-3/4"H x 7"E	1-100W MB / Damp	Clear Double Prismatic	Bright Satin Nickel
F2811-80	5-1/2"W x 9-7/8"H x 7-1/4"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F3621-15	5-1/8"W x 9-5/8"H x 7-5/8"E	1-100W MB / Damp	Round Milk	Chrome
F3621-53	5-1/8"W x 9-5/8"H x 7-5/8"E	1-100W MB / Damp	Round Milk	● Satin Nickel
F3681-15	5"W x 9-1/2"H x 7-5/8"E	1-100W MB / Damp	Square Milk	Chrome
F3681-53	5"W x 9-1/2"H x 7-5/8"E	1-100W MB / Damp	Square Milk	● Satin Nickel



Maddox 1LT Sconce
F2501-80 (BSN)



Denman 1LT Sconce
F3571-53 (SN)



Madrid 1LT Sconce
F6341-62 (RB)
F6341-53 (SN)



1LT Sconce
F3561-53 (SN)



1LT Sconce
F2830-10 (PB)



1LT Sconce
F3331-53 (SN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2501-80	5-3/8"W x 8-5/8"H x 7-1/2"E	1-100W MB / Damp	Faux Alabaster	Bright Satin Nickel
F3571-53	5"W x 7"H x 7"E	1-100W MB / Damp	Prismatic Clear	Satin Nickel
F6341-53	7-1/2"W x 9-1/2"H x 10"E	1-100W MB / Damp	Faux Alabaster	Satin Nickel
F6341-62	7-1/2"W x 9-1/2"H x 10"E	1-100W MB / Damp	Faux Alabaster	● Rubbed Bronze
F3561-53	5-1/2"W x 9-1/2"H x 7-7/8"E	1-100W MB / Damp	Faux Alabaster	Satin Nickel
F2830-10	4-1/2"W x 7-5/8"H x 5-3/8"E	1-75W MB / Damp	Grape Pattern Etched	Polished Brass
F3331-53	5"W x 8-1/2"H x 7-1/4"E	1-100W MB / Damp	Faux Alabaster	Satin Nickel



LED Wall Sconce
F6101-64 (PBR)
 F6101-80 (BSN)



LED Wall Sconce
F6401-80 (BSN)



Boca 1LT Sconce
F2531-80 (BSN)
 F2531-80-LED (BSN)



2LT Sconce
F9022-15 (PC)



LED Wall Sconce
F9016-80-LED (BSN)

● Featured Finish ●  LED ● **ADA**

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6101-64 ● ●	4-1/2"W x 7-7/8"H x 6"E	8W / 3000K / 120V / 80CRI 720 Source Lm / 520 Delivered Lm 35,000hrs / Damp	Frosted Glass Spray White Inside	● Provincial Bronze
F6101-80 ● ●	4-1/2"W x 7-7/8"H x 6"E	8W / 3000K / 120V / 80CRI 720 Source Lm / 520 Delivered Lm 35,000hrs / Damp	Frosted Glass Spray White Inside	Bright Satin Nickel
F6401-80 ● ●	4-3/8"W x 8"H x 6"E	8W / 3000K / 120V / 80CRI 720 Source Lm / 520 Delivered Lm 35,000hrs / Damp	Frosted Glass	Bright Satin Nickel
F2531-80	6"W x 8"H x 5"E	1-60W MB / Damp	Opal Glass	● Bright Satin Nickel
F2531-80-LED ● ●	6"W x 8-1/2"H x 5-1/4"E	8W / 3000K / 120V / 80CRI 720 Source Lm / 520 Delivered Lm 35,000hrs / Damp	Opal Glass	Bright Satin Nickel
F9022-15 ●	18-3/4"W x 4"E	2-60W MB / Damp	Frosted Glass	Polished Chrome
F9016-80-LED ● ● ●	14-1/4"W x 6-3/4"H x 3"E	12W / 3000K / 120V / 80CRI 1150 Source Lm / 800 Delivered Lm / Damp	Painted White	Bright Satin Nickel



Stanton 1LT Sconce
F3121-80 (BSN)
F3121-80-LED (BSN)



Bristol 1LT Sconce
F2291-80 (BSN)
F2291-80-LED-JA8 (BSN)



LED Quarter Sconce
F9919-31-2 (BK)
F9919-80-2 (BSN)
F9919-80-2-4K (BSN)



2LT Sconce
F3332-53 (SN)



3LT Sconce
F3333-53 (SN)

● Featured Finish ●   ● LED ● ADA

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3121-80	8-1/8"W x 6"H x 5"E	1-60W MB / Damp	Frosted Glass	● Bright Satin Nickel
F3121-80-LED ● ●	8-1/4"W x 6"H x 4-1/8"E	8W / 3000K / 120V / 80CRI 780 Source Lm / 560 Delivered Lm 35,000hrs / Non-Dimm. / Damp	Frosted Glass	Bright Satin Nickel
F2291-80	4-1/2"W x 9-5/8"H x 6"E	1-100W MB / Damp	Opal Glass	● Bright Satin Nickel
F2291-80-LED-JA8 ● ● ●	4-1/2"W x 9-5/8"H x 6"E	8W / 3000K / 120V / 90CRI 600 Source Lm / 530 Delivered Lm 50,000hrs / Dimm. / Damp	Opal Glass	Bright Satin Nickel
F9919-31-2 ● ● ●	7-1/2"W x 12-1/4"H x 4"E	17W / 3000K / 120V-277V / 80CRI / Dimm. 2000 Source Lm / 1400 Delivered Lm	Opal	● Black
F9919-80-2 ● ● ●	7-1/2"W x 12-1/4"H x 4"E	17W / 3000K / 120V-277V / 80CRI / Dimm. 2000 Source Lm / 1400 Delivered Lm	Opal	Bright Satin Nickel
F9919-80-2-4K ● ● ●	7-1/2"W x 12-1/4"H x 4"E	17W / 4000K / 120-277V / 80CRI 2000 Source Lm / 1400 Fixture Lm Damp / Dimm. (0-10V)	Opal	Bright Satin Nickel
F3332-53	12"W x 9"H x 6-1/2"E	2-100W MB / Damp	Faux Alabaster	Satin Nickel
F3333-53	17-3/4"W x 8-1/2"H x 7-1/4"E	3-100W MB / Damp	Faux Alabaster	Satin Nickel



1LT Quarter Sconce
F9045-01 (PB/SN/RB)



1LT Quarter Sconce
F9005-01 (PB/SN/RB)



1LT Quarter Sconce
F9018-06 (ORB/WH/SN)



1LT Quarter Sconce
F9071-53 (SN)



1LT Quarter Sconce
F9072-53 (SN)



LED Sconce
F9983-53 (SN)
F9983-31 (BK)
F9983-44 (OB)

● Featured Finish ●   ● LED ● ADA

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9045-01	12"W x 7"H x 6"E	1-60W CB / Damp	Clear Prismatic	Polished Brass Satin Nickel Rubbed Bronze
F9005-01 ●	8"W x 9-1/2"H x 4"E	1-60W CB / Damp	Opal	Polished Brass Satin Nickel Rubbed Bronze
F9018-06 ●	8"W x 8-1/8"H x 4"E	1-100W MB / Damp	Etched	Oil Rubbed Bronze White Satin Nickel
F9071-53	15"W x 7-3/4"H x 4-1/2"E	1-100W MB / Damp	Faux Alabaster	Satin Nickel
F9072-53	15"W x 7-3/4"H x 4-1/2"E	1-100W MB / Damp	White	Satin Nickel
F9983-31 ● ● ●	7"W x 9-7/8"H x 3-1/4"E	18W / 3000K / 120-277V / 90CRI 1500 Source Lm / 1300 Delivered Lm 50,000hrs / Non-Dimm. / Wet	White Acrylic Lens	Matte Black
F9983-44 ● ● ●	7"W x 9-7/8"H x 3-1/4"E	18W / 3000K / 120-277V / 90CRI 1500 Source Lm / 1300 Delivered Lm 50,000hrs / Non-Dimm. / Wet	White Acrylic Lens	Oil Bronze
F9983-53 ● ● ●	7"W x 9-7/8"H x 3-1/4"E	18W / 3000K / 120-277V / 90CRI 1500 Source Lm / 1300 Delivered Lm 50,000hrs / Non-Dimm. / Wet	White Acrylic Lens	● Satin Nickel



VANITIES



Aurora 13" LED Sconce
F8901-31 (BK)
 F8901-80 (BSN)



Aurora 24" LED Vanity
F8904-80 (BSN)
 F8904-31 (BK)




Aurora 36" LED Vanity
F8906-31 (BK)
 F8906-80 (BSN)

● Featured Finish ● ● ● LED ● ADA

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F8901-31 ●●●●●	4-1/2"W x 13-1/8"H x 3"E	9W LED DOB / 120V / Dimm / 90CRI 575 Lm / 3000K / 35,000hrs	Etched White Opal Acrylic Lens	● Black
F8901-80 ●●●●●	4-1/2"W x 13-1/8"H x 3"E	9W LED DOB / 120V / Dimm / 90CRI 575 Lm / 3000K / 35,000hrs	Etched White Opal Acrylic Lens	Bright Satin Nickel
F8904-31 ●●●●●	24"W x 4-1/2"H x 3"E	25W LED DOB / 120V / Dimm / 90CRI 1675 Fixture Lm / 3000K / 35,000hrs	Etched White Opal Acrylic Lens	Black
F8904-80 ●●●●●	24"W x 4-1/2"H x 3"E	25W LED DOB / 120V / Dimm / 90CRI 1675 Fixture Lm / 3000K / 35,000hrs	Etched White Opal Acrylic Lens	● Bright Satin Nickel
F8906-31 ●●●●●	36"W x 4-1/2"H x 3"E	43.5W LED DOB / 120V / Dimm / 90CRI 2950 Fixture Lm / 3000K / 35,000hrs	Etched White Opal Acrylic Lens	● Black
F8906-80 ●●●●●	36"W x 4-1/2"H x 3"E	43.5W LED DOB / 120V / Dimm / 90CRI 2950 Fixture Lm / 3000K / 35,000hrs	Etched White Opal Acrylic Lens	Bright Satin Nickel



Walt 13" LED Sconce
F8911-31 (BK)
F8911-23 (BSG)
F8911-80 (BSN)



Walt 24" LED Vanity
F8914-31 (BK)
F8914-23 (BSG)
F8914-80 (BSN)



Walt 36" LED Vanity
F8916-31 (BK)
F8916-23 (BSG)
F8916-80 (BSN)

● Featured Finish ● ● ● LED ● ADA

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F8911-31 ● ● ● ●	4-1/2"W x 13-1/8"H x 3-1/2"E	9W / 90CRI / 120V / Dimm. / 50,000hrs 900 Source Lm / 580 Fixture Lm / Damp CCT Selectable: 2700K/3000K/4000K	White PC Lens	Matte Black
F8911-23 ● ● ● ●	4-1/2"W x 13-1/8"H x 3-1/2"E	9W / 90CRI / 120V / Dimm. / 50,000hrs 900 Source Lm / 580 Fixture Lm / Damp CCT Selectable: 2700K/3000K/4000K	White PC Lens	● Matte Black & Satin Gold
F8911-80 ● ● ● ●	4-1/2"W x 13-1/8"H x 3-1/2"E	9W / 90CRI / 120V / Dimm. / 50,000hrs 900 Source Lm / 580 Fixture Lm / Damp CCT Selectable: 2700K/3000K/4000K	White PC Lens	Bright Satin Nickel
F8914-31 ● ● ● ●	24"W x 4-1/2"H x 3-3/8"E	25W / 90CRI / 120V / Dimm. / 50,000hrs 2500 Source Lm / 1750 Fixture Lm / Damp CCT Selectable: 2700K/3000K/4000K	White PC Lens	● Matte Black
F8914-23 ● ● ● ●	24"W x 4-1/2"H x 3-3/8"E	25W / 90CRI / 120V / Dimm. / 50,000hrs 2500 Source Lm / 1750 Fixture Lm / Damp CCT Selectable: 2700K/3000K/4000K	White PC Lens	Matte Black & Satin Gold
F8914-80 ● ● ● ●	24"W x 4-1/2"H x 3-3/8"E	25W / 90CRI / 120V / Dimm. / 50,000hrs 2500 Source Lm / 1750 Fixture Lm / Damp CCT Selectable: 2700K/3000K/4000K	White PC Lens	Bright Satin Nickel
F8916-31 ● ● ● ●	36"W x 4-1/2"H x 3-3/8"E	40W / 90CRI / 120V / Dimm. / 50,000hrs 4000 Source Lm / 2800 Fixture Lm / Damp CCT Selectable: 2700K/3000K/4000K	White PC Lens	Matte Black
F8916-23 ● ● ● ●	36"W x 4-1/2"H x 3-3/8"E	40W / 90CRI / 120V / Dimm. / 50,000hrs 4000 Source Lm / 2800 Fixture Lm / Damp CCT Selectable: 2700K/3000K/4000K	White PC Lens	Matte Black & Satin Gold
F8916-80 ● ● ● ●	36"W x 4-1/2"H x 3-3/8"E	40W / 90CRI / 120V / Dimm. / 50,000hrs 4000 Source Lm / 2800 Fixture Lm / Damp CCT Selectable: 2700K/3000K/4000K	White PC Lens	● Bright Satin Nickel



Lusso 24" Vanity
F8924-31 (BK)



Lusso 36" Vanity
F8926-31 (BK)



Lusso 24" Vanity
F8924-23 (BSG)



Lusso 36" Vanity
F8926-23 (BSG)



Lusso 24" Vanity
F8924-80 (BSN)



Lusso 36" Vanity
F8926-80 (BSN)



ITEM	DIMS.	WATTAGE	GLASS	FINISH
F8924-31 ●●●●●	24"W x 4-1/2"H x 3-3/8"E	25W LED DOB / 120V / Dimm. / 90CRI / Damp CCT Tuning: 2700K/3000K/4000K 2500 Souce Lm / 1750 Fixture Lm / 50,000hrs	White PC	Black
F8924-23 ●●●●●	24"W x 4-1/2"H x 3-3/8"E	25W LED DOB / 120V / Dimm. / 90CRI / Damp CCT Tuning: 2700K/3000K/4000K 2500 Souce Lm / 1750 Fixture Lm / 50,000hrs	White PC	Matte Black & Satin Gold
F8924-80 ●●●●●	24"W x 4-1/2"H x 3-3/8"E	25W LED DOB / 120V / Dimm. / 90CRI / Damp CCT Tuning: 2700K/3000K/4000K 2500 Souce Lm / 1750 Fixture Lm / 50,000hrs	White PC	Bright Satin Nickel
F8926-31 ●●●●●	36"W x 4-1/2"H x 3-1/4"E	40W LED DOB / 120V / Dimm. / 90CRI / Damp CCT Tuning: 2700K/3000K/4000K 4000 Souce Lm / 2800 Fixture Lm / 50,000hrs	White PC	Black
F8926-23 ●●●●●	36"W x 4-1/2"H x 3-1/4"E	40W LED DOB / 120V / Dimm. / 90CRI / Damp CCT Tuning: 2700K/3000K/4000K 4000 Souce Lm / 2800 Fixture Lm / 50,000hrs	White PC	Matte Black & Satin Gold
F8926-80 ●●●●●	36"W x 4-1/2"H x 3-1/4"E	40W LED DOB / 120V / Dimm. / 90CRI / Damp CCT Tuning: 2700K/3000K/4000K 4000 Souce Lm / 2800 Fixture Lm / 50,000hrs	White PC	Bright Satin Nickel



Easton 1LT Sconce
F17201-31 (BK)
 F17301-80 (BSN)
 S/O Ver: F17201-80, F17301-31



Easton 2LT Vanity
F17302-80 (BSN)
 F17202-31 (BK)
 S/O Ver: F17202-80, F17302-31



Easton 3LT Vanity
F17203-31 (BK)
 F17303-80 (BSN)
 S/O Ver: F17203-80, F17303-31



Special-Order Versions Available:
 Black with Frosted Glass
 Bright Satin Nickel with Seeded Glass




Easton 4LT Vanity
F17304-80 (BSN)
 F17204-31 (BK)
 S/O Ver: F17204-80, F17304-31

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17201-31	4-1/2"W x 7"H x 5-1/2"E	1-100W MB / Damp	Clear Seeded	● Black
F17301-80	4-1/2"W x 7"H x 5-1/2"E	1-100W MB / Damp	Frosted	Bright Satin Nickel
F17202-31	10-3/8"W x 7-5/8"H x 5-1/2"E	2-100W MB / Damp	Clear Seeded	Black
F17302-80	10-3/8"W x 7-5/8"H x 5-1/2"E	2-100W MB / Damp	Frosted	● Bright Satin Nickel
F17203-31	16-1/4"W x 7-5/8"H x 5-1/2"E	3-100W MB / Damp	Clear Seeded	● Black
F17303-80	16-1/4"W x 7-5/8"H x 5-1/2"E	3-100W MB / Damp	Frosted	Bright Satin Nickel
F17204-31	22-1/4"W x 7-5/8"H x 5-1/2"E	4-100W MB / Damp	Clear Seeded	Black
F17304-80	22-1/4"W x 7-5/8"H x 5-1/2"E	4-100W MB / Damp	Frosted	● Bright Satin Nickel



Georgetown 1LT Sconce
F6611-80 (BSN)
 F6601-31 (BK)
 S/O Ver: F6601-80, F6611-31




Georgetown 2LT Vanity
F6602-31 (BK)
 F6612-80 (BSN)
 S/O Ver: F6602-80, F6612-31



Georgetown 3LT Vanity
F6613-80 (BSN)
 F6603-31 (BK)
 S/O Ver: F6603-80, F6613-31



Special-Order Versions Available:
 Black with Opal Glass
 Bright Satin Nickel with Clear Seeded Glass



Georgetown 4LT Vanity
F6604-31 (BK)
 F6614-80 (BSN)
 S/O Ver: F6604-80, F6614-31

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6601-31	4-3/4"W x 5-1/2"H x 4-5/8"E	1-100W MB / Damp	Clear Seeded	Black
F6611-80	4-3/4"W x 5-1/2"H x 4-5/8"E	1-100W MB / Damp	Opal	● Bright Satin Nickel
F6602-31	12-3/8"W x 5-1/2"H x 4-5/8"E	2-100W MB / Damp	Clear Seeded	● Black
F6612-80	12-3/8"W x 5-1/2"H x 4-5/8"E	2-100W MB / Damp	Opal	Bright Satin Nickel
F6603-31	19-1/4"W x 5-1/2"H x 4-5/8"E	3-100W MB / Damp	Clear Seeded	Black
F6613-80	19-1/4"W x 5-1/2"H x 4-5/8"E	3-100W MB / Damp	Opal	● Bright Satin Nickel
F6604-31	27-1/4"W x 5-1/2"H x 4-5/8"E	4-100W MB / Damp	Clear Seeded	● Black
F6614-80	27-1/4"W x 5-1/2"H x 4-5/8"E	4-100W MB / Damp	Opal	Bright Satin Nickel




Charleston 1LT Sconce
F6501-31 (BK)
 F6511-80 (BSN)
 S/O Ver: F6501-80, F6511-31



Charleston 2LT Vanity
F6512-80 (BSN)
 F6502-31 (BK)
 S/O Ver: F6502-80, F6512-31



Charleston 3LT Vanity
F6503-31 (BK)
 F6513-80 (BSN)
 S/O Ver: F6503-80, F6513-31



Special-Order Versions Available:
 Black with Opal Glass
 Bright Satin Nickel with Clear Seeded Glass



Charleston 4LT Vanity
F6514-80 (BSN)
 F6504-31 (BK)
 S/O Ver: F6504-80, F6514-31

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6501-31	4-3/4"W x 5-7/8"H x 4-3/4"E	1-100W MB / Damp	Clear Seeded	● Black
F6511-80	4-3/4"W x 5-7/8"H x 4-3/4"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F6502-31	13"W x 5-7/8"H x 4-3/4"E	2-100W MB / Damp	Clear Seeded	Black
F6512-80	13"W x 5-7/8"H x 4-3/4"E	2-100W MB / Damp	Opal	● Bright Satin Nickel
F6503-31	20"W x 5-7/8"H x 4-3/4"E	3-100W MB / Damp	Clear Seeded	● Black
F6513-80	20"W x 5-7/8"H x 4-3/4"E	3-100W MB / Damp	Opal	Bright Satin Nickel
F6504-31	28"W x 5-7/8"H x 4-3/4"E	4-100W MB / Damp	Clear Seeded	Black
F6514-80	28"W x 5-7/8"H x 4-3/4"E	4-100W MB / Damp	Opal	● Bright Satin Nickel



Halston 1LT Sconce
F16201-81 (WBSN)
F16201-85 (WPBR)



Halston 2LT Vanity
F16202-85 (WPBR)
F16202-81 (WBSN)



Halston 3LT Vanity
F16203-81 (WBSN)
F16203-85 (WPBR)



Halston 4LT Vanity
F16204-85 (WPBR)
F16204-81 (WBSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F16201-81	5-1/4"W x 11-5/8"H x 6-1/8"E	1-100W MB / Damp	Clear Bubble	● Timber Gray & Bright Satin Nickel
F16201-85	5-1/4"W x 11-5/8"H x 6-1/8"E	1-100W MB / Damp	Clear Bubble	Farmhouse & Provincial Bronze
F16202-81	16-1/2"W x 11-5/8"H x 6-1/8"E	2-100W MB / Damp	Clear Bubble	Timber Gray & Bright Satin Nickel
F16202-85	16-1/2"W x 11-5/8"H x 6-1/8"E	2-100W MB / Damp	Clear Bubble	● Farmhouse & Provincial Bronze
F16203-81	25-1/2"W x 11-5/8"H x 6-1/8"E	3-100W MB / Damp	Clear Bubble	● Timber Gray & Bright Satin Nickel
F16203-85	25-1/2"W x 11-5/8"H x 6-1/8"E	3-100W MB / Damp	Clear Bubble	Farmhouse & Provincial Bronze
F16204-81	35-1/2"W x 11-5/8"H x 6-1/8"E	4-100W MB / Damp	Clear Bubble	Timber Gray & Bright Satin Nickel
F16204-85	35-1/2"W x 11-5/8"H x 6-1/8"E	4-100W MB / Damp	Clear Bubble	● Farmhouse & Provincial Bronze



Remi 1LT Sconce
F18301-31 (BK)
F18301-80 (BSN)



Remi 2LT Vanity
F18302-80 (BSN)
F18302-31 (BK)



Remi 3LT Vanity
F18303-31 (BK)
F18303-80 (BSN)



Remi 4LT Vanity
F18304-80 (BSN)
F18304-31 (BK)

● Featured Finish

ITEM	DIMS.	WATTAGE	DIFFUSER	FINISH
F18301-31	5-1/4"W x 12-1/2"H x 6-1/8"E	1-40W MB / Damp	Linen Cloth	Matte Black
F18301-80	5-1/4"W x 12-1/2"H x 6-1/8"E	1-40W MB / Damp	Linen Cloth	● Bright Satin Nickel
F18302-31	16-1/2"W x 12-1/2"H x 6-1/8"E	2-40W MB / Damp	Linen Cloth	● Matte Black
F18302-80	16-1/2"W x 12-1/2"H x 6-1/8"E	2-40W MB / Damp	Linen Cloth	Bright Satin Nickel
F18303-31	25-3/8"W x 12-1/2"H x 6-1/8"E	3-40W MB / Damp	Linen Cloth	Matte Black
F18303-80	25-3/8"W x 12-1/2"H x 6-1/8"E	3-40W MB / Damp	Linen Cloth	● Bright Satin Nickel
F18304-31	35-1/2"W x 12-1/2"H x 6-1/8"E	4-40W MB / Damp	Linen Cloth	● Matte Black
F18304-80	35-1/2"W x 12-1/2"H x 6-1/8"E	4-40W MB / Damp	Linen Cloth	Bright Satin Nickel



Avery 1LT Sconce
F17501-31 (BK)
F17501-80 (BSN)



Avery 2LT Vanity
F17502-80 (BSN)
F17502-31 (BK)



Avery 3LT Vanity
F17503-31 (BK)
F17503-80 (BSN)



Avery 4LT Vanity
F17504-80 (BSN)
F17504-31 (BK)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17501-31	5-1/4"W x 11"H x 6-1/4"E	1-100W MB / Damp	Clear	● Matte Black
F17501-80	5-1/4"W x 11"H x 6-1/4"E	1-100W MB / Damp	Clear	Bright Satin Nickel
F17502-31	15-1/8"W x 11"H x 6-1/4"E	2-100W MB / Damp	Clear	Matte Black
F17502-80	15-1/8"W x 11"H x 6-1/4"E	2-100W MB / Damp	Clear	● Bright Satin Nickel
F17503-31	22-1/8"W x 11"H x 6-1/4"E	3-100W MB / Damp	Clear	● Matte Black
F17503-80	22-1/8"W x 11"H x 6-1/4"E	3-100W MB / Damp	Clear	Bright Satin Nickel
F17504-31	30-1/2"W x 11"H x 6-1/4"E	4-100W MB / Damp	Clear	Matte Black
F17504-80	30-1/2"W x 11"H x 6-1/4"E	4-100W MB / Damp	Clear	● Bright Satin Nickel



Maxwell 1LT Sconce
F17801-31



Maxwell 2LT Sconce
F17802-31

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17801-31	7-7/8"W x 8-1/8"H x 8-5/8"E	1-100W MB / Damp	N/A	Matte Black
F17802-31	17-1/4"W x 8-1/8"H x 8-5/8"E	2-100W MB / Damp	N/A	Matte Black

**NEW
FINISH!**



Stella 1LT Sconce
F27011-31 (BK)
F27011-18 (CG)

**NEW
FINISH!**



Stella 2LT Vanity
F27012-18 (CG)
F27012-31 (BK)



Stella 3LT Vanity
F27013-31 (BK)
F27013-18 (CG)



Stella 4LT Vanity
F27014-18 (CG)
F27014-31 (BK)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F27011-18	4-5/8"W x 11-1/4"H x 6"E	1-100W MB / Damp	Clear	Champagne Gold
F27011-31	4-5/8"W x 11-1/4"H x 6"E	1-100W MB / Damp	Clear	● Matte Black
F27012-18	14-1/8"W x 11-1/4"H x 6"E	2-100W MB / Damp	Clear	● Champagne Gold
F27012-31	14-1/8"W x 11-1/4"H x 6"E	2-100W MB / Damp	Clear	Matte Black
F27013-18	21-5/8"W x 11-1/4"H x 6"E	3-100W MB / Damp	Clear	Champagne Gold
F27013-31	21-5/8"W x 11-1/4"H x 6"E	3-100W MB / Damp	Clear	● Matte Black
F27014-18	30-1/8"W x 11-1/4"H x 6"E	4-100W MB / Damp	Clear	● Champagne Gold
F27014-31	30-1/8"W x 11-1/4"H x 6"E	4-100W MB / Damp	Clear	Matte Black



Onyx 1LT Sconce
F28001-23 (BSG)



Onyx 2LT Vanity
F28002-23 (BSG)



Onyx 3LT Vanity
F28003-23 (BSG)



Onyx 4LT Vanity
F28004-23 (BSG)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F28001-23	5"W x 8-1/2"H x 7-1/2"E	1-100W MB / Damp	N/A	Matte Black and Satin Gold
F28002-23	15"W x 8-1/2"H x 6-7/8"E	2-100W MB / Damp	N/A	Matte Black and Satin Gold
F28003-23	25-1/4"W x 8-1/2"H x 6-7/8"E	3-100W MB / Damp	N/A	Matte Black and Satin Gold
F28004-23	35-3/8"W x 8-1/2"H x 6-7/8"E	4-100W MB / Damp	N/A	Matte Black and Satin Gold



Kelston 1LT Sconce
F7531-23 (BSG)



Kelston 2LT Vanity
F7532-23 (BSG)



Kelston 3LT Vanity
F7533-23 (BSG)



Kelston 4LT Vanity
F7534-23 (BSG)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7531-23	4-1/2"W x 9-5/8"H x 6"E	1-100W MB / Damp	Clear Seeded	Matte Black and Satin Gold
F7532-23	14"W x 9-7/8"H x 6"E	2-100W MB / Damp	Clear Seeded	Matte Black and Satin Gold
F7533-23	23-3/8"W x 9-7/8"H x 6"E	3-100W MB / Damp	Clear Seeded	Matte Black and Satin Gold
F7534-23	33-1/4"W x 9-7/8"H x 6"E	4-100W MB / Damp	Clear Seeded	Matte Black and Satin Gold



Arden 1LT Sconce
F7221-80 (BSN)



Arden 2LT Vanity
F7222-80 (BSN)



Arden 3LT Vanity
F7223-80 (BSN)



Arden 4LT Vanity
F7224-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7221-80	4-3/4"W x 9-3/4"H x 6"E	1-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F7222-80	13-1/8"W x 9-3/4"H x 6"E	2-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F7223-80	21-1/2"W x 9-3/4"H x 6"E	3-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F7224-80	29-7/8"W x 9-3/4"H x 6"E	4-100W MB / Damp	Clear Seeded	Bright Satin Nickel



Oriana 1LT Sconce
F29011-80 (BSN)
F29011-64 (PBR)



Oriana 2LT Vanity
F29012-64 (PBR)
F29012-80 (BSN)



Oriana 3LT Vanity
F29013-80 (BSN)
F29013-64 (PBR)



Oriana 4LT Vanity
F29014-64 (PBR)
F29014-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F29011-64	6-1/4"W x 9-1/2"H x 7-5/8"E	1-100W MB / Damp	Clear Seeded	Provincial Bronze
F29011-80	6-1/4"W x 9-1/2"H x 7-5/8"E	1-100W MB / Damp	Clear Seeded	● Bright Satin Nickel
F29012-64	15-3/8"W x 9-1/2"H x 7-5/8"E	2-100W MB / Damp	Clear Seeded	● Provincial Bronze
F29012-80	15-3/8"W x 9-1/2"H x 7-5/8"E	2-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F29013-64	24-3/8"W x 9-1/2"H x 7-5/8"E	3-100W MB / Damp	Clear Seeded	Provincial Bronze
F29013-80	24-3/8"W x 9-1/2"H x 7-5/8"E	3-100W MB / Damp	Clear Seeded	● Bright Satin Nickel
F29014-64	33-3/8"W x 9-1/2"H x 7-5/8"E	4-100W MB / Damp	Clear Seeded	● Provincial Bronze
F29014-80	33-3/8"W x 9-1/2"H x 7-5/8"E	4-100W MB / Damp	Clear Seeded	Bright Satin Nickel



Clyde 1LT Sconce
F6871-31 (BK)



Clyde 2LT Vanity
F6872-31 (BK)



Clyde 3LT Vanity
F6873-31 (BK)



Clyde 4LT Vanity
F6874-31 (BK)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6871-31	4-1/2"W x 11-3/4"H x 6-3/4"E	1-100W MB / Damp	Clear Seeded	Black
F6872-31	15"W x 13-1/4"H x 6-3/4"E	2-100W MB / Damp	Clear Seeded	Black
F6873-31	21-3/4"W x 13-1/4"H x 6-3/4"E	3-100W MB / Damp	Clear Seeded	Black
F6874-31	30-3/8"W x 13-1/4"H x 6-3/4"E	4-100W MB / Damp	Clear Seeded	Black



Qairo 1LT Sconce
F25201-80 (BSN)
 F25101-64 (PBR)



Qairo 2LT Vanity
F25102-64 (PBR)
 F25202-80 (BSN)



Qairo 3LT Vanity
F25203-80 (BSN)
 F25103-64 (PBR)



Qairo 4LT Vanity
F25104-64 (PBR)
 F25204-80 (BSN)

● Featured Finish (-64 Comes with Frosted Seeded Glass Only)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F25101-64	5"W x 10-1/4"H x 6-1/2"E	1-100W MB / Damp	Frosted Seeded	Provincial Bronze
F25201-80	5"W x 10-1/4"H x 6-1/2"E	1-100W MB / Damp	Clear Seeded	● Bright Satin Nickel
F25102-64	15-3/4"W x 10-1/4"H x 6-3/4"E	2-100W MB / Damp	Frosted Seeded	● Provincial Bronze
F25202-80	15-3/4"W x 10-1/4"H x 6-3/4"E	2-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F25103-64	24"W x 10-1/4"H x 6-3/4"E	3-100W MB / Damp	Frosted Seeded	Provincial Bronze
F25203-80	24"W x 10-1/4"H x 6-3/4"E	3-100W MB / Damp	Clear Seeded	● Bright Satin Nickel
F25104-64	32-1/4"W x 10-1/4"H x 6-3/4"E	4-100W MB / Damp	Frosted Seeded	● Provincial Bronze
F25204-80	32-1/4"W x 10-1/4"H x 6-3/4"E	4-100W MB / Damp	Clear Seeded	Bright Satin Nickel



Riella 1LT Sconce
F24101-64 (PBR)
F24101-80 (BSN)



Riella 2LT Vanity
F24102-80 (BSN)
F24102-64 (PBR)



Riella 3LT Vanity
F24103-64 (PBR)
F24103-80 (BSN)



Riella 4LT Vanity
F24104-80 (BSN)
F24104-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F24101-64	5-1/2"W x 8-3/4"H x 6-1/2"E	1-100W MB / Damp	Clear Seeded	● Provincial Bronze
F24101-80	5-1/2"W x 8-3/4"H x 6-1/2"E	1-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F24102-64	15"W x 9-5/8"H x 6-1/2"E	2-100W MB / Damp	Clear Seeded	Provincial Bronze
F24102-80	15"W x 9-5/8"H x 6-1/2"E	2-100W MB / Damp	Clear Seeded	● Bright Satin Nickel
F24103-64	24-3/8"W x 9-5/8"H x 6-1/2"E	3-100W MB / Damp	Clear Seeded	● Provincial Bronze
F24103-80	24-3/8"W x 9-5/8"H x 6-1/2"E	3-100W MB / Damp	Clear Seeded	Bright Satin Nickel
F24104-64	33-7/8"W x 9-5/8"H x 6-1/2"E	4-100W MB / Damp	Clear Seeded	Provincial Bronze
F24104-80	33-7/8"W x 9-5/8"H x 6-1/2"E	4-100W MB / Damp	Clear Seeded	● Bright Satin Nickel



LED 1LT Sconce
F6101-80 (BSN)
 F6101-64 (PBR)



LED 2LT Vanity
F6102-64 (PBR)
 F6102-80 (BSN)



LED 3LT Vanity
F6103-80 (BSN)
 F6103-64 (PBR)



LED 4LT Vanity
F6104-64 (PBR)
 F6104-80 (BSN)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6101-64 ● ●	4-1/2"W x 7-7/8"H x 6"E	8W / 3000K / 120V / 80CRI 720 Source Lm / 520 Delivered Lm 35,000hrs	Frosted & Spray White Inside	Provincial Bronze
F6101-80 ● ●	4-1/2"W x 7-7/8"H x 6"E	8W / 3000K / 120V / 80CRI 720 Source Lm / 520 Delivered Lm 35,000hrs	Frosted & Spray White Inside	● Bright Satin Nickel
F6102-64 ● ●	13"W x 7-7/8"H x 5-7/8"E	2-8W / 3000K / 120V / 80CRI 1440 Source Lm / 1040 Delivered Lm 35,000hrs	Frosted & Spray White Inside	● Provincial Bronze
F6102-80 ● ●	13"W x 7-7/8"H x 5-7/8"E	2-8W / 3000K / 120V / 80CRI 1440 Source Lm / 1040 Delivered Lm 35,000hrs	Frosted & Spray White Inside	Bright Satin Nickel
F6103-64 ● ●	20-3/8"W x 7-7/8"H x 5-7/8"E	3-8W / 3000K / 120V / 80CRI 2160 Source Lm / 1560 Delivered Lm 35,000hrs	Frosted & Spray White Inside	Provincial Bronze
F6103-80 ● ●	20-3/8"W x 7-7/8"H x 5-7/8"E	3-8W / 3000K / 120V / 80CRI 2160 Source Lm / 1560 Delivered Lm 35,000hrs	Frosted & Spray White Inside	● Bright Satin Nickel
F6104-64 ● ●	28-3/8"W x 7-7/8"H x 5-7/8"E	4-8W / 3000K / 120V / 80CRI 2880 Source Lm / 2080 Delivered Lm 35,000hrs	Frosted & Spray White Inside	● Provincial Bronze
F6104-80 ● ●	28-3/8"W x 7-7/8"H x 5-7/8"E	4-8W / 3000K / 120V / 80CRI 2880 Source Lm / 2080 Delivered Lm 35,000hrs	Frosted & Spray White Inside	Bright Satin Nickel



LED 1LT Sconce
F6401-80 (BSN)



LED 2LT Vanity
F6402-80 (BSN)



LED 3LT Vanity
F6403-80 (BSN)



LED 4LT Vanity
F6404-80 (BSN)



ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6401-80 ● ●	4-3/8"W x 8"H x 6"E	8W / 3000K / 120V / 80CRI / 35,000hrs 720 Source Lm / 520 Delivered Lm	Frosted	Bright Satin Nickel
F6402-80 ● ●	16"W x 7"H x 6"E	2-8W / 3000K / 120V / 80CRI / 35,000hrs 1440 Source Lm / 1040 Delivered Lm	Frosted	Bright Satin Nickel
F6403-80 ● ●	24"W x 7"H x 6"E	3-8W / 3000K / 120V / 80CRI / 35,000hrs 2160 Source Lm / 1560 Delivered Lm	Frosted	Bright Satin Nickel
F6404-80 ● ●	32-1/8"W x 7"H x 6"E	4-8W / 3000K / 120V / 80CRI / 35,000hrs 2880 Source Lm / 2080 Delivered Lm	Frosted	Bright Satin Nickel



Iris 1LT Sconce
F11001-80 (BSN)



Iris 2LT Vanity
F11002-80 (BSN)



Iris 3LT Vanity
F11003-80 (BSN)



Iris 4LT Vanity
F11004-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F11001-80	6-7/8"W x 9"H x 5-7/8"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F11002-80	13-5/8"W x 9"H x 5-7/8"E	2-100W MB / Damp	Opal	Bright Satin Nickel
F11003-80	21-5/8"W x 9"H x 5-7/8"E	3-100W MB / Damp	Opal	Bright Satin Nickel
F11004-80	29-5/8"W x 9"H x 5-7/8"E	4-100W MB / Damp	Opal	Bright Satin Nickel



Esquire 1LT Sconce
F17101-57 (AGM)



Esquire 2LT Vanity
F17102-57 (AGM)



Esquire 3LT Vanity
F17103-57 (AGM)



Esquire 4LT Vanity
F17104-57 (AGM)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17101-57	4-3/4"W x 15-3/4"H x 5"E	1-100W MB / Damp	Clear	Antique Gunmetal
F17102-57	11-3/4"W x 12-1/8"H x 5"E	2-100W MB / Damp	Clear	Antique Gunmetal
F17103-57	19-7/8"W x 12-1/8"H x 5"E	3-100W MB / Damp	Clear	Antique Gunmetal
F17104-57	28"W x 12-1/8"H x 5"E	4-100W MB / Damp	Clear	Antique Gunmetal



Somes 1LT Sconce
F17031-80 (BSN)
F17031-64 (PBR)



Somes 2LT Vanity
F17032-64 (PBR)
F17032-80 (BSN)



Somes 3LT Vanity
F17033-80 (BSN)
F17033-64 (PBR)



Somes 4LT Vanity
F17034-64 (PBR)
F17034-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17031-64	4-1/2"W x 9-5/8"H x 6-1/8"E	1-100W MB / Damp	Linen	Provincial Bronze
F17031-80	4-1/2"W x 9-5/8"H x 6-1/8"E	1-100W MB / Damp	Linen	● Bright Satin Nickel
F17032-64	13"W x 9-5/8"H x 6-1/8"E	2-100W MB / Damp	Linen	● Provincial Bronze
F17032-80	13"W x 9-5/8"H x 6-1/8"E	2-100W MB / Damp	Linen	Bright Satin Nickel
F17033-64	22"W x 9-5/8"H x 6-1/8"E	3-100W MB / Damp	Linen	Provincial Bronze
F17033-80	22"W x 9-5/8"H x 6-1/8"E	3-100W MB / Damp	Linen	● Bright Satin Nickel
F17034-64	31-1/8"W x 9-5/8"H x 6-1/8"E	4-100W MB / Damp	Linen	● Provincial Bronze
F17034-80	31-1/8"W x 9-5/8"H x 6-1/8"E	4-100W MB / Damp	Linen	Bright Satin Nickel



Prestige 1LT Sconce
F15001-80 (BSN)



Prestige 2LT Vanity
F15002-80 (BSN)



Prestige 3LT Vanity
F15003-80 (BSN)



Prestige 4LT Vanity
F15004-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F15001-80	5-7/8"W x 13"H x 6"E	1-100W MB / Damp	Clear	Bright Satin Nickel
F15002-80	13-3/8"W x 13"H x 6-1/2"E	2-100W MB / Damp	Clear	Bright Satin Nickel
F15003-80	21"W x 13"H x 6-1/2"E	3-100W MB / Damp	Clear	Bright Satin Nickel
F15004-80	28-1/2"W x 13"H x 6-1/2"E	4-100W MB / Damp	Clear	Bright Satin Nickel



Hadley 1LT Sconce
F22011-80 (BSN)



Hadley 2LT Vanity
F22012-80 (BSN)



Hadley 3LT Vanity
F22013-80 (BSN)



Hadley 4LT Vanity
F22014-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F22011-80	4-1/2"W x 10-7/8"H x 6-5/8"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F22012-80	12"W x 9-3/8"H x 5-7/8"E	2-100W MB / Damp	Opal	Bright Satin Nickel
F22013-80	24"W x 9-3/8"H x 5-7/8"E	3-100W MB / Damp	Opal	Bright Satin Nickel
F22014-80	30"W x 9-3/8"H x 5-7/8"E	4-100W MB / Damp	Opal	Bright Satin Nickel



Quartz 1LT Sconce
F19031-80 (BSN)
F19031-64 (PBR)



Quartz 2LT Vanity
F19032-64 (PBR)
F19032-80 (BSN)



Quartz 3LT Vanity
F19033-80 (BSN)
F19033-64 (PBR)



Quartz 4LT Vanity
F19034-64 (PBR)
F19034-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F19031-64	4-7/8"W x 7-1/4"H x 7-3/8"E	1-100W MB / Damp	Opal	Provincial Bronze
F19031-80	4-7/8"W x 7-1/4"H x 7-3/8"E	1-100W MB / Damp	Opal	● Bright Satin Nickel
F19032-64	13-3/4"W x 7-1/4"H x 7-3/8"E	2-100W MB / Damp	Opal	● Provincial Bronze
F19032-80	13-3/4"W x 7-1/4"H x 7-3/8"E	2-100W MB / Damp	Opal	Bright Satin Nickel
F19033-64	22-5/8"W x 7-1/4"H x 7-3/8"E	3-100W MB / Damp	Opal	Provincial Bronze
F19033-80	22-5/8"W x 7-1/4"H x 7-3/8"E	3-100W MB / Damp	Opal	● Bright Satin Nickel
F19034-64	31-1/2"W x 7-1/4"H x 7-3/8"E	4-100W MB / Damp	Opal	● Provincial Bronze
F19034-80	31-1/2"W x 7-1/4"H x 7-3/8"E	4-100W MB / Damp	Opal	Bright Satin Nickel



Starling 1LT Sconce
F19011-64 (PBR)



Starling 2LT Vanity
F19012-80 (BSN)
F19012-64 (PBR)



Starling 3LT Vanity
F19013-64 (PBR)
F19013-80 (BSN)



Starling 4LT Vanity
F19014-80 (BSN)
F19014-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F19011-64	5-1/2"W x 8-3/8"H x 6-3/8"E	1-100W MB / Damp	Frosted Opal	● Provincial Bronze
F19012-64	15-3/4"W x 8"H x 6-3/8"E	2-100W MB / Damp	Frosted Opal	Provincial Bronze
F19012-80	15-3/4"W x 8"H x 6-3/8"E	2-100W MB / Damp	Frosted Opal	● Bright Satin Nickel
F19013-64	23"W x 8"H x 6"E	3-100W MB / Damp	Frosted Opal	● Provincial Bronze
F19013-80	23"W x 8"H x 6"E	3-100W MB / Damp	Frosted Opal	Bright Satin Nickel
F19014-64	30-1/8"W x 8"H x 6"E	4-100W MB / Damp	Frosted Opal	Provincial Bronze
F19014-80	30-1/8"W x 8"H x 6"E	4-100W MB / Damp	Frosted Opal	● Bright Satin Nickel



Payton 1LT Sconce
F21011-80 (BSN)



Payton 2LT Vanity
F21012-80 (BSN)



Payton 3LT Vanity
F21013-80 (BSN)




Payton 4LT Vanity
F21014-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F21011-80	5"W x 10"H x 6-5/8"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F21012-80	14-3/8"W x 10"H x 6-5/8"E	2-100W MB / Damp	Opal	Bright Satin Nickel
F21013-80	24"W x 10"H x 6-5/8"E	3-100W MB / Damp	Opal	Bright Satin Nickel
F21014-80	33-1/2"W x 10"H x 6-5/8"E	4-100W MB / Damp	Opal	Bright Satin Nickel



Abbot 2LT Vanity
F17012-80 (BSN)
 F17012-64 (PBR)



Abbot 3LT Vanity
F17013-64 (PBR)
 F17013-80 (BSN)



Abbot 4LT Vanity
F17014-80 (BSN)
 F17014-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17012-64	15-3/4"W x 6-1/8"H x 7-3/4"E	2-100W MB / Damp	Clear Seeded / Frosted Opal	Provincial Bronze
F17012-80	15-3/4"W x 6-1/8"H x 7-3/4"E	2-100W MB / Damp	Clear Seeded / Frosted Opal	● Bright Satin Nickel
F17013-64	26"W x 6-1/8"H x 7-3/4"E	3-100W MB / Damp	Clear Seeded / Frosted Opal	● Provincial Bronze
F17013-80	26"W x 6-1/8"H x 7-3/4"E	3-100W MB / Damp	Clear Seeded / Frosted Opal	Bright Satin Nickel
F17014-64	36-1/8"W x 6-1/8"H x 7-3/4"E	4-100W MB / Damp	Clear Seeded / Frosted Opal	Provincial Bronze
F17014-80	36-1/8"W x 6-1/8"H x 7-3/4"E	4-100W MB / Damp	Clear Seeded / Frosted Opal	● Bright Satin Nickel



Preston 2LT Vanity
F16092-64 (PBR)



Preston 3LT Vanity
F16093-64 (PBR)
 F16093-80 (BSN)




Preston 4LT Vanity
F16094-80 (BSN)
 F16094-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F16092-64	14-1/2"W x 6-3/4"H x 8"E	2-100W MB / Damp	Opal Etched	Provincial Bronze
F16093-64	23"W x 6-3/4"H x 8"E	3-100W MB / Damp	Opal Etched	● Provincial Bronze
F16093-80	23"W x 6-3/4"H x 8"E	3-100W MB / Damp	Opal Etched	Bright Satin Nickel
F16094-64	31"W x 6-3/4"H x 8"E	4-100W MB / Damp	Opal Etched	● Provincial Bronze
F16094-80	31"W x 6-3/4"H x 8"E	4-100W MB / Damp	Opal Etched	Bright Satin Nickel



Darby 2LT Vanity
F18042-64 (PBR)
 F18042-80 (BSN)



Darby 3LT Vanity
F18043-80 (BSN)
 F18043-64 (PBR)



Darby 4LT Vanity
F18044-64 (PBR)
 F18044-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F18042-64	15-1/8"W x 9-5/8"H x 8"E	2-100W MB / Damp	Opal Etched	● Provincial Bronze
F18042-80	15-1/8"W x 9-5/8"H x 8"E	2-100W MB / Damp	Opal Etched	Bright Satin Nickel
F18043-64	23-7/8"W x 9-5/8"H x 8"E	3-100W MB / Damp	Opal Etched	Provincial Bronze
F18043-80	23-7/8"W x 9-5/8"H x 8"E	3-100W MB / Damp	Opal Etched	● Bright Satin Nickel
F18044-64	32-5/8"W x 9-5/8"H x 8"E	4-100W MB / Damp	Opal Etched	● Provincial Bronze
F18044-80	32-5/8"W x 9-5/8"H x 8"E	4-100W MB / Damp	Opal Etched	Bright Satin Nickel



Dalton 1LT Sconce
F18011-80 (BSN)
F18011-64 (PBR)



Dalton 2LT Vanity
F18012-64 (PBR)
F18012-80 (BSN)



Dalton 3LT Vanity
F18013-80 (BSN)
F18013-64 (PBR)



Dalton 4LT Vanity
F18014-64 (PBR)
F18014-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F18011-64	4-3/4"W x 8-1/8"H x 5-3/4"E	1-100W MB / Damp	Opal Etched	Provincial Bronze
F18011-80	4-3/4"W x 8-1/8"H x 5-3/4"E	1-100W MB / Damp	Opal Etched	● Bright Satin Nickel
F18012-64	12"W x 8-1/8"H x 5-7/8"E	2-100W MB / Damp	Opal Etched	● Provincial Bronze
F18012-80	12"W x 8-1/8"H x 5-7/8"E	2-100W MB / Damp	Opal Etched	Bright Satin Nickel
F18013-64	24"W x 8-1/8"H x 5-7/8"E	3-100W MB / Damp	Opal Etched	Provincial Bronze
F18013-80	24"W x 8-1/8"H x 5-7/8"E	3-100W MB / Damp	Opal Etched	● Bright Satin Nickel
F18014-64	30"W x 8-1/8"H x 5-7/8"E	4-100W MB / Damp	Opal Etched	● Provincial Bronze
F18014-80	30"W x 8-1/8"H x 5-7/8"E	4-100W MB / Damp	Opal Etched	Bright Satin Nickel



Ledbury 1LT Sconce
F3151-64 (PBR)
 F3151-80 (BSN)



Ledbury 2LT Vanity
F3152-80 (BSN)
 F3152-64 (PBR)



Ledbury 3LT Vanity
F3153-64 (PBR)
 F3153-80 (BSN)



Ledbury 4LT Vanity
F3154-80 (BSN)
 F3154-64 (PBR)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3151-64	4-3/8"W x 7-1/2"H x 6-1/2"E	1-100W MB / Damp	Opal Etched	● Provincial Bronze
F3151-80	4-3/8"W x 7-1/2"H x 6-1/2"E	1-100W MB / Damp	Opal Etched	Bright Satin Nickel
F3152-64	13"W x 9"H x 5-1/2"E	2-100W MB / Damp	Opal Etched	Provincial Bronze
F3152-80	13"W x 9"H x 5-1/2"E	2-100W MB / Damp	Opal Etched	● Bright Satin Nickel
F3153-64	22"W x 9"H x 5-1/2"E	3-100W MB / Damp	Opal Etched	● Provincial Bronze
F3153-80	22"W x 9"H x 5-1/2"E	3-100W MB / Damp	Opal Etched	Bright Satin Nickel
F3154-64	30-1/2" x 9"H x 5-1/2"E	4-100W MB / Damp	Opal Etched	Provincial Bronze
F3154-80	30-1/2" x 9"H x 5-1/2"E	4-100W MB / Damp	Opal Etched	● Bright Satin Nickel



Wren 1LT Sconce
F3191-80 (BSN)
F3191-64 (PBR)



Wren 2LT Vanity
F3192-64 (PBR)
F3192-80 (BSN)



Wren 3LT Vanity
F3193-80 (BSN)
F3193-64 (PBR)



Wren 4LT Vanity
F3194-64 (PBR)
F3194-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3191-64	5-3/4"W x 7-3/4"H x 7"E	1-100W MB / Damp	Clear Double Prismatic	Provincial Bronze
F3191-80	5-3/4"W x 7-3/4"H x 7"E	1-100W MB / Damp	Clear Double Prismatic	● Bright Satin Nickel
F3192-64	17"W x 8"H x 7"E	2-100W MB / Damp	Clear Double Prismatic	● Provincial Bronze
F3192-80	17"W x 8"H x 7"E	2-100W MB / Damp	Clear Double Prismatic	Bright Satin Nickel
F3193-64	26-1/4"W x 8"H x 7"E	3-100W MB / Damp	Clear Double Prismatic	Provincial Bronze
F3193-80	26-1/4"W x 8"H x 7"E	3-100W MB / Damp	Clear Double Prismatic	● Bright Satin Nickel
F3194-64	35-1/2"W x 8"H x 7"E	4-100W MB / Damp	Clear Double Prismatic	● Provincial Bronze
F3194-80	35-1/2"W x 8"H x 7"E	4-100W MB / Damp	Clear Double Prismatic	Bright Satin Nickel



Olen 1LT Sconce
F2811-80 (BSN)



Olen 2LT Vanity
F2812-80 (BSN)



Olen 3LT Vanity
F2813-80 (BSN)



Olen 4LT Vanity
F2814-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2811-80	5-1/2"W x 9-7/8"H x 7-1/4"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F2812-80	14-3/4"W x 9-7/8"H x 7-1/4"E	2-100W MB / Damp	Opal	Bright Satin Nickel
F2813-80	24-1/4"W x 9-7/8"H x 7-1/4"E	3-100W MB / Damp	Opal	Bright Satin Nickel
F2814-80	33-3/4"W x 9-7/8"H x 7-1/4"E	4-100W MB / Damp	Opal	Bright Satin Nickel



Rossington 1LT Sconce
F2801-80 (BSN)



Rossington 2LT Vanity
F2802-80 (BSN)



Rossington 3LT Vanity
F2803-80 (BSN)



Rossington 4LT Vanity
F2804-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2801-80	5-1/8"W x 13-5/8"H x 4-7/8"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F2802-80	13"W x 13-5/8"H x 4-7/8"E	2-100W MB / Damp	Opal	Bright Satin Nickel
F2803-80	22-1/4"W x 13-5/8"H x 5-1/8"E	3-100W MB / Damp	Opal	Bright Satin Nickel
F2804-80	31-1/4"W x 13-5/8"H x 5-1/8"E	4-100W MB / Damp	Opal	Bright Satin Nickel



Stanton 2LT Vanity
F3122-80 (BSN)
 F3122-80-LED (BSN)



Stanton 1LT Sconce
F3121-80 (BSN)
 F3121-80-LED (BSN)



Stanton 3LT Vanity
F3123-80 (BSN)
 F3123-80-LED (BSN)



Stanton 4LT Vanity
F3124-80 (BSN)
 F3124-80-LED (BSN)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3121-80	8-1/8"W x 6"H x 5"E	1-60W MB / Damp	Frosted	● Bright Satin Nickel
F3121-80-LED ● ●	8-1/4"W x 6"H x 4-1/8"E	8W / 3000K / 120V / 80CRI 750 Source Lm / 560 Delivered Lm 35,000hrs / Non-Dimm. / Damp	Frosted	Bright Satin Nickel
F3122-80	18-3/4"W x 6"H x 5"E	2-60W MB / Damp	Frosted	● Bright Satin Nickel
F3122-80-LED ● ●	18-3/4"W x 6"H x 4-1/8"E	2-8W / 3000K / 120V / 80CRI 1560 Source Lm / 1120 Delivered Lm 35,000hrs / Non-Dimm. / Damp	Frosted	Bright Satin Nickel
F3123-80	28-3/4"W x 6"H x 5"E	3-60W MB / Damp	Frosted	● Bright Satin Nickel
F3123-80-LED ● ●	28-3/4"W x 6"H x 4-1/8"E	3-8W / 3000K / 120V / 80CRI 2340 Source Lm / 1680 Delivered Lm 35,000hrs / Non-Dimm. / Damp	Frosted	Bright Satin Nickel
F3124-80	38-3/4"W x 6"H x 5"E	4-60W MB / Damp	Frosted	● Bright Satin Nickel
F3124-80-LED ● ●	38-3/4"W x 6"H x 4-1/8"E	4-8W / 3000K / 120V / 80CRI 3120 Source Lm / 2240 Delivered Lm 35,000hrs / Non-Dimm. / Damp	Frosted	Bright Satin Nickel



Luminette 1LT Sconce
F2861-64 (PBR)
 F2861-80 (BSN)
 F2861-80-LED-JA8 (BSN)



Luminette 2LT Vanity
F2862-80 (BSN)
 F2862-80-LED-JA8 (BSN)



Luminette 3LT Vanity
F2863-80 (BSN)
 F2863-64 (PBR)
 F2863-80-LED-JA8 (BSN)



Luminette 4LT Sconce
F2864-80 (BSN)
 F2864-80-LED-JA8 (BSN)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2861-64	4-1/2"W x 8-1/2"H x 5-3/4"E	1-100W MB / Damp	Opal	● Provincial Bronze
F2861-80	4-1/2"W x 8-1/2"H x 5-3/4"E	1-100W MB / Damp	Opal	Bright Satin Nickel
F2861-80-LED-JA8 ● ●	4-1/2"W x 8-1/2"H x 5-3/4"E	8W / 3000K / 120V / 90CRI 710 Source Lm / 590 Delivered Lm 50,000hrs / Dimm. / Damp	Opal	Bright Satin Nickel
F2862-80	12-7/8"W x 9-3/8"H x 5-7/8"	2-100W MB / Damp	Opal	● Bright Satin Nickel
F2862-80-LED-JA8 ● ●	13"W x 9-1/2"H x 5-3/4"E	16W / 3000K / 120V / 90CRI 1420 Source Lm / 1170 Delivered Lm 50,000hrs / Dimm. / Damp	Opal	Bright Satin Nickel
F2863-64	20"W x 9-3/8"H x 5-7/8"E	3-100W MB / Damp	Opal	Provincial Bronze
F2863-80	20"W x 9-3/8"H x 5-7/8"E	3-100W MB / Damp	Opal	● Bright Satin Nickel
F2863-80-LED-JA8 ● ●	20"W x 9-1/2"H x 6"E	24W / 3000K / 120V / 90CRI 2130 Source Lm / 1740 Delivered Lm 50,000hrs / Dimm. / Damp	Opal	Bright Satin Nickel
F2864-80	27-1/8"W x 9-3/8"H x 5-7/8"E	4-100W MB / Damp	Opal	● Bright Satin Nickel
F2864-80-LED-JA8 ● ●	27"W x 9-1/2"H x 5-3/4"E	32W / 3000K / 120V / 90CRI 2840 Source Lm / 2300 Delivered Lm 50,000hrs / Dimm. / Damp	Opal	Bright Satin Nickel



Bristol 1LT Sconce
F2291-80 (BSN)
 F2291-80-LED-JA8 (BSN)



Bristol 2LT Vanity
F2295-80-LED-JA8 (BSN)



Bristol 3LT Vanity
F2297-80 (BSN)
 F2297-80-LED-JA8 (BSN)



Bristol 4LT Vanity
F2299-80 (BSN)
 F2299-80-LED-JA8 (BSN)

● Featured Finish
 ●

●

● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2291-80	4-1/2"W x 9-5/8"H x 6"E	1-100W MB / Damp	Opal	● Bright Satin Nickel
F2291-80-LED-JA8 ● ● ●	4-1/2"W x 9-5/8"H x 6"E	8W / 3000K / 120V / 90CRI 600 Source Lm / 530 Delivered Lm 50,000hrs / Dimm. / Damp	Opal	Bright Satin Nickel
F2295-80-LED-JA8 ● ● ●	14"W x 9-3/4"H x 6"E	16W / 3000K / 120V / 90CRI 1200 Source Lm / 1060 Delivered Lm 50,000hrs / Dimm. / Damp	Opal	Bright Satin Nickel
F2297-80	23-3/4"W x 9-7/8"H x 6"E	3-100W MB / Damp	Opal	● Bright Satin Nickel
F2297-80-LED-JA8 ● ● ●	23-3/4"W x 9-7/8"H x 6"E	24W / 3000K / 120V / 90CRI 1800 Source Lm / 1590 Delivered Lm 50,000hrs / Dimm. / Damp	Opal	Bright Satin Nickel
F2299-80	33-1/4"W x 9-7/8"H x 6"E	4-100W MB / Damp	Opal	● Bright Satin Nickel
F2299-80-LED-JA8 ● ● ●	33-1/4"W x 9-7/8"H x 6"E	32W / 3000K / 120V / 90CRI 2400 Source Lm / 2120 Delivered Lm 50,000hrs / Dimm. / Damp	Opal	Bright Satin Nickel



Boca 1LT Sconce
F2531-31 (BK)
 F2531-80 (BSN)
 F2531-80-LED (BSN)



Boca 2LT Sconce
F2532-80 (BSN)
 F2532-31 (BK)
 F2532-80-LED (BSN)



Boca 3LT Sconce
F2533-31 (BK)
 F2533-80 (BSN)
 F2533-80-LED (BSN)



Boca 4LT Sconce
F2534-80 (BSN)
 F2534-31 (BK)
 F2534-80-LED (BSN)

● Featured Finish ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2531-31	6"W x 8"H x 5"E	1-60W MB / Damp	Opal	● Matte Black
F2531-80	6"W x 8"H x 5"E	1-60W MB / Damp	Opal	Bright Satin Nickel
F2531-80-LED ● ●	6"W x 8-1/2"H x 5-1/4"E	8W / 3000K / 120V / 80CRI 720 Source Lm / 520 Delivered Lm 35,000hrs / Damp	Opal	Bright Satin Nickel
F2532-31	12-3/4"W x 8"H x 5"E	2-60W MB / Damp	Opal	Matte Black
F2532-80	12-3/4"W x 8"H x 4-7/8"E	2-60W MB / Damp	Opal	● Bright Satin Nickel
F2532-80-LED ● ●	12-3/4"W x 8-1/2"H x 5-1/2"E	2-8W / 3000K / 120V / 80CRI 1440 Source Lm / 1040 Delivered Lm 35,000hrs / Damp	Opal	Bright Satin Nickel
F2533-31	20"W x 8"H x 5"E	3-60W MB / Damp	Opal	● Matte Black
F2533-80	20"W x 8"H x 5"E	3-60W MB / Damp	Opal	Bright Satin Nickel
F2533-80-LED ● ●	20-1/2"W x 8-1/2"H x 5-1/2"E	3-8W / 3000K / 120V / 80CRI 2160 Source Lm / 1560 Delivered Lm 35,000hrs / Damp	Opal	Bright Satin Nickel
F2534-31	27-1/4"W x 8"H x 5"E	4-60W MB / Damp	Opal	Matte Black
F2534-80	27-1/4"W x 8"H x 5"E	4-60W MB / Damp	Opal	● Bright Satin Nickel
F2534-80-LED ● ●	27-1/8"W x 8-1/2"H x 5-1/2"E	4-8W / 3000K / 120V / 80CRI 2880 Source Lm / 2080 Delivered Lm 35,000hrs / Damp	Opal	Bright Satin Nickel



1LT Sconce
F3621-53 (SN)
 F3621-15 (CH)



2LT Vanity
F3622-44 (OB)
 F3622-53 (SN)



3LT Vanity
F3623-44 (OB)
 F3623-15 (CH)
 F3623-53 (SN)



4LT Vanity
F3624-15 (CH)
 F3624-44 (OB)
 F3624-53 (SN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3621-15	5-1/8"W x 9-5/8"H x 7-5/8"E	1-100W MB / Damp	Round Milk	Chrome
F3621-53	5-1/8"W x 9-5/8"H x 7-5/8"E	1-100W MB / Damp	Round Milk	● Satin Nickel
F3622-44	18"W x 8"H x 7-1/2"E	2-100W MB / Damp	Round Milk	● Oil Bronze
F3622-53	18"W x 8"H x 7-1/2"E	2-100W MB / Damp	Round Milk	Satin Nickel
F3623-15	24"W x 8"H x 7-1/2"E	3-100W MB / Damp	Round Milk	Chrome
F3623-44	24"W x 8"H x 7-1/2"E	3-100W MB / Damp	Round Milk	● Oil Bronze
F3623-53	24"W x 8"H x 7-1/2"E	3-100W MB / Damp	Round Milk	Satin Nickel
F3624-15	30"W x 8"H x 7-1/2"E	4-100W MB / Damp	Round Milk	● Chrome
F3624-44	30"W x 8"H x 7-1/2"E	4-100W MB / Damp	Round Milk	Oil Bronze
F3624-53	30"W x 8"H x 7-1/2"E	4-100W MB / Damp	Round Milk	Satin Nickel



Maddox 1LT Sconce
F2501-80 (BSN)



Maddox 2LT Vanity
F2502-80 (BSN)



Maddox 3LT Vanity
F2503-80 (BSN)



Maddox 4LT Vanity
F2504-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2501-80	5-3/8"W x 8-5/8"H x 7-1/2"E	1-100W MB / Damp	Faux Alabaster	Bright Satin Nickel
F2502-80	15-3/4"W x 8-7/8"H x 7-1/2"E	2-100W MB / Damp	Faux Alabaster	Bright Satin Nickel
F2503-80	22-7/8"W x 8-7/8"H x 7-1/2"E	3-100W MB / Damp	Faux Alabaster	Bright Satin Nickel
F2504-80	31-3/8"W x 8-7/8"H x 7-1/2"E	4-100W MB / Damp	Faux Alabaster	Bright Satin Nickel



1LT Sconce
F3681-53 (SN)
 F3681-15 (CH)
 F3681-31 (BK)



2LT Vanity
F3682-31 (BK)
 F3682-44 (OB)
 F3682-53 (SN)



3LT Vanity
F3683-15 (CH)
 F3683-31 (BK)
 F3683-44 (OB)
 F3683-53 (SN)



4LT Vanity
F3684-44 (OB)
 F3684-15 (CH)
 F3684-31 (BK)
 F3684-53 (SN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3681-15	5-1/8"W x 9-5/8"H x 7-5/8"E	1-100W MB / Damp	Square Milk	Chrome
F3681-31	5-1/8"W x 9-5/8"H x 7-5/8"E	1-100W MB / Damp	Square Milk	Matte Black
F3681-53	5-1/8"W x 9-5/8"H x 7-5/8"E	1-100W MB / Damp	Square Milk	● Satin Nickel
F3682-31	18"W x 9-1/4"H x 7-5/8"E	2-100W MB / Damp	Square Milk	● Matte Black
F3682-44	18"W x 9-1/4"H x 7-5/8"E	2-100W MB / Damp	Square Milk	Oil Bronze
F3682-53	18"W x 9-1/4"H x 7-5/8"E	2-100W MB / Damp	Square Milk	Satin Nickel
F3683-15	24"W x 9-1/4"H x 7-5/8"E	3-100W MB / Damp	Square Milk	● Chrome
F3683-31	24"W x 9-1/4"H x 7-5/8"E	3-100W MB / Damp	Square Milk	Matte Black
F3683-44	24"W x 9-1/4"H x 7-5/8"E	3-100W MB / Damp	Square Milk	Oil Bronze
F3683-53	24"W x 9-1/4"H x 7-5/8"E	3-100W MB / Damp	Square Milk	Satin Nickel
F3684-15	30"W x 9-1/4"H x 7-5/8"E	4-100W MB / Damp	Square Milk	Chrome
F3684-31	30"W x 9-1/4"H x 7-5/8"E	4-100W MB / Damp	Square Milk	Matte Black
F3684-44	30"W x 9-1/4"H x 7-5/8"E	4-100W MB / Damp	Square Milk	● Oil Bronze
F3684-53	30"W x 9-1/4"H x 7-5/8"E	4-100W MB / Damp	Square Milk	Satin Nickel



Mason 2LT Vanity
F3652-15 (CH)
 F3652-80 (BSN)



Mason 3LT Vanity
F3653-80 (BSN)
 F3653-15 (CH)



Mason 4LT Vanity
F3654-15 (CH)
 F3654-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3652-15	15-1/2"W x 9"H x 7"E	2-100W MB / Damp	Faux Alabaster	● Chrome
F3652-80	15-1/2"W x 9"H x 7"E	2-100W MB / Damp	Faux Alabaster	Bright Satin Nickel
F3653-15	25-1/2"W x 9"H x 7"E	3-100W MB / Damp	Faux Alabaster	Chrome
F3653-80	25-1/2"W x 9"H x 7"E	3-100W MB / Damp	Faux Alabaster	● Bright Satin Nickel
F3654-15	33"W x 9"H x 7"E	4-100W MB / Damp	Faux Alabaster	● Chrome
F3654-80	33"W x 9"H x 7"E	4-100W MB / Damp	Faux Alabaster	Bright Satin Nickel



2LT Sconce
F3562-53 (SN)



3LT Vanity
F3563-53 (SN)



1LT Sconce
F3561-53 (SN)



4LT Vanity
F3564-53 (SN)



5LT Vanity
F3565-53 (SN)



6LT Vanity
F3566-53 (SN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3561-53	5-1/2"W x 9-1/2"H x 7-7/8"E	1-100W MB / Damp	Faux Alabaster	Satin Nickel
F3562-53	18"W x 7"H x 7"E	2-100W MB / Damp	Faux Alabaster	Satin Nickel
F3563-53	24-1/8"W x 7-7/8"H x 7-7/8"E	3-100W MB / Damp	Faux Alabaster	Satin Nickel
F3564-53	30"W x 7-7/8"H x 7-7/8"E	4-100W MB / Damp	Faux Alabaster	Satin Nickel
F3565-53	36"W x 7-7/8"H x 7-7/8"E	5-100W MB / Damp	Faux Alabaster	Satin Nickel
F3566-53	48"W x 7-7/8"H x 7-7/8"E	6-60W MB / Damp	Faux Alabaster	Satin Nickel



Denman 1LT Sconce
F3571-53 (SN)



Denman 3LT Vanity
F3573-53 (SN)



Denman 4LT Vanity
F3574-53 (SN)



Denman 5LT Vanity
F3575-53 (SN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3571-53	5"W x 7"H x 7"E	1-100W MB / Damp	Clear Prismatic	Satin Nickel
F3573-53	24"W x 7"H x 7"E	3-100W MB / Damp	Clear Prismatic	Satin Nickel
F3574-53	30"W x 7"H x 7"E	4-100W MB / Damp	Clear Prismatic	Satin Nickel
F3575-53	36"W x 7"H x 7"E	5-100W MB / Damp	Clear Prismatic	Satin Nickel



3LT Vanity
F3163-44 (OB)



4LT Vanity
F3164-44 (OB)



3LT Vanity
F3643-80 (BSN)



4LT Vanity
F3644-80 (BSN)

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3163-44	25-3/4"W x 8-1/4"H x 6"E	3-100W MB / Damp	Faux Alabaster	Oil Bronze
F3164-44	30"W x 7"H x 7"E	4-100W MB / Damp	Faux Alabaster	Oil Bronze
F3643-80	24"W x 7-1/4"H x 7"E	3-100W MB / Damp	Faux Alabaster	Bright Satin Nickel
F3644-80	30"W x 7-1/4"H x 7"E	4-100W MB / Damp	Faux Alabaster	Bright Satin Nickel



LED 25" Vanity
F8724-80-1 (BSN)
 F8724-31-1 (BK)
 F8724-15-1 (CH)



LED 37" Vanity
F8736-15-1 (CH)
 F8736-80-1 (BSN)



LED 25" Vanity
F8624-80-1 (BSN)
 F8624-15-1 (CH)



LED 37" Vanity
F8636-31-1 (BK)
 F8636-15-1 (CH)
 F8636-80-1 (BSN)



● Featured Finish ● ● LED ● ADA ●

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F8724-15-1 	25-3/8"L x 4-3/4"W x 4"E	24W / 3000K / 120V / 90CRI 2100 Source Lm / 1750 Delivered Lm 50,000hrs / Dimm. / Damp	White Acrylic	Chrome
F8724-31-1 	25-3/8"L x 4-3/4"W x 4"E	24W / 3000K / 120V / 90CRI 2100 Source Lm / 1750 Delivered Lm 50,000hrs / Dimm. / Damp	White Acrylic	Matte Black
F8724-80-1 	25-3/8"L x 4-3/4"W x 4"E	24W / 3000K / 120V / 90CRI 2100 Source Lm / 1750 Delivered Lm 50,000hrs / Dimm. / Damp	White Acrylic	● Bright Satin Nickel
F8736-15-1 	37-1/4"L x 4-3/4"W x 4"E	30W / 3000K / 120V / 90CRI 2700 Source Lm / 2200 Delivered Lm 50,000hrs / Dimm. / Damp	White Acrylic	● Chrome
F8736-80-1 	37-1/4"L x 4-3/4"W x 4"E	30W / 3000K / 120V / 90CRI 2700 Source Lm / 2200 Delivered Lm 50,000hrs / Dimm. / Damp	White Acrylic	Bright Satin Nickel
F8624-15-1 	25-5/8"L x 4-3/4"W x 4"E	24W / 3000K / 120V / 90CRI 2100 Source Lm / 1750 Delivered Lm 50,000hrs / Dimm. / Damp	White Acrylic	Chrome
F8624-80-1 	25-5/8"L x 4-3/4"W x 4"E	24W / 3000K / 120V / 90CRI 2100 Source Lm / 1750 Delivered Lm 50,000hrs / Dimm. / Damp	White Acrylic	● Bright Satin Nickel
F8636-15-1 	37-1/2"L x 4-3/4"W x 4"E	30W / 3000K / 120V / 90CRI 2700 Source Lm / 2200 Delivered Lm 50,000hrs / Dimm. / Damp	White Acrylic	Chrome
F8636-31-1 	37-1/2"L x 4-3/4"W x 4"E	30W / 3000K / 120V / 90CRI 2700 Source Lm / 2200 Delivered Lm 50,000hrs / Dimm. / Damp	White Acrylic	● Matte Black
F8636-80-1 	37-1/2"L x 4-3/4"W x 4"E	30W / 3000K / 120V / 90CRI 2700 Source Lm / 2200 Delivered Lm 50,000hrs / Dimm. / Damp	White Acrylic	Bright Satin Nickel



1LT Vanity
F2075-30 (WH)



24" Linear Vanity
F9889-80 (BSN)
F9989-80-1 (BSN)



2LT Vanity
F2060-30 (WH)
F2062-30 (WH)



36" Linear Vanity
F9888-80 (BSN)
F9988-80-1 (BSN)



4LT Vanity
F2061-30 (WH)




48" Linear Vanity
F9987-80 (BSN)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2075-30	4-1/2"W x 7-1/2"H x 4-5/8"E	1-60W MB / Damp With Turn Knob	Light Mosser Printed	White
F2060-30	14"W x 4-1/2"H x 4-5/8"E	2-60W MB / Damp With Convenience Outlet	Light Mosser Printed	● White
F2062-30	14"W x 4-1/2"H x 4-5/8"E	2-60W MB / Damp Without Convenience Outlet	Light Mosser Printed	White
F2061-30	24"W x 4-3/8"H x 4-7/8"E	4-60W MB / Damp With Convenience Outlet	Light Mosser Printed	White
F9889-80	6"H x 24-1/4"L x 4-1/4"E	2-17W T-8 / Damp		● Bright Satin Nickel
F9989-80-1 ● ●	5-7/8"H x 24"L x 4-1/4"E	29"W / 3000K / 120-277V / 80CRI 3500 Source Lm / 2800 Delivered Lm 35,000hrs / Damp	White Poly Lens	Bright Satin Nickel
F9888-80	6"H x 36-1/4"L x 4-1/4"E	2-25W T/-8 Electronic Ballast / Damp		● Bright Satin Nickel
F9988-80-1 ● ●	5-7/8"H x 36"L x 4-1/4"E	45.5W / 3000K / 120-277V / 80CRI 5700 Source Lm / 4830 Delivered Lm 35,000hrs / Damp	White Poly Lens	Bright Satin Nickel
F9987-80 ● ●	6"H x 48"L x 4-1/4"E	63W / 3000K / 120-277V / 90CRI 6100 Source Lm / 5500 Delivered Lm 35,000hrs / Non-Dimm. / Damp	White Poly Lens	Bright Satin Nickel



3LT Vanity
F3540-15 (PC)
 F3540-53 (SN)



4LT Vanity
F3542-53 (SN)
 F3542-10 (PB)
 F3542-15 (PC)



5LT Vanity
F3543-53 (SN)



6LT Vanity
F3544-15 (PC)
 F3544-53 (SN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3540-15	18-1/4"W x 4-3/4"H x 2-3/8"E	3-60W MB / Damp	N/A	● Polished Chrome
F3540-53	18-1/4"W x 4-3/4"H x 2-3/8"E	3-60W MB / Damp	N/A	Satin Nickel
F3542-10	24"W x 4-3/4"H x 2-3/8"E	4-60W MB / Damp	N/A	Polished Brass
F3542-15	24"W x 4-3/4"H x 2-3/8"E	4-60W MB / Damp	N/A	Polished Chrome
F3542-53	24"W x 4-3/4"H x 2-3/8"E	4-60W MB / Damp	N/A	● Satin Nickel
F3543-53	30"W x 4-3/4"H x 2-3/8"E	5-60W MB / Damp	N/A	Satin Nickel
F3544-15	36"W x 4-3/4"H x 2-3/8"E	6-60W MB / Damp	N/A	● Polished Chrome
F3544-53	36"W x 4-3/4"H x 2-3/8"E	6-60W MB / Damp	N/A	Satin Nickel



3LT Vanity
F2252-10 (PB)
 F2252-15 (PC)
 F2252-53 (SN)



4LT Vanity
F2253-15 (PC)
 F2253-10 (PB)
 F2253-30 (WH)
 F2253-53 (SN)



5LT Vanity
F2254-15 (CH)



6LT Vanity
F2255-53 (SN)
 F2255-15 (PC)



8LT Vanity
F2256-15 (CH)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2252-10	18"W x 4-1/4"H x 2"E	3-60W MB / Damp	N/A	● Polished Brass
F2252-15	18"W x 4-1/4"H x 2"E	3-60W MB / Damp	N/A	Polished Chrome
F2252-53	18"W x 4-1/4"H x 2"E	3-60W MB / Damp	N/A	Satin Nickel
F2253-10	24"W 4-1/4"H x 2"E	4-60W MB / Damp	N/A	Polished Brass
F2253-15	24"W 4-1/4"H x 2"E	4-60W MB / Damp	N/A	● Polished Chrome
F2253-30	24"W 4-1/4"H x 2"E	4-60W MB / Damp	N/A	White
F2253-53	24"W 4-1/4"H x 2"E	4-60W MB / Damp	N/A	Satin Nickel
F2254-15	30"W x 4-1/4"H x 2"E	5-60W MB / Damp	N/A	Polished Chrome
F2255-15	36"W x 4-1/4"H x 2"E	6-60W MB / Damp	N/A	Polished Chrome
F2255-53	36"W x 4-1/4"H x 2"E	6-60W MB / Damp	N/A	● Satin Nickel
F2256-15	48"W x 4-1/2"H x 2-1/2"E	8-60W MB / Damp	N/A	Polished Chrome



FLUSH MOUNTS

NEW!

Halston 2LT Flush Mount
F16215-81 (WBSN)
 F16215-85 (WPBR)



Stella 3LT Flush Mount
F27024-18 (CG)
 F27024-31 (BK)



Qairo 3LT Flush Mount
F25008-64 (PBR)



Qairo 3LT Flush Mount
F25018-80 (BSN)



Somes 2LT Flush Mount
F17038-64 (PBR)
 F17038-80 (BSN)



Quartz 3LT Flush Mount
F19028-80 (BSN)
 F19028-64 (PBR)



Hadley 2LT Flush Mount
F22002-80 (BSN)



Payton 2LT Flush Mount
F21002-80 (BSN)



Amala 2LT Flush Mount
F20002-80 (BSN)

● **Featured Finish**

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F16215-81	15"D x 5-5/8"H	2-60W MB / Damp	Seeded	● Timber Gray & Bright Satin Nickel
F16215-85	15"D x 5-5/8"H	2-60W MB / Damp	Seeded	Farmhouse & Provincial Bronze
F27024-18	15-1/8"W x 6-3/8"H	3-100W MB / Damp	Clear	● Champagne Gold
F27024-31	15-1/8"W x 6-3/8"H	3-100W MB / Damp	Clear	Matte Black
F25008-64	11-5/8"D x 8"H	3-60W MB / Damp	Frosted Seeded	Provincial Bronze
F25018-80	11-5/8"D x 8"H	3-60W MB / Damp	Clear Seeded	Bright Satin Nickel
F17038-64	12-1/4"D x 4-1/2"H	2-60W MB / Damp	Linen	● Provincial Bronze
F17038-80	12-1/4"D x 4-1/2"H	2-60W MB / Damp	Linen	Bright Satin Nickel
F19028-64	13-3/4"D x 4-5/8"H	3-60W MB / Damp	Opal	Provincial Bronze
F19028-80	13-3/4"D x 4-5/8"H	3-60W MB / Damp	Opal	● Bright Satin Nickel
F22002-80	13-1/2"D x 6-1/4"H	2-60W MB / Damp	Opal	Bright Satin Nickel
F21002-80	13"D x 6"H	2-60W MB / Damp	Opal	Bright Satin Nickel
F20002-80	13"D x 7-1/8"H	2-60W MB / Damp	Opal	Bright Satin Nickel



Rowley Flush Mount
F3512-80 (BSN)
F9512-80 (BSN)
F3514-80 (BSN)
F9514-80 (BSN)



LED Flush Mount
F7284-31-3K (BK)
F7284-80-3K (BSN)



Flush Mount
F7299-80 (BSN)
F7280-80 (BSN)



Flush Mount
F7175-53 (SN)
F7175-62 (RB)
F7175-30-1-LED (WH)
F7175-53-1-LED (SN)

● Featured Finish ● ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3512-80	14"D x 4-3/4"H	3-60W MB / Damp	Frosted & Clear Edge	Bright Satin Nickel
F9512-80 ● ●	14"D x 4-3/4"H	26W / 3000K / 120V / 80CRI 2600 Source Lm / 2400 Fixture Lm 35,000hrs / Dimm. / Damp	Frosted & Clear Edge	Bright Satin Nickel
F3514-80	18"D x 4-3/4"H	3-60W MB / Damp	Frosted & Clear Edge	● Bright Satin Nickel
F9514-80 ● ●	18"D x 4-3/4"H	32W / 3000K / 120V / 80CRI 3200 Source Lm / 3000 Fixture Lm 50,000hrs / Dimm. / Damp	Frosted & Clear Edge	Bright Satin Nickel
F7284-31-3K ● ●	14"D x 3-7/8"E	24W / 3000K / 120V / 80CRI 2400 Source Lm / 2000 Fixture Lm 50,000hrs / Dimm. / Damp	White Acrylic Lens	● Matte Black
F7284-80-3K ● ●	14"D x 3-7/8"E	24W / 3000K / 120V / 80CRI 2400 Source Lm / 2000 Fixture Lm 50,000hrs / Dimm. / Damp	White Acrylic Lens	Bright Satin Nickel
F7299-80	13"D x 5"H	2-60W MB / Damp	Frost	● Bright Satin Nickel
F7280-80	15"D x 5-3/8"H	3-60W MB / Damp	Frost	Bright Satin Nickel
F7175-53	14"D x 4-1/8"E	2-60W MB / Damp	Satin Opal	Satin Nickel
F7175-62	14"D x 4-1/8"E	2-60W MB / Damp	Satin Opal	Rubbed Bronze
F7175-30-1-LED ● ●	14"D x 5"E	20W / 3000K / 120V / 80CRI 1900 Source Lm / 1360 Fixture Lm 50,000hrs / Damp	Satin Opal	White
F7175-53-1-LED ● ●	14"D x 5"E	20W / 3000K / 120V / 80CRI 1900 Source Lm / 1360 Delivered Lm 50,000hrs / Dimm. / Damp	Satin Opal	● Satin Nickel



10" LED Flush Mount
F9910-80-3K (BSN)
F9910-80-4K (BSN)

12" LED Flush Mount
F9913-80-1-3K (BSN)
F9913-80-1-4K (BSN)
F9913-80-1-5K (BSN)

14" LED Flush Mount
F9915-80-1-3K (BSN)
F9915-80-1-4K (BSN)

16" LED Flush Mount
F9916-80-1-3K (BSN)
F9916-80-1-4K (BSN)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9910-80-3K ● ●	10"D x 3"H	16W / 3000K / 120V / 80CRI 1800 Source Lm / 1350 Delivered Lm 50,000hrs / Dimm. / Damp	Etched White Opal Acrylic	Bright Satin Nickel
F9910-80-4K ● ●	10"D x 3"H	16W / 4000K / 120V / 80CRI 2000 Source Lm / 1550 Delivered Lm 50,000hrs / Dimm. / Damp	Etched White Opal Acrylic	Bright Satin Nickel
F9913-80-1-3K ● ●	12"D x 3"E	20W / 3000K / 120V / 80CRI 1900 Source Lm / 1560 Delivered Lm 50,000hrs / Dimm. / Damp	Etched White Opal Acrylic	Bright Satin Nickel
F9913-80-1-4K ● ●	12"D x 3"E	20W / 4000K / 120V / 80CRI 2200 Source Lm / 1750 Delivered Lm 50,000hrs / Dimm. / Damp	Etched White Opal Acrylic	Bright Satin Nickel
F9913-80-1-5K ● ●	12"D x 3"E	20W / 5000K / 120V / 80CRI 2300 Source Lm / 1750 Delivered Lm 50,000hrs / Dimm. / Damp	Etched White Opal Acrylic	Bright Satin Nickel
F9915-80-1-3K ● ●	14"D x 3-1/8"E	26W / 3000K / 120V / 80CRI 2600 Source Lm / 2200 Delivered Lm 50,000hrs / Dimm. / Damp	Etched White Opal Acrylic	Bright Satin Nickel
F9915-80-1-4K ● ●	14"D x 3-1/8"E	26W / 4000K / 120V / 80CRI 2800 Source Lm / 2400 Delivered Lm 50,000hrs / Dimm. / Damp	Etched White Opal Acrylic	Bright Satin Nickel
F9916-80-1-3K ● ●	16"D x 3-1/2"E	32W / 3000K / 120V / 80CRI 3200 Source Lm / 2800 Delivered Lm 50,000hrs / Dimm. / Damp	Etched White Opal Acrylic	● Bright Satin Nickel
F9916-80-1-4K ● ●	16"D x 3-1/2"E	32W / 4000K / 120V / 80CRI 3400 Source Lm / 3000 Delivered Lm 50,000hrs / Dimm. / Damp	Etched White Opal Acrylic	Bright Satin Nickel



Flush Mount
F7132-53 (SN)
F7134-53 (SN)



LED Flush Mount
F7630-53-LED (SN)
F7632-53-LED (SN)



Flush Mount
F7173-53 (SN)
F7179-53 (SN)



Flush Mount
F7171-53 (SN)
F7171-53-LED (SN)
F7172-53 (SN)
F7172-53-LED (SN)
F7174-53 (SN)
F7176-53 (SN)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7132-53	14-1/8"D x 5"E	2-60W MB / Damp	Satin Opal	● Satin Nickel
F7134-53	15-1/2"D x 5-1/2"E	3-60W MB / Damp	Satin Opal	Satin Nickel
F7630-53-LED ● ●	11"D x 5"E	16W / 3000K / 120V / 80CRI 1600 Source Lm / 1350 Fixture Lm 50,000hrs / Dimm. / Damp	Faux Alabaster	● Satin Nickel
F7632-53-LED ● ●	13"D x 5-5/8"E	20W / 3000K / 120V / 80CRI 2000 Source Lm / 1600 Fixture Lm 50,000hrs / Dimm. / Damp	Faux Alabaster	Satin Nickel
F7173-53	12"D x 3-1/2"E	2-60W MB / Damp	Satin Opal	● Satin Nickel
F7179-53	16"D x 5"E	3-60W MB / Damp	Satin Opal	Satin Nickel
F7171-53	12"D x 4"E	2-60W MB / Damp	Faux Alabaster	Satin Nickel
F7171-53-LED ● ●	11-7/8"D x 4-1/2"E	16W / 3000K / 120V / 80CRI 1600 Source Lm / 1200 Fixture Lm 50,000hrs / Dimm. / Damp	Faux Alabaster	● Satin Nickel
F7172-53	14"D x 4-1/8"E	2-60W MB / Damp	Faux Alabaster	Satin Nickel
F7172-53-LED ● ●	14-1/4"D x 4-3/4"E	20W / 3000K / 120V / 80CRI 1900 Source Lm / 1500 Fixture Lm 50,000hrs / Dimm. / Damp	Faux Alabaster	Satin Nickel
F7174-53	16"D x 5"E	3-60W MB / Damp	Faux Alabaster	Satin Nickel
F7176-53	12"D x 4"E	1-18W GU24 / Damp	Faux Alabaster	Satin Nickel



Stroud Flush Mount
F7288-53 (SN)



Stroud Flush Mount
F7289-53 (SN)
F7291-53 (SN)
F7293-53 (SN)



Flush Mount
F7297-80 (BSN)
F7298-80 (BSN)



LED Flush Mount
F9911-53 (SN)



2LT Ceiling Mount
F3277-30 (WH)
F3277-15 (PC)
F3278-30 (WH)



1LT Ceiling Mount
F3276-15 (PC)
F3276-30 (WH)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7288-53	12-1/4"D x 4"H	2-60W MB / Damp	Faux Alabaster	Satin Nickel
F7289-53	12"D x 3-1/2"H	2-60W MB / Damp	Opal Etched	● Satin Nickel
F7291-53	12"D x 3-1/2"H	2-13W GU24 / Damp	Opal Etched	Satin Nickel
F7293-53	16"D x 4-1/2"H	3-60W MB / Damp	Opal Etched	Satin Nickel
F7297-80	12"D x 4"H	2-60W MB / Damp	Opal Etched	● Bright Satin Nickel
F7298-80	16"D x 5-1/4"H	3-60W MB / Damp	Opal Etched	Bright Satin Nickel
F9911-53 ● ●	9-3/4"D x 3-5/8"H	13W / 4000K / 120-277V / 80CRI 1050 Lm / 50,000hrs / Damp	Faux Alabaster	Satin Nickel
F3277-15	8-5/8"D x 4-7/8"E x 8"Fitter	2-60W MB / Damp	Clear/Painted White	Polished Chrome
F3277-30	8-5/8"D x 4-7/8"E x 8"Fitter	2-60W MB / Damp	Clear/Painted White	● White
F3278-30	10-1/2"D x 4-1/2"E x 10"Fitter	2-60W MB / Damp	Clear/Painted White	White
F3276-15	6-3/4"D x 3-7/8"E x 6"Fitter	1-60W MB / Damp	Clear/Painted White	● Polished Chrome
F3276-30	6-3/4"D x 3-7/8"E x 6"Fitter	1-60W MB / Damp	Clear/Painted White	White



Flush Mount
F7510-30 (WH)



Flush Mount
F7100-53 (SN)
F7100-62 (RB)
F7102-53 (SN)



Flush Mount
F7500-53 (SN)
F7500-10 (PB)
F7500-30 (WH)
F7502-10 (PB)
F7502-53 (SN)
F7508-30 (WH)
F7508-53 (SN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7510-30	12"D x 6-1/8"E	2-60W MB / Damp	Frosted Prismatic Swirl	White
F7100-53	11-3/8"D x 7"E	2-60W MB / Damp	Frosted Melon	Satin Nickel
F7100-62	11-3/8"D x 7"E	2-60W MB / Damp	Frosted Melon	Rubbed Bronze
F7102-53	13"D x 7"E	2-60W MB / Damp	Frosted Melon	● Satin Nickel
F7500-10	12"D x 6-3/8"E	2-60W MB / Damp	Clear Ribbed	Polished Brass
F7500-30	12"D x 6-3/8"E	2-60W MB / Damp	Clear Ribbed	White
F7500-53	12"D x 6-3/8"E	2-60W MB / Damp	Clear Ribbed	● Satin Nickel
F7502-10	13-1/4"D x 6-7/8"E	2-60W MB / Damp	Clear Ribbed	Polished Brass
F7502-53	13-1/4"D x 6-7/8"E	2-60W MB / Damp	Clear Ribbed	Satin Nickel
F7508-30	15-7/8"D x 7"E	3-60W MB / Damp	Clear Ribbed	White
F7508-53	15-7/8"D x 7"E	3-60W MB / Damp	Clear Ribbed	Satin Nickel



Flush Mount
F7162-30 (WH)
 F7162-53 (SN)
 F7164-53 (SN)
 F7166-53 (SN)



Flush Mount
 F7640-53 (SN)
 F7642-53 (SN)
F7642-64 (PBR)
 F7644-53 (SN)
 F7644-64 (RB)



Flush Mount
 F7630-53 (SN)
 F7630-62 (RB)
 F7632-53 (SN)
F7632-62 (RB)
 F7634-53 (SN)
 F7634-62 (RB)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7162-30	14-3/8"D x 4-3/8"E	2-60W MB / Damp	Faux Alabaster	● White
F7162-53	14-3/8"D x 4-3/8"E	2-60W MB / Damp	Faux Alabaster	Satin Nickel
F7164-53	16"D x 5-1/2"E	3-60W MB / Damp	Faux Alabaster	Satin Nickel
F7166-53	12"D x 4-3/8"E	2-60W MB / Damp	Faux Alabaster	Satin Nickel
F7640-53	11"D x 6"E	2-60W MB / Damp	White	Satin Nickel
F7642-53	13"D x 6"E	2-60W MB / Damp	White	Satin Nickel
F7642-64	13"D x 6"E	2-60W MB / Damp	White	● Provincial Bronze
F7644-53	15"D x 6"E	3-60W MB / Damp	White	Satin Nickel
F7644-64	15"D x 6"E	3-60W MB / Damp	White	Rubbed Bronze
F7630-53	11-1/4"D x 5-1/8"E	2-60W MB / Damp	Faux Alabaster	Satin Nickel
F7630-62	11"D x 6"E	2-60W MB / Damp	Faux Alabaster	Rubbed Bronze
F7632-53	13"D x 5-1/2"E	2-60W MB / Damp	Faux Alabaster	Satin Nickel
F7632-62	13"D x 6"E	2-60W MB / Damp	Faux Alabaster	● Rubbed Bronze
F7634-53	15-1/8"D x 5-1/2"E	3-60W MB / Damp	Faux Alabaster	Satin Nickel
F7634-62	15-1/8"D x 5-1/2"E	3-60W MB / Damp	Faux Alabaster	Rubbed Bronze



LED Flush Mount
F3283-53 (SN)
F3283-62 (RB)
F3283-53-1-LED (SN)



LED Flush Mount
F3282-53-1-LED (SN)
F3284-53-1-LED (SN)



Flush Mount
F6108-10 (PB)
F6108-30 (WH)
F6108-53 (SN)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3283-53-1-LED ● ●	7-1/2"D x 4-1/2"E	15W / 3000K / 120V / 80CRI 1400 Source Lm / 1200 Fixture Lm 50,000hrs / Non-Dimm. / Damp	Faux Alabaster	● Satin Nickel
F3283-53	7-1/2"D x 4-1/2"E x 6"Fitter	1-60W MB / Damp	Faux Alabaster	Satin Nickel
F3283-62	7-1/2"D x 4-1/2"E x 6"Fitter	1-60W MB / Damp	Faux Alabaster	Rubbed Bronze
F3282-53-1-LED ● ●	7-1/2"D x 4-1/2"E	15W / 3000K / 120V / 80CRI 1400 Source Lm / 1200 Fixture Lm 50,000hrs / Non-Dimm. / Damp	White Opal Acrylic	Satin Nickel
F3284-53-1-LED ● ●	8-7/8"D x 4-1/2"E	17W / 3000K / 120V / 80CRI 1700 Source Lm / 1360 Fixture Lm 50,000hrs / Non-Dimm. / Damp	Opal	● Satin Nickel
F6108-10	7-1/2"D x 4-5/8"H x 6"Fitter	1-60W MB / Damp	Clear Ribbed Mushroom	● Polished Brass
F6108-30	7-1/2"D x 4-5/8"H x 6"Fitter	1-60W MB / Damp	Clear Ribbed Mushroom	White
F6108-53	7-1/2"D x 4-5/8"H x 6"Fitter	1-60W MB / Damp	Clear Ribbed Mushroom	Satin Nickel



Ceiling Mount
F2213-62 (RB)
F2213-53 (SN)



Ceiling Mount
F2201-53 (SN)
F2201-10 (PB)



Ceiling Mount
F2203-30 (WH)
F2203-53 (SN)



Ceiling Mount With Pull Chain
F2202-10 (PB)



Ceiling Mount With Pull Chain
F2204-53 (SN)
F2204-30 (WH)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2213-53	6"D x 7"H	1-60W MB / Damp	Faux Alabaster	Satin Nickel
F2213-62	6"D x 7"H	1-60W MB / Damp	Faux Alabaster	● Rubbed Bronze
F2201-10	6"D x 7"H	1-60W MB / Damp	Clear Ribbed	Polished Brass
F2201-53	6"D x 7"H	1-60W MB / Damp	Clear Ribbed	● Satin Nickel
F2203-30	6"D x 7"H	1-60W MB / Damp	Opal	● White
F2203-53	6"D x 7"H	1-60W MB / Damp	Opal	Satin Nickel
F2202-10	6"D x 7"H	1-60W MB / Damp	Clear Ribbed	Polished Brass
F2204-30	6"D x 7"H	1-60W MB / Damp	Opal	White
F2204-53	6"D x 7"H	1-60W MB / Damp	Opal	● Satin Nickel



LED Under Cabinet Light

F9109-30-LED (WH)

F9112-30-LED (WH)
 F9118-30-LED (WH)
 F9121-30-LED (WH)
 F9124-30-LED (WH)
 F9133-30-LED (WH)
 F9142-30-LED (WH)



LED Under Cabinet Light

F9812-30-LED-2 (WH)

F9818-30-LED (WH)
 F9821-30-LED-2 (WH)
 F9824-30-LED-2 (WH)
 F9833-30-LED-2 (WH)

● Featured Finish ● ● ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9109-30-LED ● ● ●	9"L x 3.5"W x 1.37"H	5W DOB / 90CRI / 280Lm / 120V 2CCT 3000K - 4000K / 50,000hrs Dimm. / 134° Beam / Damp	White PC Lens	● White
F9112-30-LED ● ● ●	12"L x 3.5"W x 1.37"H	5W DOB / 90CRI / 280Lm / 120V 2CCT 3000K - 4000K / 50,000hrs Dimm. / 133° Beam / Damp	White PC Lens	White
F9118-30-LED ● ● ●	18"L x 3.5"W x 1.37"H	9W DOB / 90CRI / 640Lm / 120V 2CCT 3000K - 4000K / 50,000hrs Dimm. / 134° Beam / Damp	White PC Lens	White
F9121-30-LED ● ● ●	21"L x 3.5"W x 1.37"H	9W DOB / 90CRI / 630Lm / 120V 2CCT 3000K - 4000K / 50,000hrs Dimm. / 131° Beam / Damp	White PC Lens	White
F9124-30-LED ● ● ●	24"L x 3.5"W x 1.37"H	9W DOB / 90CRI / 630Lm / 120V 2CCT 3000K - 4000K / 50,000hrs Dimm. / 135° Beam / Damp	White PC Lens	White
F9133-30-LED ● ● ●	33"L x 3.5"W x 1.37"H	14W DOB / 90CRI / 1030Lm / 120V 2CCT 3000K - 4000K / 50,000hrs Dimm. / 135° Beam / Damp	White PC Lens	White
F9142-30-LED ● ● ●	42"L x 3.5"W x 1.37"H	18W DOB / 90CRI / 1330Lm / 120V 2CCT 3000K - 4000K / 50,000hrs Dimm. / 133° Beam / Damp	White PC Lens	White
F9812-30-LED-2 ● ●	12"L x 3-1/2"W x 1"H	7W / 3000K / 120V / 90CRI 567 Source Lm / 478 Fixture Lm 118° Beam / 50,000hrs / Damp/ Non-Dimm.	PC	● White
F9818-30-LED ● ●	18"L x 3-1/2"W x 1"H	7W / 3000K / 120V / 90CRI 580 Source Lm / 480 Fixture Lm 118° Beam / 50,000hrs / Damp/ Non-Dimm.	PC	White
F9821-30-LED-2 ● ●	21"L x 3-1/2"W x 1"H	7W / 3000K / 120V / 90CRI 617 Source Lm / 510 Fixture Lm 116° Beam / 50,000hrs / Damp / Non-Dimm.	PC	White
F9824-30-LED-2 ● ●	24"L x 3-1/2"W x 1"H	8W / 3000K / 120V / 90CRI 724 Source Lm / 610 Fixture Lm 118° Beam / 50,000hrs / Damp / Non-Dimm.	PC	White
F9833-30-LED-2 ● ●	33"L x 3-1/2"W x 1"H	11W / 3000K / 120V / 90CRI 960 Source Lm / 799 Fixture Lm 119° Beam / 50,000hrs / Damp / Non-Dimm.	PC	White



Ceiling Mount
F3285-62 (RB)
F3285-53 (SN)



Ceiling Mount
F3282-30 (WH)
F3282-53 (SN)



Ceiling Mount
F3284-30 (WH)
F3284-10 (PB)
F3284-53 (SN)
F3286-30 (WH)



LED Square Ceiling Mount
F9808-30-1 (WH)
F9809-30-1 (WH)
F9810-30-1 (WH)



2LT Ceiling Mount
F3962-30 (WH)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F3285-53	9-1/2"D x 5-1/2"E x 8"Fitter	2-60W MB / Damp	Faux Alabaster	Satin Nickel
F3285-62	9-1/2"D x 5-1/2"E x 8"Fitter	2-60W MB / Damp	Faux Alabaster	● Rubbed Bronze
F3282-30	7-1/4"D x 4-1/2"E x 6"Fitter	1-60W MB / Damp	Opal	● White
F3282-53	7-1/4"D x 4-1/2"E x 6"Fitter	1-60W MB / Damp	Opal	Satin Nickel
F3284-10	8-7/8"D x 4-7/8"E x 8"Fitter	2-60W MB / Damp	Opal	Polished Brass
F3284-30	8-7/8"D x 4-7/8"E x 8"Fitter	2-60W MB / Damp	Opal	● White
F3284-53	8-7/8"D x 4-7/8"E x 8"Fitter	2-60W MB / Damp	Opal	Satin Nickel
F3286-30	11-1/2"D x 6"E x 10"Fitter	2-60W MB / Damp	Opal	White
F9808-30-1 ● ●	12-1/4"Square x 3"H	26W / 4000K / 120V / 80CRI 2800 Source Lm / 2400 Fixture Lm 50,000hrs / Dimm. / Damp	White Acrylic Lens	● White
F9809-30-1 ● ●	14-5/8"SQ x 3"H	32W / 4000K / 120-277V / 80CRI 3400 Source Lm / 3000 Fixture Lm 50,000hrs / Non-Dimm. / Damp	White Acrylic Lens	White
F9810-30-1 ● ●	19-3/8"SQ x 3"H	50W / 4000K / 120-277V / 80CRI 6000 Source Lm / 4800 Fixture Lm 50,000hrs / Non-Dimm. / Damp	White Acrylic Lens	White
F3962-30	12" SQ x 5-1/2"E	2-60W MB / Damp	White Square	White



LED 6" CCT Selectable Downlight
F9616-30 (WH)



LED 8" CCT Selectable Downlight
F9617-30 (WH)



LED 9.5" CCT Selectable Downlight
F9618-30 (WH)



Under Cabinet Lights
F8809-30-1 (WH)
F8812-30-1 (WH)
F8816-30-1 (WH)
F8822-30-1 (WH)



4" LED Retrofit Downlight
F9904-30-2 (WH)



7" LED CCT Downlight
F9901-30-CCT (WH)



5&6" LED CCT
Gimbal Downlight
F9924-30-CCT (WH)

● Featured Finish ●   ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9616-30 ● ● ●	6"D x 5.125"H	Wattage Selectable: 7W/10W/18W 700Lm/1000Lm/1500Lm / 90CRI CCT Selectable: 3000K/3500K/4000K Wet / Dimm. / 50,000hrs / 90° Beam / 120-277V	PC	White
F9617-30 ● ● ●	8"D x 5.875"H	Wattage Selectable: 10W/15W/22W 1000Lm/1500Lm/2000Lm / 90CRI CCT Selectable: 3000K/3500K/4000K Wet / Dimm. / 50,000hrs / 90° Beam / 120-277V	PC	White
F9618-30 ● ● ●	9.5"W x 6.375"H	Wattage Selectable: 20W/25W/32W 2000Lm/2500Lm/3000Lm / 90CRI CCT Selectable: 3000K/3500K/4000K Wet / Dimm. / 50,000hrs / 90° Beam / 120-277V	PC	White
F8809-30-1 ● ●	6-1/2"L x 9/10"W x 1-1/2"H	3W / 3000K / 120V / 82CRI 270 Lm / 50,000hrs / Non-Dimm.	PC Opal Lens	● White
F8812-30-1 ● ●	11-1/2"L x 1-1/8"W x 1-1/2"H	4W / 3000K / 120V / 82CRI 360 Lm / 50,000hrs / Non-Dimm.	PC Opal Lens	White
F8816-30-1 ● ●	16"L x 1-1/8"W x 1-1/2"H	7W / 3000K / 120V / 82CRI 630 Lm / 50,000hrs / Non-Dimm.	PC Opal Lens	White
F8822-30-1 ● ●	20-1/2"L x 1-1/8"W x 1-1/2"H	7W / 3000K / 120V / 82CRI 630 Lm / 50,000hrs / Non-Dimm.	PC Opal Lens	White
F9904-30-2 ● ● ●	5-1/2"D x 2-3/10"H	8.5W / 3000K / 120V / 90CRI 50,000hrs / 600Lm / 96° Beam / Dimm. Wet / JA8		White
F9901-30-CCT ● ● ●	7-3/8"D x 3-1/8"H	10W / 120V / 850Lm / 90CRI / Dimm. CCT: 2700K/3000K/3500K/4000K/5000K 50,000hrs / Wet / 100° Beam	Frosted PC	White
F9924-30-CCT	7-1/4"D x 2-3/4"H	14W / 120V / 90CRI / 1100Lm / Dimm. CCT: 2700K/3000K/3500K/4000K/5000K 50,000hrs / Wet / 110° Beam	PC	White



4" JBox, 5 5/8" LED Disk Light
F9806-30-3K (WH)
 F9806-30-4K (WH)



4" JBox LED Disk Light
F8807-80-1 (BSN)
 F8807-30-1 (WH)



LED Disk Light
F9506-30-2 (WH)



LED Disk Light
F8626-31 (BK)
 F8626-30 (WH)
 F8626-30-4K
 F8626-53 (SN)

**NEW
FINISH!**

● Featured Finish ● ● ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9806-30-3K ● ●	7-1/2"D x 1"H	12W / 3000K / 120V / 80CRI / 35,000hrs 900Lm / 105.5° Beam / Dimm. / Wet Recessed Housing Accessories Included	Frosted Acrylic Lens	● White
F9806-30-4K ● ●	7-1/2"D x 1"H	12W / 4000K / 120V / 80CRI / 35,000hrs 900Lm / 105.5° Beam / Dimm. / Wet Recessed Housing Accessories Included	Frosted Acrylic Lens	White
F8807-30-1 ● ●	7-3/8"D x 1-3/8"H	12W DOB / 3000K / 120V / 80CRI 1150 Source Lm / 800 Fixture Lm 50,000hrs / Damp / Triac Dimm.	Frosted PC	White
F8807-80-1 ● ●	7-3/8"D x 1-3/8"H	12W DOB / 3000K / 120V / 80CRI 1150 Souce Lm / 800 Fixture Lm 50,000hrs / Damp / Triac Dimm.	Frosted PC	● Brushed Satin Nickel
F9506-30-2	7.1"D x 0.55"H	12W / 910Lm / 3000K / 80CRI 50,000hrs / Dimm. / Damp Surface Mount Only	PLastic Lens	White
F8626-30 ● ● ●	7-1/2"D x 1-1/8"H	15W DOB / 90CRI / 3000K / 950Lm Dimm. / 50,000hrs / Wet	White Plastic Lens	White
F8626-30-4K ● ● ●	7-1/2"D x 1-1/8"H	15W DOB / 90CRI / 4000K / 950Lm Dimm. / 50,000hrs / Wet	White Plastic Lens	White
F8626-31 ● ● ●	7-1/2"D x 1-1/8"H	15W DOB / 90CRI / 3000K / 950Lm Dimm. / 50,000hrs / Wet	White Plastic Lens	● Matte Black
F8626-53 ● ● ●	7-1/2"D x 1-1/8"H	15W DOB / 90CRI / 3000K / 950Lm Dimm. / 50,000hrs / Wet	White Plastic Lens	Satin Nickel

Mounts Flush to Ceiling or can be used in T Bar Suspended Ceilings



1' x 1' LED CCT Panel
F9430-30




1' x 2' LED CCT Panel
F9431-30



1' x 4' LED CCT Panel
F9432-30
F9432-52



2' x 2' LED CCT Panel
F9433-30



2' x 4' LED CCT Panel
F9434-30



SUSPENDING HANGING KIT
K9432 (for F9432-30-ED)
K9433 (for F9433-30-ED)
K9434 (for F9434-30-ED)

**CCT Switch is located on the back of each panel;
set desired CCT prior to installation.**



ITEM	DIMS.	WATTAGE	FINISH
F9430-30 ● ●	12"W x 12"H x 1-1/10"E	10W / 50,000hrs / 120V / 80CRI / Dimm. 3000K / 3500K / 4000K / 4500K / 5000K 1587 Source Lm / 1000 Delivered Lm	White
F9431-30 ● ●	23-3/4"W x 12"H x 1-1/10"E	18W / 50,000hrs / 120V / 80CRI / Dimm. 3000K / 3500K / 4000K / 4500K / 5000K 2857 Source Lm / 1800 Delivered Lm	White
F9432-30 ● ●	47-3/4"W x 12"H x 1-1/8"E	40W / 50,000hrs / 120-277V / 80CRI / Dimm. 3000K / 4000K / 5000K 6349 Source Lm / 4400 Delivered Lm	White
F9432-52 ● ●	47-3/4"W x 12"H x 1-1/8"E	40W / 50,000hrs / 120-277V / 80CRI / Dimm. 3000K / 4000K / 5000K 6349 Source Lm / 4400 Delivered Lm	Satin Nickel
F9433-30 ● ●	23-3/4"W x 23-3/4"H x 1-1/8"E	40W / 50,000hrs / 120-277V / 80CRI / Dimm. 3000K / 4000K / 5000K 6349 Source Lm / 4400 Delivered Lm	White
F9434-30 ● ●	47-3/4"W x 23-3/4"H x 1-1/8"E	50W / 50,000hrs / 120-277V / 80CRI / Dimm. 3000K / 4000K / 5000K 7937 Source Lm / 5000 Delivered Lm	White
K9432	300 x 1000mm	N/A	N/A
K9433	600 x 1000mm	N/A	N/A
K9434	600 x 1000mm	N/A	N/A



LED Round Panels JA8
(Surface Mount Only)
F8204-30-1 (WH)
F8206-30-1 (WH)
F8208-30-1 (WH)
F8210-30-1 (WH)
F8210-31-2-4K (BK)



LED 5 CCT Selectable Square
Slim Downlight
F8224-30 (WH)
F8225-30 (WH)



LED 5 CCT Selectable Round
Slim Downlight
F8226-30 (WH)
F8227-30 (WH)

● Featured Finish ● ● ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F8204-30-1 ● ● ●	5.31"D x 0.63"H	6W / 3000K / 120V / 90CRI 50,000hrs / 360Lm / Dimm. Damp / 110° Beam		White
F8206-30-1 ● ● ●	7.08"D x 0.63 "H	12W / 3000K / 120V / 90CRI 50,000hrs / 800Lm / Dimm. Damp / 110° Beam		White
F8208-30-1 ● ● ●	8.86"D x 0.63"H	18W / 3000K / 120V / 90CRI 50,000hrs / 1150Lm / Dimm. Damp / 110° Beam		White
F8210-30-1 ● ● ●	11.8"D x 0.63"H	24W / 3000K / 120V / 90CRI 50,000hrs / 1700Lm / Dimm. Damp / 110° Beam		White
F8210-31-2-4K ● ●	11.8"D x 0.63"H	24W / 4000K / 120V / 80CRI 50,000hrs / 1700Lm / Dimm. Damp / 110° Beam		Black
F8224-30 ● ● ●	4.75"W x 4.75"L x 0.87"H	12W / 120V / 850Lm / Dimm. / Wet 2700/3000/3500/4000/5000K CCT Selectable 50,000hrs		White
F8225-30 ● ● ●	6.69"W x 6.69"L x 0.87"H	15W / 120V / 1100Lm / Dimm. / Wet 2700/3000/3500/4000/5000K CCT Selectable 50,000hrs		White
F8226-30 ● ● ●	4.72"D x 0.87"H	12W / 120V / 850Lm / Dimm. / Wet 2700/3000/3500/4000/5000K CCT Selectable 50,000hrs		White
F8227-30 ● ● ●	6.69"D x 0.87"H	15W / 120V / 1100Lm / Dimm. / Wet 2700/3000/3500/4000/5000K CCT Selectable 50,000hrs		White



4FT LED Strip Light
F9969-30 (WH)



4FT LED High Bay
Acrylic Diffuser Lens
P9966-1

4FT LED High Bay
F9966-30-1 (WH)



4FT LED Troffer
F9968-30 (WH)



Electronic Cloud
F9866-30 (WH)
F9867-30 (WH)



Electronic Linear
F9861-30 (WH)

● Featured Finish ● **LED**

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9969-30 ●	5"W x 48"L x 3-5/16"H	40W / 4000K / 120-277V / 80CRI 50,000hrs / 4200Lm / Non-Dimm. / Damp	White Poly Lens	White
F9966-30-1 ●	12-1/4"W x 46-1/4"L x 4-3/8"H	160W / 5000K / 120-277V / 80CRI 50,000hrs / 17600Lm / Dimm. Lens not included / Damp	N/A	White
P9966-1			Acrylic	
F9968-30 ●	24"W x 48"L x 3"H	52W / 4000K / 120-277V / 80CRI 40,000hrs / 5000Lm / Dimm. / Damp	Acrylic Lens	White
F9866-30	11-5/8"W x 52-1/2"L x 4"E	2-32W T8 or T12 / Damp	Acrylic	● White
F9867-30	17-1/8"W x 51-1/4"L x 4-1/2"E	4-32W T8 or T12 / Damp	Acrylic	White
F9861-30	6-5/8"W x 48-3/4"L x 2-3/8"E	2-32W T8 or T12 / Damp	Prism Wrap	White



32" LED Oval Ceiling Mount
F9917-80-3-3K (BSN)
 F9917-64-3-3K (PBR)
 F9917-64-3-4K (PBR)
 F9917-80-3-4K (BSN)



LED Ceiling Wrap Fixture
F9807-30-2-3K
 F9807-30-2-4K



LED Mushroom
F8053-30-LED (WH)
 F8057-30-LED (WH)



LED Drum
F8055-30-LED (WH)
 F8059-30-LED (WH)

● Featured Finish ● ● ● LED ●

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9917-80-3-3K ● ●	18-1/4"W x 32-5/8"L x 4-1/4"H	53W / 3000K / 120V / 80CRI 6000 Source Lm / 4700 Fixture Lm 50,000hrs / Dimm. / Damp	Etched Opal White Acrylic	● Bright Satin Nickel
F9917-64-3-3K ● ●	18-1/4"W x 32-5/8"L x 4-1/4"H	53W / 3000K / 120V / 80CRI 6000 Source Lm / 4700 Fixture Lm 50,000hrs / Dimm. / Damp	Etched Opal White Acrylic	Provincial Bronze
F9917-64-3-4K ● ●	18-1/4"W x 32-5/8"L x 4-1/4"H	53W / 4000K / 120V / 80CRI 6500 Source Lm / 5100 Fixture Lm 50,000hrs / Dimm. / Damp	Etched Opal White Acrylic	Provincial Bronze
F9917-80-3-4K ● ●	18-1/4"W x 32-5/8"L x 4-1/4"H	53W / 4000K / 120V / 80CRI 6500 Source Lm / 5100 Fixture Lm 50,000hrs / Dimm. / Damp	Etched Opal White Acrylic	● Bright Satin Nickel
F9807-30-2-3K ● ●	48"L x 5-1/2"W x 2-1/2"H	40W / 3000K / 120-277V / 80CRI 5000 Source Lm / 4400 Fixture Lm 50,000hrs / Non-Dimm. / Damp	Clear Prismatic Lens	White
F9807-30-2-4K ● ●	48"L x 5-1/2"W x 2-1/2"H	40W / 4000K / 120-277V / 80CRI 5000 Source Lm / 4400 Fixture Lm 50,000hrs / Non-Dimm. / Damp	Clear Prismatic Lens	White
F8053-30-LED ● ● ●	11"D x 3"H	15W / 4000K / 90CRI / 120V 1100Lm / 50,000hrs / Dimm. / Damp	Acrylic Lens	White
F8057-30-LED ● ● ●	14"D x 3"H	20W / 4000K / 90CRI / 120V 1400Lm / 50,000hrs / Dimm. / Damp	Acrylic Lens	White
F8055-30-LED ● ● ●	11"D x 3"H	15W / 4000K / 90CRI / 120V 1100Lm / 50,000hrs / Dimm. / Damp	Acrylic Lens	White
F8059-30-LED ● ● ●	14"D x 3"H	20W / 4000K / 90CRI / 120V 1400Lm / 50,000hrs / Dimm. / Damp	Acrylic Lens	White



SEMI FLUSH MOUNTS



Easton 1LT Semi Flush
F17223-31 (BK)
F17323-80 (BSN)



Halston 2LT Semi Flush
F16213-81 (WBSN)
F16213-85 (WPBR)



Stella 3LT Semi Flush
F27023-31 (BK)
F27023-18 (CG)



Messier 1LT Semi Flush
F26110-57 (AQM)
F26110-64 (PBR)



Chauncey 1LT Semi Flush
F27001-12 (AQG)
F27001-59 (SG)



Somes 3LT Semi Flush
F17036-64 (PBR)
F17036-80 (BSN)



Quartz 3LT Semi Flush
F19036-80 (BSN)
F19036-64 (PBR)



Hadley 3LT Semi Flush
F22006-80 (BSN)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F17223-31	4-3/8"D x 7-1/2"H	1-100W MB	Clear Seeded	● Black
F17323-80	4-3/8"D x 7-1/2"H	1-100W MB	Frosted	Bright Satin Nickel
F16213-81	15"D x 9-5/8"H	2-60W MB	Clear Bubble	● Timber Gray & Bright Satin Nickel
F16213-85	15"D x 9-5/8"H	2-60W MB	Clear Bubble	Farmhouse & Provincial Bronze
F27023-18	15-1/8"W x 9-1/2"H	3-100W MB	Clear	Champagne Gold
F27023-31	15-1/8"W x 9-1/2"H	3-100W MB	Clear	● Matte Black
F26110-57	7-1/8"W x 9"H	1-60W MB / Damp	Clear Seeded Globe	● Antique Gunmetal
F26110-64	7-1/8"W x 9"H	1-60W MB / Damp	Clear Seeded Globe	Provincial Bronze
F27001-12	7-1/2"W x 8-3/4"H	1-75W MB / Damp	Glossy White	● Antique Gold
F27001-59	7-1/2"W x 8-3/4"H	1-75W MB / Damp	Glossy White	Steel Gray
F17036-64	12-1/4"D x 9-1/2"H	3-100W MB	Linen	● Provincial Bronze
F17036-80	12-1/4"D x 9-1/2"H	3-100W MB	Linen	Bright Satin Nickel
F19036-64	13-3/4"D x 9-1/8"H	3-100W MB	Opal	Provincial Bronze
F19036-80	13-3/4"D x 9-1/8"H	3-100W MB	Opal	● Bright Satin Nickel
F22006-80	13-1/2"D x 10-1/2"H	3-100W MB	Opal	Bright Satin Nickel



Payton 3LT Flush Mount
F21008-80 (BSN)



Dalton 3LT Semi Flush
F18016-64 (PBR)
F18016-80 (BSN)



Amala 3LT Semi Flush
F20005-80 (BSN)



Alton 2LT Semi Flush
F14082-53 (SN)



3LT Semi Flush
F9300-53 (SN)



LED Semi Flush
F9945-80-3K (BSN)



LED Semi Flush
F9918-80 (BSN)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F21008-80	13"D x 10-3/8"H	3-100W MB	Opal	Bright Satin Nickel
F18016-64	13-5/8"D x 10"H	3-100W MB	Opal Etched	● Provincial Bronze
F18016-80	13-5/8"D x 10"H	3-100W MB	Opal Etched	Bright Satin Nickel
F20005-80	13"D x 10-1/2"H	3-100W MB	Opal	Bright Satin Nickel
F14082-53	15-1/2"D x 10"H	2-100W MB	Faux Alabaster	Satin Nickel
F9300-53	17"D x 10"H	3-100W MB	Frosted Milk	Satin Nickel
F9945-80-3K ● ●	14"D x 7-7/8"H	26W / 3000K / 120V / 80CRI 2600 Source Lm / 2200 Delivered Lm 50,000hrs / Dimm.	White Opal Acrylic	Bright Satin Nickel
F9918-80 ● ●	13"D x 20"H	18W / 4000K / 120V / 80CRI 1700 Source Lm / 1300 Delivered Lm 50,000hrs / Dimm.	Alabaster	Bright Satin Nickel



TRACK LIGHTING



LED 4LT Track Light
F2987-80-LED (BSN)



LED 3LT Track Light
F2990-80-LED (BSN)



LED 4LT Track Light
F2991-80-LED (BSN)



LED 6LT Track Light
F2992-80-LED (BSN)



4LT Track Light
F2984-80 (BSN)
F2984-80-LED (BSN)



6LT Track Light
F2985-80 (BSN)



4LT Track Light
F2981-80 (BSN)



6LT Track Light
F2982-80 (BSN)



4LT Track Light
F2987-80 (BSN)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2987-80-LED ● ●	34"W x 7-1/4"H	4-6.5W LED GU10 / 3000K / 120V 80CRI / Damp 2000 Lm / 25,000hrs / Dimm. / Bulbs Included	Frosted	Bright Satin Nickel
F2990-80-LED ● ●	26"W x 6-1/2"H	3-6.5W LED GU10 / 3000K / 120V 80CRI / Damp 1500 Lm / 25,000hrs / Dimm. / Bulbs Included		Bright Satin Nickel
F2991-80-LED ● ●	34"W x 6-1/2"H	4-6.5W LED GU10 / 3000K / 120V 80CRI / Damp 2000 Lm / 25,000hrs / Dimm. / Bulbs Included		Bright Satin Nickel
F2992-80-LED ● ●	44"W x 6-1/2"H	6-6.5W LED GU10 / 3000K / 120V 80CRI / Damp 3000 Lm / 25,000hrs / Dimm. / Bulbs Included		Bright Satin Nickel
F2984-80	34"W x 8-1/2"H	4-50W GU10 / Bulbs Included / Damp		● Bright Satin Nickel
F2984-80-LED ● ●	34"W x 8-1/2"H	4-6.5W LED GU10 / 3000K / 120V 80CRI / Damp 2000 Lm / 25,000hrs / Dimm. / Bulbs Included		Bright Satin Nickel
F2985-80	44"W x 8-1/2"H	6-50W GU10 / Bulbs Included / Damp		Bright Satin Nickel
F2981-80	34"W x 5-1/4"H	4-50W GU10 / Bulbs Included / Damp		Bright Satin Nickel
F2982-80	44" x 5-1/4"H	6-50W GU10 / Bulbs Included / Damp		Bright Satin Nickel
F2987-80	29-3/4"W x 12"H	3-50W GU10 / Bulbs Included / Damp	Frosted	Bright Satin Nickel



6LT Track Light
F2988-80 (BSN)



3LT Track Light
F2963-80 (BSN)



4LT Track Light
F2967-80 (BSN)



3LT Track Light
F2990-80 (BSN)



4LT Track Light
F2991-80 (BSN)



6LT Track Light
F2992-80 (BSN)



3LT Track Light
F2958-80 (BSN)



4LT Track Light
F2960-80 (BSN)



3LT Track Light
F2916-80 (BSN)
F2916-30 (WH)

● Featured Finish


ITEM	DIMS.	WATTAGE	GLASS	FINISH
F2988-80	44"W x 7-1/4"H	6-50W GU10 / Bulbs Included / Damp	Frosted	Bright Satin Nickel
F2963-80	29-3/4"W x 12"H	3-50W GU10 / Bulbs Included / Damp		Bright Satin Nickel
F2967-80	47-3/4"W x 12"H	4-50W GU10 / Bulbs Included / Damp		Bright Satin Nickel
F2990-80	26"W x 6-1/2"H	3-50W GU10 / Bulbs Included / Damp		Bright Satin Nickel
F2991-80	34"W x 6-1/2"H	4-50W GU10 / Bulbs Included / Damp		Bright Satin Nickel
F2992-80	44"W x 6-1/2"H	6-50W GU10 / Bulbs Included / Damp		Bright Satin Nickel
F2958-80	48"L x 4-1/4"W x 6-7/8"H	3-75W MB Par30 / Damp		Bright Satin Nickel
F2960-80	48"L x 4-1/4"W x 6-7/8"H	4-75W MB Par30 / Damp		Bright Satin Nickel
F2916-30	48"L x 4-1/2"W x 9"H	3-65W Br30 or 75W Par30 MB / Damp		White
F2916-80	48"L x 4-1/2"W x 9"H	3-65W Br30 or 75W Par30 MB / Damp		● Bright Satin Nickel



EXTERIOR LIGHTING



One Light Lantern
F9561-31 (BK)
F9571-31 (BK)



One Light Lantern
F9562-31 (BK)
F9572-31 (BK)



LED Porch Lantern
F9958-31-2-3K (BK)
F9952-31-1 (BK) Photocell



One Light Lantern
F9563-31 (BK)
F9573-31 (BK)



One Light Lantern
F9564-31 (BK)
F9574-31 (BK)



LED Round Exterior Wall Mount
F9991-31-1 (BK)

● Featured Finish ● ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9561-31	6"W x 10-5/8"H x 7"E	1-100W MB / w/ Dusk to Dawn Sensor / Wet	Clear Seeded	● Black
F9571-31	6"W x 10-5/8"H x 7"E	1-100W MB / without Sensor / Wet	Clear Seeded	Black
F9562-31	6"W x 15-5/8"H x 7"E	1-100W MB / w/ Dusk to Dawn Sensor / Wet	Clear Seeded	● Black
F9572-31	6"W x 15-5/8"H x 7"E	1-100W MB / without Sensor / Wet	Clear Seeded	Black
F9958-31-2-3K ● ●	6-1/2"W x 10-1/4"H x 7-1/2"E	9W DOB / 3000K / 120V / 80CRI 800 Source Lm / 450 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted	● Black
F9952-31-1 ● ●	6-1/2"W x 10-1/4"H x 7-1/2"E	9W DOB / 3000K / 120V / 80CRI 800 Source Lm / 450 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted	Black
F9563-31	7"W x 12"H x 8-1/4"E	1-100W MB / w/ Dusk to Dawn Sensor / Wet	Clear Seeded	● Black
F9573-31	7"W x 12"H x 8-1/4"E	1-100W MB / without Sensor / Wet	Clear Seeded	Black
F9564-31	7"W x 15"H x 8-1/4"E	1-100W MB / w/ Dusk to Dawn Sensor / Wet	Clear Seeded	● Black
F9574-31	7"W x 15"H x 8-1/4"E	1-100W MB / without Sensor / Wet	Clear Seeded	Black
F9991-31-1 ● ●	4"W x 6-3/4"H x 5-1/2"E	9W DOB / 3000K / 120V / 80CRI 830 Source Lm / 300 Fixture Lm 50,000hrs / Wet / Non-Dimm. / Wet		Black



Two Light Round Exterior
F6902-31 (BK)
F6902-31-LED (BK)



Two Light Round Exterior
F6902-44 (OB)
F6902-44-LED (OB)



Two Light Round Exterior
F6902-58 (SPC)
F6902-58-LED (SPC)



One Light Round Exterior
F6901-31 (BK)
F6901-31-LED (BK)



One Light Round Exterior
F6901-44 (OB)
F6901-44-LED (OB)



One Light Round Exterior
F6901-58 (SPC)
F6901-58-LED (SPC)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6902-31	5"W x 15"H x 7-1/8"E	2-75W MB Par-30 or 2-75W A-19 / Wet	Clear Lens	● Black
F6902-31-LED ● ●	5"W x 15"H x 7-1/8"E	30W / 3000K / 120V / 90CRI 3600 Source Lm / 2100 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Clear Lens	Black
F6902-44	5"W x 15"H x 7-1/8"E	2-75W MB Par-30 or 2-75W A-19 / Wet	Clear Lens	● Oil Bronze
F6902-44-LED ● ●	5"W x 15"H x 7-1/8"E	30W / 3000K / 120V / 90CRI 3600 Source Lm / 2100 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Clear Lens	Oil Bronze
F6902-58	5"W x 15"H x 7-1/8"E	2-75W MB Par-30 or 2-75W A-19 / Wet	Clear Lens	● Silver Powder Coat
F6902-58-LED ● ●	5"W x 15"H x 7-1/8"E	30W / 3000K / 120V / 90CRI 3600 Source Lm / 2100 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Clear Lens	Silver Powder Coat
F6901-31	5"W x 8"H x 7-1/8"E	1-75W MB Par-30 or 1-100W A-19 / Wet	N/A	● Black
F6901-31-LED ● ●	5"W x 8"H x 7-1/8"E	15W / 3000K / 120V / 90CRI 1800 Source Lm / 900 Fixture Lm 36,000hrs / Wet / Non-Dimm.	N/A	Black
F6901-44	5"W x 8"H x 7-1/8"E	1-75W MB Par-30 or 1-100W A-19 / Wet	N/A	● Oil Bronze
F6901-44-LED ● ●	5"W x 8"H x 7-1/8"E	15W / 3000K / 120V / 90CRI 1800 Source Lm / 900 Fixture Lm 36,000hrs / Wet / Non-Dimm.	N/A	Oil Bronze
F6901-58	5"W x 8"H x 7-1/8"E	1-75W MB Par-30 or 1-100W A-19 / Wet	N/A	● Silver Powder Coat
F6901-58-LED ● ●	5"W x 8"H x 7-1/8"E	15W / 3000K / 120V / 90CRI 1800 Source Lm / 900 Fixture Lm 36,000hrs / Wet / Non-Dimm.	N/A	Silver Powder Coat



One Light Square Exterior

F6891-31 (BK)

F6891-44 (OB)

F6891-58 (SPC)



Two Light Square Exterior

F6892-44 (OB)

F6892-31 (BK)

F6892-58 (SPC)



LED Round Aluminum Pendant

F6903-58-LED (SPC)

F6903-31-LED (BK)

F6903-44-LED (OB)



6" Cylinder Cover Lens

P6903-31 (BK)

P6903-44 (OB)

P6903-58 (SPC)

● Featured Finish



● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F6891-31	4-3/8"W x 8"H x 6-1/8"E	1-50W MB Par-20 or 1-75W A-19 / Wet	N/A	● Black
F6891-44	4-3/8"W x 8"H x 6-1/8"E	1-50W MB Par-20 or 1-75W A-19 / Wet	N/A	Oil Bronze
F6891-58	4-3/8"W x 8"H x 6-1/8"E	1-50W MB Par-20 or 1-75W A-19 / Wet	N/A	Silver Powder Coat
F6892-31	4-3/8"W x 15"H x 6-1/8"E	2-50W MB Par-20 or 2-75W A-19 / Wet	Clear Lens	Black
F6892-44	4-3/8"W x 15"H x 6-1/8"E	2-50W MB Par-20 or 2-75W A-19 / Wet	Clear Lens	● Oil Bronze
F6892-58	4-3/8"W x 15"H x 6-1/8"E	2-50W MB Par-20 or 2-75W A-19 / Wet	Clear Lens	Silver Powder Coat
F6903-31-LED ● ●	6"W x 12"H	15W / 3000K / 120V / 90CRI 1800 Source Lm / 900 Fixture Lm 36,000hrs / Damp / Non-Dimm.	Clear Lens	Black
F6903-44-LED ● ●	6"W x 12"H	15W / 3000K / 120V / 90CRI 1800 Source Lm / 900 Fixture Lm 36,000hrs / Damp / Non-Dimm.	Clear Lens	Oiled Bronze
F6903-58-LED ● ●	6"W x 12"H	15W / 3000K / 120V / 90CRI 1800 Source Lm / 900 Fixture Lm 36,000hrs / Damp / Non-Dimm.	Clear Lens	● Silver Powder Coat
P6903-31	6" Cylinder Cover Lens		Clear Lens	Black
P6903-44	6" Cylinder Cover Lens		Clear Lens	Oiled Bronze
P6903-58	6" Cylinder Cover Lens		Clear Lens	● Silver Powder Coat



LED Porch Lantern
F9990-31-1 (BK)



One Light Lantern
F9541-31 (BK)
F9542-31 (BK)



One Light Lantern
F7850-31 (BK)
F7850-62 (RB)



One Light Lantern
F7847-62 (RB)



One Light Lantern
F7815-31 (BK)
F7815-62 (RB)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9990-31-1 ● ●	6-3/4"W x 12-5/8"H x 8-1/4"E	9W DOB / 3000K / 120V / 80CRI 830 Source Lm / 300 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted	Black
F9541-31	6"W x 9"H x 4-1/2"E	1-100W MB / Wet	Etched	● Black
F9542-31	7-1/2"W x 12"H x 5-5/8"E	1-100W MB / Wet	Etched	Black
F7850-31	5-1/4"W x 8-3/4"H x 6"E	1-100W MB / Wet	Clear	● Black
F7850-62	5-1/4"W x 8-3/4"H x 6"E	1-100W MB / Wet	Clear	Rubbed Bronze
F7847-62	7-1/4"W x 15"H x 8-1/2"E	1-100W MB / Wet	Clear	Rubbed Bronze
F7815-31	6-5/8"W x 17"H x 8-1/16"E	1-100W MB / Wet	Clear Beveled	● Black
F7815-62	6-5/8"W x 17"H x 8-1/16"E	1-100W MB / Wet	Clear Beveled	Rubbed Bronze



LED Porch Lantern
F9951-31-1 (BK)



LED Porch Lantern
F9921-31-2-4K (BK)
F9931-31-2-4K (BK) Photocell



LED Porch Lantern
F9957-31-1 (BK)



LED Porch Lantern
F9955-31-1 (BK)



LED Porch Lantern
F9953-31-1 (BK)



LED Outdoor Lantern
F4631-31-LED (BK)
F4635-31-LED (BK)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9951-31-1 ● ●	6"W x 11"H x 8"E	9W DOB / 3000K / 120V / 80CRI 800 Source Lm / 450 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted	Black
F9921-31-2-4K ● ●	6-3/8"W x 11"H x 7-7/16"E	9W DOB / 4000K / 120V / 80CRI 900 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Clear Water	● Black
F9931-31-2-4K ● ●	6-3/8"W x 11"H x 7-7/16"E	9W DOB / 4000K / 120V / 80CRI 900 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Clear Water	Black
F9957-31-1 ● ●	5-5/8"W x 11-3/4"H x 7-1/4"E	9W DOB / 3000K / 120V / 80CRI 830 Source Lm / 400 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Bubble Glass	Black
F9955-31-1 ● ●	6-1/2"W x 12-1/4"H x 7-5/8"E	9W DOB / 3000K / 120V / 80CRI 830 Source Lm / 460 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted	Black
F9953-31-1 ● ●	6"W x 11-1/5"H x 9"E	9W DOB / 3000K / 120V / 80CRI 800 Source Lm / 450 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Bubble	Black
F4631-31-LED ● ●	7-1/4"W x 12-1/2"H x 8-1/2"E	9W DOB / 3000K / 120V / 80CRI 830 Source Lm / 450 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Water	● Black
F4635-31-LED ● ●	11"W x 18-7/8"H x 12-1/4"E	15W DOB / 3000K / 120V / 80CRI 1450 Source Lm / 960 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Water	Black



LED Cylinder Porch Lantern
F9932-31-2-4K (BK) Photocell
F9922-31-2-4K (BK)



LED Cylinder Porch Fixture
F9936-31-2-4K (BK) Photocell
F9926-31-2-4K (BK)



One Light Lantern
F4511-16 (SA)
F4511-31 (BK)



One Light Lantern
F7804-31 (BK)
F7804-30 (WH)



Outdoor Builder
F4600-31 (BK)



One Light Lantern
F4310-31 (BK)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9922-31-2-4K ● ●	4-1/2"W x 7-3/4"H x 6"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 350 Fixture Lm 50,000hrs / Wet / Non-Dimm.	White Acrylic Lens	Black
F9932-31-2-4K ● ●	4-1/2"W x 7-3/4"H x 6"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 350 Fixture Lm 50,000hrs / Wet / Non-Dimm.	White Acrylic Lens	● Black
F9936-31-2-4K ● ●	4-1/2"W x 7-3/4"H x 6"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 550 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Clear Prismatic Acrylic Lens	● Black
F9926-31-2-4K ● ●	4-1/2"W x 7-3/4"H x 6"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 550 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Clear Prismatic Acrylic Lens	Black
F4511-16	4-1/2"W x 7"H x 6-1/8"E	1-60W MB / Wet	White Acrylic	● Satin Aluminum
F4511-31	4-1/2"W x 7"H x 6-1/8"E	1-60W MB / Wet	White Acrylic	Black
F7804-31	6"W x 10"H x 7"E	1-100W MB / Wet	Frosted	● Black
F7804-30	6"W x 10"H x 7"E	1-100W MB / Wet	Frosted	White
F4600-31	4-1/2"W x 7-1/8"H x 5-7/8"E	1-60W MB / Wet	Clear	Black
F4310-31	4-3/8"W x 6-3/8"H x 5-3/8"E	1-60W MB / Wet	Clear	Black



One Light Lantern
F4512-31 (BK)



LED Porch Fixture
F9939-31-2-4K (BK) Photocell
F9938-31-2-4K (BK)



LED Porch Fixture
F9941-31-1 (BK) Photocell
F9942-31-1 (BK)



One Light Lantern
F4308-31 (BK)
F4309-31 (BK)



One Light Lantern
F4307-31 (BK) Photocell



One Light Lantern
F4617-31 (BK)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F4512-31	4-5/8"W x 8-1/2"H x 6-5/8"E	1-13W GU-24 Included / Wet	Prismatic Lens	Black
F9939-31-2-4K ● ●	5-7/8"W x 7-1/4"H x 6-7/8"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 450 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Globe Acrylic Lens	● Black
F9938-31-2-4K ● ●	5-7/8"W x 7-1/4"H x 6-7/8"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 450 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Globe Acrylic Lens	Black
F9941-31-1 ● ●	5-7/8"W x 7-1/4"H x 6-7/8"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Clear Globe Prismatic Lens	● Black
F9942-31-1 ● ●	5-7/8"W x 7-1/4"H x 6-7/8"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Clear Globe Prismatic Lens	Black
F4308-31	6"W x 7-1/4"H x 6-1/2"E	1-60W MB / Wet	Opal Globe	● Black
F4309-31	6"W x 7-1/4"H x 6-1/2"E	1-60W MB / Wet	Opal Acrylic Globe	Black
F4307-31	6"W x 7-1/8"H x 6-1/2"E	1-60W MB / Wet	White Polycarbonate Globe	Black
F4617-31	6"W x 7-1/4"H x 7-1/4"E	1-100W MB / Wet	Opal Globe	Black



Outdoor Porch Fixture
F4601-31 (BK)



LED Wall Sconce
F9983-31 (BK)
F9983-44 (OB)
F9983-53 (SN)



LED Exterior Wall Mount
F9930-31-2-4K (BK) Photocell
F9920-31-2-4K (BK)



LED Wall Lantern
F9937-31-2-4K (BK) Photocell
F9927-31-2-4K (BK)



LED Wall Mount
F7974-31-1-JA8-ADA (BK) Photocell



LED Wall Pack
F9959-31-1 (BK)

● Featured Finish ● ● ● LED ● ADA

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F4601-31	6"W x 8-3/4"H x 6-1/2"E	1-60W MB / Wet	Opal Globe	Black
F9983-31 ● ● ●	7"W x 9-7/8"H x 3-1/4"E	18W / 3000K / 120-277V / 90CRI 1500 Source Lm / 1300 Fixture Lm 50,000hrs / Wet / Non Dimm.	White Acrylic	● Matte Black
F9983-53 ● ● ●	7"W x 9-7/8"H x 3-1/4"E	18W / 3000K / 120-277V / 90CRI 1500 Source Lm / 1300 Fixture Lm 50,000hrs / Wet / Non Dimm.	White Acrylic	Satin Nickel
F9983-44 ● ● ●	7"W x 9-7/8"H x 3-1/4"E	18W / 3000K / 120-277V / 90CRI 1500 Source Lm / 1300 Fixture Lm 50,000hrs / Wet / Non Dimm.	White Acrylic	Oil Bronze
F9930-31-2-4K ● ●	5-3/8"W x 8-5/8"H x 2-1/2"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Opal Polycarbonate Lens	● Black
F9920-31-2-4K ● ●	5-3/8"W x 8-5/8"H x 2-1/2"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Opal Polycarbonate Lens	Black
F9937-31-2-4K ● ●	8"W x 12-1/8"H x 5-1/8"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted	● Black
F9927-31-2-4K ● ●	8"W x 12-1/8"H x 5-1/8"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted	Black
F7974-31-1-JA8-ADA ● ● ● ●	8-3/4"H x 5-5/8"W x 4"E	9W DOB / 4000K / 120V / 90CRI 750 Source Lm / 410 Fixture Lm 50,000hrs / Wet / Dimm.	Frosted	Black
F9959-31-1 ● ●	7-1/8"W x 9-3/4"H x 3-3/4"E	9W DOB / 4000K / 120V / 80CRI 850 Source Lm / 600 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted	Black



LED Exterior Wall Mount
F9928-31 (BK)



LED Wall Pack
F9954-31-1 (BK)



LED Wall Mount
F9923-31-2-4K (BK)
F9923-64-2-4K (PBR)
F9933-31-2-4K (BK) Photocell



One Light Wall Mount
F7976-31 (BK)
F7977-31 (BK)



One Light Lantern
F4344-31 (BK)
F4345-31 (BK)



LED Lantern
F4639-31-LED (BK)

● Featured Finish ●  ● LED ● 

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9928-31 ● ●	7-1/2"W x 10"H x 4-1/4"E	17W DOB / 4000K / 120/227V / 80CRI 1700 Source Lm / 1200 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted Acrylic	Black
F9954-31-1 ● ●	6-1/4"W x 9-7/8"H x 3-1/2"E	9W DOB / 4000K / 120V / 80CRI 880 Source Lm / 550 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted	Black
F9923-31-2-4K ● ●	7-3/4" W x 9-1/2"H x 4-1/2"E	9W DOB / 4000K / 120V / 80CRI 880 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted Acrylic	● Black
F9923-64-2-4K ● ●	7-3/4"W x 9-1/2"H x 4-1/2"E	9W DOB / 4000K / 120V / 80CRI 880 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted Acrylic	Provincial Bronze
F9933-31-2-4K ● ●	7-3/4"W x 9-1/2"H x 4-1/2"E	9W DOB / 4000K / 120V / 80CRI 880 Source Lm / 500 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted Acrylic	Black
F7976-31	7-3/4"W x 9-3/4"H x 4-1/4"E	1-60W MB / Wet	White Acrylic	● Black
F7977-31 ●	7-3/4"W x 9-3/4"H x 4-1/4"E	1-13W GU-24 Included / Wet	White Acrylic	Black
F4344-31 ●	4-3/4"W x 9-1/2"H x 4-3/4"E	1-7W PL / 4000K / Bulb Included / Wet	Frosted Acrylic Lens	● Black
F4345-31	4-3/4"W x 9-1/2"H x 4-3/4"E	1-60W MB / Wet	Frosted Acrylic Lens	Black
F4639-31-LED ● ●	9"SQ x 13-5/8"H	12W DOB / 3000K / 120V / 80CRI 1150 Source Lm / 600 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Water	Black



Outdoor Builder
F9152-31 (BK)



One Light Lantern
F7896-31 (BK)



One Light Lantern
F7972-31 (BK)



One Light Lantern
F4380-31 (BK)



Cast Aluminum Pier Mount
K635-31 (BK)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9152-31	12"D x 12"H	1-100W MB / Post Not Included / Wet	White Acrylic Globe	Black
F7896-31	6-3/4"D x 18-1/2"H	1-100W MB / Wet	Clear Beveled	Black
F7972-31	8"D x 20"H	1-100W MB / Wet	Textured Frosted	Black
F4380-31	8"SQ x 12-1/2"H	1-60W MB / Wet	Clear Flemish Panels	Black
K635-31	3" Outside Diameter 5-7/8"SQ x 3-5/8"H 4 Mounting Holes for 1/4" Screws on the Diagonal			Black



One Light Lantern
F7802-31 (BK)
F7802-62 (RB)



One Light Lantern
F6840-53 (SN)
F6840-10 (PB)
F6840-62 (RB)



One Light Lantern
F7949-31 (BK)



One Light Lantern
F7851-31 (BK)



One Light Lantern
F7841-62 (RB)
F7841-31 (BK)



One Light Lantern
F7818-31 (BK)



One Light Lantern
F7813-62 (RB)



One Light Lantern
F6884-31 (BK)



One Light Lantern
F7821-31 (BK)

● Featured Finish

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7802-31	4-5/8"W x 7-3/4"H x 6"E	1-100W MB / Wet	Clear Beveled	● Black
F7802-62	4-5/8"W x 7-3/4"H x 6"E	1-100W MB / Wet	Clear Beveled	Rubbed Bronze
F6840-53	4-1/2"W x 8-1/4"H x 5-7/8"E	1-100W MB / Wet	Clear	● Satin Nickel
F6840-10	4-1/2"W x 8-1/4"H x 5-7/8"E	1-100W MB / Wet	Clear	Polished Brass
F6840-62	4-1/2"W x 8-1/4"H x 5-7/8"E	1-100W MB / Wet	Clear	Rubbed Bronze
F7949-31	6-5/8"W x 17"H x 8-1/16"E	1-100W MB / Wet	Clear Beveled	Black
F7851-31	5-5/8"W x 10"H x 6-1/8"E	1-100W MB / Wet	Clear Beveled	Black
F7841-62	6-5/8"W x 12-1/16"H x 8-1/16"E	1-60W MB / Wet	Clear Beveled	● Rubbed Bronze
F7841-31	6-5/8"W x 12-1/16"H x 8-1/16"E	1-100W MB / Wet	Clear Beveled	Black
F7818-31	6"W x 14-1/4"H x 7-1/4"E	1-100W MB / Wet	Textured Frosted	● Black
F7847-62	7-1/4"W x 15"H x 8-1/2"E	1-100W MB / Wet	Clear	Rubbed Bronze
F7813-62	6-5/8"W x 17"H x 8-1/16"E	1-100W MB / Wet	Clear Beveled	Rubbed Bronze
F6884-31	4-5/8"W x 15"H x 5-1/2"E	1-60W MB / Wet	Clear	Black
F7821-31	6"W x 15"H x 8"E w/o Tail 6"W x 18"H x 8"E w Tail	1-100W MB / Wet	Clear Beveled	Black



One Light Bulk Head
F7991-31 (BK)



One Light Bulk Head
F7994-31 (BK)



Outdoor Flushmount
F2402-31 (BK)
F2400-31 (BK)



Two Light Flush Mount
F7898-31 (BK)
F7898-62 (RB)



LED Ceiling Mount
F9026-30 (WH)
F9027-30 (WH)



LED Ceiling Wall Fixture
F7201-30-LED (WH)

● Featured Finish ●  **LED** ● 

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7991-31	6-5/8"W x 11"H x 5"E	1-60W MB / Wet	Frosted Prismatic	White
F7994-31 ●	5-7/8"W x 10-3/8"H x 4-1/8"E	1-13W PL Included / 4100K / Wet	White Acrylic	Black
F2402-31	9-1/4"SQ x 5"H	2-40W MB / Damp	Textured	● Black
F2400-31	7-1/2"SQ x 5"H	1-40W MB / Damp	Textured	Black
F7898-31	10-3/4"D x 6-1/8"H	2-60W MB / Wet	Clear Beveled	● Black
F7898-62	10-3/4"D x 6-1/8"H	2-60W MB / Wet	Clear Beveled	Rubbed Bronze
F9026-30 ● ●	10-1/2"SQ x 4-1/4"H	9W DOB / 4000K / 120V / 80CRI 754 Fixture Lm / 50,000hrs Damp / Non-Dimm.	Prismatic Lens	● White
F9027-30 ● ●	10-1/2"SQ x 4-1/4"H	12W DOB / 4000K / 120V / 80CRI 1200 Source Lm / 870 Fixture Lm 50,000hrs / Damp / Non-Dimm.	Prismatic Lens	White
F7201-30-LED ● ●	5-1/8"W x 7-1/2"H x 4"E	10.5W / 3000K / 120V / 80CRI 1100 Source Lm / 1000 Fixture Lm 35,000hrs / Damp / Non-Dimm.	Clear Acrylic	White



LED Outdoor Flush Mount
F9025-31-2-4K (BK)
F4343-31 (BK)



LED Flush Mount
F9028-31-3K (BK)



LED Flush Mount
F9029-31-3K (BK)



One Light Bulk Head
F7986-31 (BK)
F7986-30 (WH)



One Light Bulk Head
F7987-30 (WH)
F7987-31 (BK)



One Light Bulk Head
F7990-30 (WH)
F7990-31 (BK)

● Featured Finish ●  ● LED

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F9025-31-2-4K ● ●	9-7/8"W x 5-3/4"H	12W DOB / 4000K / 120V / 80CRI 1000 Source Lm / 650 Fixture Lm 50,000hrs / Wet / Non-Dimm.	Frosted	● Black
F4343-31	8-1/4"SQ x 4-3/4"H	1-13W PL Included / 4100K / Wet	Frosted Acrylic	Black
F9028-31-3K ● ●	10-5/8"D x 4-3/4"H	12W DOB / 3000K / 120V / 80CRI 1150 Source Lm / 760 Fixture Lm 50,000hrs / Wet / Triac Dimm.	Frosted	Black
F9029-31-3K ● ●	10-1/4"SQ x 5"H	12W DOB / 3000K / 120V / 80CRI 1150 Source Lm / 70 Fixture Lm 50,000hrs / Wet / Triac Dimm.	Frosted	Black
F7986-31	7-7/8"D x 4-1/2"H	1-60W MB / Wet	Frosted Prismatic	● Black
F7986-30	7-7/8"D x 4-1/2"H	1-60W MB / Wet	Frosted Prismatic	White
F7987-30	10"D x 5-1/8"H	1-60W MB / Wet	Frosted Prismatic	● White
F7987-31	10"D x 5-1/8"H	1-60W MB / Wet	Frosted Prismatic	Black
F7990-30	4-3/8"W x 8-1/2"H x 4"E	1-60W MB / Wet	Frosted Prismatic	● White
F7990-31	4-3/8"W x 8-1/2"H x 4"E	1-60W MB / Wet	Frosted Prismatic	Black



10W LED Flood Light
F7501-49-4K (AZB)
F7501-49-5K (AZB)



30W LED Flood Light
F7503-49-4K (AZB)
F7503-49-5K (AZB)



50W LED Flood Light
F7505-49-4K (AZB)
F7505-49-5K (AZB)



35W LED Wall Pack
F7419-66 (BZ)



LED Mini Wall Pack
F7421-66 (BZ)

● Featured Finish ● LED ● DLC

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7501-49-4K ● ●	3-9/16"W x 1-1/2"H x 5-5/16"L	10W / 4000K / 120V / 80Ra 1000 Source Lm / 900 Fixture Lm 50,000hrs / 110° Beam / Wet	Clear	● Aztec Bronze
F7501-49-5K ● ●	3-9/16"W x 1-1/2"H x 5-5/16"L	10W / 5000K / 120V / 80Ra 1000 Source Lm / 900 Fixture Lm 50,000hrs / 110° Beam / Wet	Clear	Aztec Bronze
F7503-49-4K ● ●	6-1/2"W x 1-1/2"H x 9-7/16"L	30W / 4000K / 100-277V / 80Ra 3600 Source Lm / 3450 Fixture Lm 50,000hrs / 110° Beam / Wet	Clear	● Aztec Bronze
F7503-49-5K ● ●	6-1/2"W x 1-1/2"H x 9-7/16"L	30W / 5000K / 100-277V / 80Ra 3600 Source Lm / 3450 Fixture Lm 50,000hrs / 110° Beam / Wet	Clear	Aztec Bronze
F7505-49-4K ● ●	8-1/4"W x 1-1/2"H x 11-13/16"L	50W / 4000K / 100-277V / 80Ra 6000 Source Lm / 5800 Fixture Lm 50,000hrs / 110° Beam / Wet	Clear	● Aztec Bronze
F7505-49-5K ● ●	8-1/4"W x 1-1/2"H x 11-13/16"L	50W / 5000K / 100-277V / 80Ra 6000 Source Lm / 5800 Fixture Lm 50,000hrs / 110° Beam / Wet	Clear	Aztec Bronze
F7419-66 ● ●	4"W x 6-1/8"H x 7-9/16"E	35W / 5700K / 120/277V / 86CRI 3210 Fixture Lm / Wet	Clear Plastic Lens	Bronze
F7421-66 ● ●	9"L x 5-3/10"H x 3"E	14W / 5000K / 100-277V / 80CRI 1400 Source Lm / 1260 Delivery Lm 120 x 150° Beam / 50,000hrs / Wet	PC	Bronze



60W LED Wall Pack
F7416-66-3 (BZ)



75W LED Wall Pack
F7418-66-3 (BZ)



90W LED Wall Pack
F7420-66-1 (BZ)



120W LED Wall Pack
F7424-66-1 (BZ)




LED Area Light
F30030-66 (BZ)
F30030-66-V (BZ)
F30031-66 (BZ)

● Featured Finish ● LED ● DLC

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7416-66-3 ● ●	14-1/10"W x 9"H x 7-9/10"E	60W / 4000K / 100-277V / 70CRI 9700 Source Lm / 8600 Fixture Lm 50,000hrs / Wet / 0-10V Dimm.	Clear Prismatic	Bronze
F7418-66-3 ● ●	14-1/10"W x 9"H x 7-9/10"E	75W / 4000K / 100-277V / 70CRI 11000 Source Lm / 10200 Fixture Lm 50,000hrs / Wet / 0-10V Dimm.	Clear Prismatic	Bronze
F7420-66-1 ● ●	14-1/10"W x 9"H x 7-9/10"E	90W / 4000K / 120-277V / 70CRI 14000 Source Lm / 12600 Fixture Lm 50,000hrs / Wet / 0-10V Dimm.	Clear Prismatic	Bronze
F7424-66-1 ● ●	14-1/10"W x 9"H x 7-9/10"E	120W / 4000K / 120-277V / 70CRI 19000 Source Lm / 16300 Fixture Lm 50,000hrs / Wet / 0-10V Dimm.	Clear Prismatic	Bronze
F30030-66 ● ●	14-1/2"L x 13-7/10"W x 2-7/10"H	100W / 5000K / 100-277V / 70CRI 14000 Source Lm / 13000 Fixture Lm 54,000hrs / Dimm. (1-10V) / Wet Fitter Sold Separately	Polycarbonate Lens	Bronze
F30030-66-V ● ●	14-1/2"L x 13-7/10"W x 2-7/10"H	100W / 5000K / 100-277V / 70CRI 14000 Source Lm / 13000 Fixture Lm 54,000hrs / Dimm. (1-10V) / Wet Fitter Sold Separately	Polycarbonate Lens	Bronze
F30031-66 ● ●	14-1/2"L x 13-7/10"W x 2-7/10"H	150W / 5000K / 100-277V / 70CRI 21000 Source Lm / 19500 Fixture Lm 54,000hrs / Dimm. (1-10V) / Wet Fitter Sold Separately	Polycarbonate Lens	Bronze



LED Wall Fixture
F7211-30-LED (WH)



LED Ceiling / Wall Fixture
F7204-30-LED (WH)
F7204-30-LED-WHL (WH)



Fluorescent Outdoor
F7204-30 (WH)



Fluorescent Outdoor
F7211-30 (WH)



Fluorescent Outdoor
F7201-30 (WH)



LED Full Cut Off Wall Pack w/ Photocell
F7516-66-PC (BZ)
F7517-66-PC (BZ)
F7518-66-PC (BZ)

● Featured Finish ● ● LED ● ●

ITEM	DIMS.	WATTAGE	GLASS	FINISH
F7211-30-LED ● ●	6"W x 10-1/2"H x 4-1/4"E	10.5W / 3000K / 120V / 80CRI 1200 Source Lm / 1100 Fixture Lm 35,000hrs / Damp / Non-Dimm.	Clear Acrylic	White
F7204-30-LED ● ●	4-3/8"W x 13"H x 3-1/4"E	10.5W / 3000K / 120V / 80CRI 1200 Source Lm / 1100 Fixture Lm 35,000hrs / Damp / Non-Dimm.	Clear Acrylic	● White
F7204-30-LED-WHL ● ●	4-3/8"W x 13-1/4"H x 3-1/4"E	10.5W / 3000K / 120V / 80CRI 1200 Source Lm / 1000 Fixture Lm 35,000hrs / Damp / Non-Dimm.	White Acrylic	White
F7204-30 ●	4-3/8"W x 13-1/4"H x 3-1/4"E	1-13W PL Included / 4100K / Damp	Clear Acrylic	White
F7211-30 ●	6"W x 10-1/2"H x 4"E	1-13W PL Included / Damp	Clear Acrylic	White
F7201-30 ●	5-1/4"W x 7-3/4"H x 4-1/4"E	1-7W PL Included / Damp	Clear Acrylic	White
F7516-66-PC ● ●	12-3/5"L x 5"H x 6-9/10"E	28W / 5000K / 100-277V / 80CRI / Wet 3360 Source Lm / 3080 Fixture Lm / Photocell 90 x 100° Beam / 50,000hrs / Dimm. (1-10V)	PC	● Bronze
F7517-66-PC ● ●	12-3/5"L x 5"H x 6-9/10"E	45W / 5000K / 100-277V / 80CRI / Wet 4800 Source Lm / 4400 Fixture Lm / Photocell 90 x 100° Beam / 50,000hrs / Dimm. (1-10V)	PC	Bronze
F7518-66-PC ● ●	12-3/5"L x 5"H x 6-9/10"E	70W / 5000K / 100-277V / 80CRI / Wet 8400 Source Lm / 7700 Fixture Lm / Photocell 90 x 100° Beam / 50,000hrs / Dimm. (1-10V)	PC	Bronze

**INCLUDES:**

- Custom applied numbers
- Low-Voltage plug-in transformer (where indicated)
- Simple to follow instructions
- Light bulbs and sockets
- 25' of Low-voltage wire
- Mounting hardware

BENEFITS:

- Easy to see, day or night
- Readable from over 100 feet
- Energy Efficient - powered for under \$10/year
- Easy to install - with common household tools
- Low maintenance - install it and forget about it



Large Block Style Frame with
6" Numbers
F10054-31



Small Block Style Frame with
4" Numbers
F10050-31


ITEM	DIMS.	WATTAGE	DIFFUSER	NUMBERS	FRAME FINISH
F10054-31	14-1/2"W x 7-1/2"H x 2"E	4-4.29W Wedge Base T3.25 Lamps	White Acrylic	6" Black	Black
F10050-31	9-1/2"W x 5-1/2"H x 2"E	2-5.6W Wedge Base T3.25 Lamps	White Acrylic	4" Black	Black



ROPE LIGHTS



LED Rope Light 164' Spool
K9963
 K9965



Strip Light Power Cord
K9713



Screw
K9714



Middle Connector
K9708



4-Pin Splice Connector
K9709



Mounting Clip
K9703



End Cap
K9704

● Featured Finish ● **LED**

ITEM	DIMS.	WATTAGE	GLASS	FINISH
K9963 ●	1,968-1/2"L x 3/5"W x 3/10"H	6.5W / 3000K / 120V / 80CRI 25,000hrs / 100Lm Per Foot / Non-Dimm. Cutttable every 18"	N/A	● Clear
K9965 ●	1,968-1/2"L x 3/5"W x 3/10"H	6.5W / 5000K / 120V / 80CRI 25,000hrs / 100Lm Per Foot / Non-Dimm. Cutttable every 18"	N/A	Clear
K9713		6.5W / 120V	Plastic	White
K9714		Screw for LED Strip Light		
K9708		Middle Connector for LED Strip Light		
K9709		LED Strip Light 4-Pin Splice Connector		
K9703		Mounting Clip for LED Strip Light		
K9704		End Cap for LED Strip Light		



LIGHT BULBS



LED A19 / 9.5W / 800Lm / 120V
15,000Hrs / 80CRI / Dimmable
L7510-4 (2,700K)



LED A19 / 9W / 800Lm / 120V
25,000Hrs / 80CRI / Dimmable
L7513-2 (3,000K)



LED A19 / 10W / 120V
15,000Hrs / 80CRI / Non-Dimmable
L7591-3 (2,700K / 800Lm)
L7593-3 (3,000K / 830Lm)
L7594-3 (4,000K / 840Lm)
L7595-4 (5,000K / 800Lm)



LED A19 / 9W / 810Lm / 120V
25,000Hrs / 90CRI / Dimmable
L7513-3-JA8 (3,000K)



LED A19 Filament / 8.5W / 800Lm / 120V
15,000Hrs / 90CRI / Dimmable
L7663-27K-1-JA8 (2,700K)
L7663-3K-1-JA8 (3,000K)



LED B10 / 4.5W / 325Lm / 120V / 2,700K
25,000Hrs / 80CRI / Dimmable
L7560-2



LED B10 Filament / 4W / 300Lm / 120V
15,000Hrs / 90CRI / Dimmable
L7670-27K-1-JA8 (2,700K)



LED B10 Filament / 4W / 300Lm / 120V
10,000Hrs / 90CRI / Dimmable
T10698 (3,000K)



LED BR30 / 120V / 25,000Hrs
80CRI / Dimmable
L7521-2 (2,700K / 11W / 850Lm)
L7523-2-JA8 (3,000K / 9W / 810Lm)



LED BR30 / 8W / 650Lm / 120V
80CRI / Dimmable
L7524-3K (3,000K)



LED BR40 / 17W / 1,400Lm / 120V
25,000Hrs / 80CRI / Dimmable
L7522-2 (2,700K)



LED BR40 / 12W / 1,050Lm / 120V
25,000Hrs / 80CRI / Dimmable
TL7522-3K-1 (3,000K)



LED GU10 / 6.5W / 500Lm
12V / 3,000K / 25,000Hrs
80CRI / Dimmable
L7541-1 (35° Beam)



LED A15 / 7W / 600Lm / 120V
15,000Hrs / 80CRI / Dimmable
L7653-1 (3,000K)



LED G25 / 6W / 450Lm / 120V
25,000Hrs / 80CRI / Dimmable
L7571-3 (3,000K)



LED PAR20 / 7W / 550Lm / 120V
25,000Hrs / 90CRI / Dimmable
L7530-1 (3,000K)



LED PAR30 / 12W / 850Lm / 120V
25,000Hrs / 90CRI / Dimmable
L7531-3 (3,000K)



LED PAR38 / 12W / 1,050Lm / 120V
25,000Hrs / 90CRI / Dimmable
L7532-3 (3,000K)



LED R20 / 7W / 550Lm / 120V
25,000Hrs / 80CRI / Dimmable
L7526-1 (3,000K)



LED R20 / 7.5W / 525Lm / 120V
15,000Hrs / 80CRI / Dimmable
L7520-3 (2,700K)



LED ST19 Filament / 7W / 600Lm
120V / 15,000Hrs / 90CRI / Dimmable
L7662-3K-1-JA8 (3,000K)



 **CONCORD FANS**



LED ARONDALE

LED ARONDALE 52"

MODEL FEATURES


52" Blade Span | Frosted Glass | 3-Speed Remote Control
6" Downrod | Integrated LED Light Fixture



CF52359-50-LED / 52AR3ST-LED

Stainless Steel Finish
ABS Rosewood Blades PB-13355-RW
G52359 Frosted Opal

PRODUCT DIMENSIONS



A: 17-4/5" | **B:** 13-3/5" | **C:** 6-4/5"
WEIGHT 17.6lbs

INCLUDED



D4152 / RM-101-S
3-Speed Remote

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
3206	44	73	\$12

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	13°	1600	19	90	3000



VENTO

VENTO 56"

MODEL FEATURES

56" Blade Span | Frosted Glass | 5-Speed Remote Control
 6" Downrod | Integrated LED Light Fixture




CF56011-53-DC-LED / 56VEN5SN-DC-LED

Satin Nickel Finish
 Chrome or White Blades PB-5605-Silver/WH
 G5605 Frosted Glass



PRODUCT DIMENSIONS



A: 18-1/2" | B: 14-4/5" | C: 7"
 WEIGHT 19.8lbs

INCLUDED



D4159
 5-Speed Remote

ENERGYGUIDE (Excluding Lights)



All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
5144	23	221	\$7

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	12°	1600	19	90	3000





CENTURION

LED CENTURION 52"

MODEL FEATURES


52" Blade Span | 3 Finishes | Frosted Opal Glass | 3-Speed Pull Chain
6" Downrod | Integrated LED Light Fixture



CF52374-50-ES-LED / 52CNT4ST-ES-LED

Stainless Steel Finish
Chrome Blades PB-2552-CH
G-14 Frosted Opal Glass

PRODUCT DIMENSIONS



A: 15-5/6" | **B:** 10-1/3" | **C:** 10-1/4"
WEIGHT 18.7lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3969	38	104	\$11			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	12°	1600	19	90	3000



CF52374-43-ES-LED / 52CNT4ORB-ES-LED

Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades PB-2552-ORB
G-14 Frosted Opal Glass



CF52374-30-ES-LED / 52CNT4WH-ES-LED

White Finish
White Blades PB-2552-WH
G-14 Frosted Opal Glass

LED CENTURION 52"

MODEL FEATURES


52" Blade Span | Frosted Opal Glass | 3-Speed Pull Chain
6" Downrod | (2) 9.5W MB A19 LED Bulbs Included



CF52374-50-MB-LED / 52CNT4ST-MB-LED

Stainless Steel Finish
Chrome Blades PB-2552-CH
G52374 Frosted Opal Glass

PRODUCT DIMENSIONS



A: 15-5/6" | B: 10-1/3" | C: 10-1/4"
WEIGHT 18.7lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3291	37	89	\$10			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
N	6"	12°	1600	2-9.5	80	3000



CF52374-BQ-MB-LED / 52CNT4BQ-MB-LED

Barbeque Black Finish
Barbeque Black Blades PB-2552-BQ
G52374 Frosted Opal Glass



CF52374-30-MB-LED / 52CNT4WH-MB-LED

White Finish
White Blades PB-2552-WH
G52374 Frosted Opal Glass



AERO

LED AERO 52"


MODEL FEATURES

52" Blade Span | Frosted Opal Glass | 3-Speed Wall Control
 6" Downrod | (2) 9.5W MB A19 LED Bulbs Included



CF52474-50-MB-LED-WC / 52AER5ST-MB-LED-WC
 Stainless Steel Finish
 Chrome Blades PB-2552-CH
 G-14-1 Frosted Opal Glass

PRODUCT DIMENSIONS



A: 15-5/6" | **B:** 10-1/3" | **C:** 10-1/4"
WEIGHT 18.7lbs

INCLUDED



PD-004
 3-Speed Wall
 Control

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3246	37	87	\$10			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	12°	1600	2-9.5	80	3000

LED AERO 52"


MODEL FEATURES

52" Blade Span | Frosted Opal Glass | 3-Speed Pull Chain
6" Downrod | (2) 9.5W MB A19 LED Bulbs Included



CF52474-50-MB-LED / 52AER5ST-MB-LED
Stainless Steel Finish
Chrome Blades PB-2552-CH
G-14-1 Frosted Opal Glass

PRODUCT DIMENSIONS



A: 15-5/6" | **B:** 10-1/3" | **C:** 10-1/4"
WEIGHT 18.7lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3343	36	92	\$10			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	12°	1600	2-9.5	80	3000



SKYLARK

LED SKYLARK 52"

MODEL FEATURES


52" Blade Span | Frosted Opal Glass | 3-Speed Pull Chain
6" Downrod | Integrated LED Light Fixture



CF52874-53-ES-LED / 52SKY3SN-PCHN-ES-LED

Satin Nickel Finish
Chrome Blades PB-1031-CH
G-14 Frosted Opal Glass

PRODUCT DIMENSIONS



A: 17" | B: 12-1/4" | C: 10"

WEIGHT 17.42lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3331	37	89	\$10			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	12°	1600	20	90	3000

LED SKYLARK 52"

MODEL FEATURES


52" Blade Span | Frosted Opal Glass | 3-Speed Wall Control
6" Downrod | Integrated LED Light Fixture



CF52873-53-LED-90CRI / 52SKY3SN-LED-90CRI

Satin Nickel Finish
Chrome Blades PB-1031-CH
C52875 Frosted Opal Glass

PRODUCT DIMENSIONS



A: 17" | B: 12-1/4" | C: 10"
WEIGHT 17.42lbs

INCLUDED



PD-004
3-Speed Wall Control

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3790	35	109	\$10			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	12°	1600	20	90	3000

SKYLARK 52"

MODEL FEATURES

52" Blade Span | Frosted Opal Glass | 3-Speed Pull Chain
6" Downrod | (2) 9.5W MB A19 LED Bulbs Included



CF52874-53-MB-LED / 52SKY3SN-PCHN-MB-LED

Satin Nickel Finish
Chrome Blades PB-1030-CH
G-14-1 Frosted Opal Glass




CF52874-BQ-MB-LED / 52SKY3BQ-PCHN-MB-LED

Barbeque Black Finish
Barbeque Black/Charcoal Blades PB-1030-BQ/Charcoal
G-14-1 Frosted Opal Glass



PRODUCT DIMENSIONS



A: 16" | B: 11" | C: 10"
WEIGHT 17.42lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3088	33	95	\$9			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	13°	1600	2-9.5	80	3000

SKYLARK with Remote 52"

MODEL FEATURES


52" Blade Span | Frosted Opal Glass | 3-Speed Remote Control
 6" Downrod | (2) 9.5W MB A19 LED Bulbs Included



CF52873-30-MB-LED / 52SKY3WH-MB-LED

White Finish
 White Blades PB-1030-WH
 G52873-1 Frosted Opal Glass

PRODUCT DIMENSIONS



A: 17" | B: 12-1/4" | C: 10"
 WEIGHT 17.42lbs

INCLUDED



D4152 / R-101-S
 3-Speed Remote

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3088	33	95	\$9			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	13°	1600	2-9.5	80	3000



LED SATURN EX

LED SATURN EX 52"

MODEL FEATURES

52" Blade Span | Frosted Opal Glass | 3-Speed Pull Chain
6" Downrod | Integrated LED Light Fixture




CF52370-50-LED / 52SAX5ST-LED

Stainless Steel Finish
Black Gloss/Rosewood Blades PB-2300-BG/RWG
G52376 Frosted Opal Glass



PRODUCT DIMENSIONS



A: 17" | **B:** 12-1/4" | **C:** 10"

WEIGHT 17.42lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
3970	45	88	\$13

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	13°	1600	19	90	3000

Easy Hang Fan



It's as
easy as

1 The fan body comes assembled. Install the mounting bracket and connect the wires

2 Attach the blades using the Quick Connect knob.

3 Attach the glass using the threaded socket ring.



LED HERITAGE HOME EASY HANG 52"


MODEL FEATURES

52" Blade Span | Faux Alabaster Bell Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A19 LED Bulbs Included | Easy Hang




CF52836-50-LED-QC / 52HEH5ST-LED-QC

Stainless Steel Finish
Rosewood / Silver Oak Blades PB-2033-SR
G7772 Faux Alabaster Bell Glass



PRODUCT DIMENSIONS



A: 18-3/10" | **B:** 10-2/5" | **C:** 11"

WEIGHT 20.72lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3559	37	97	\$10			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	13°	2430	3-9.5	90	3000

HERITAGE HOME EASY HANG 52"

MODEL FEATURES

52" Blade Span | Faux Alabaster Bell Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A15 LED Bulbs Included | Easy Hang




CF52883-50-MB-LED / 52HEHZ5ST-MB-LED

Stainless Steel Finish
Rosewood / Black Forest Blades PB-2033-BF/RW
G7772 Faux Alabaster Bell Glass



PRODUCT DIMENSIONS



A: 19-1/2" | B: 12-1/8" | C: 11"
WEIGHT 20.68lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3370	37	92	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
N	4-1/2"	12°	1800	7	80	3000

LED HERITAGE FUSION EASY HANG 52"


MODEL FEATURES

52" Blade Span | Faux Alabaster Bell Glass | 3-Speed Pull Chain
4-1/2" Downrod | Integrated LED Light Fixture | Easy Hang




CF52831-50-LED-QC / 52HEF5ST-LED-QC

Stainless Steel Finish
Rosewood / Black Forest Blades PB-2036-BF/RW
G7753 Faux Alabaster Glass



PRODUCT DIMENSIONS



A: 17-1/2" | **B:** 10-2/5" | **C:** 11"

WEIGHT 17.64lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
3265	37	89	\$10

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	13°	1600	19	90	3000

LED HERITAGE SQUARE EASY HANG 52"

MODEL FEATURES

52" Blade Span | Frosted White Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A19 LED Bulbs Included | Easy Hang




CF52858-50-LED-QC

Stainless Steel Finish
Rosewood / Silver Oak Blades PB-2033-SR
G-1214-FR Frosted White Glass



PRODUCT DIMENSIONS



A: 19" | B: 10-2/5" | C: 11"

WEIGHT 17.64lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
3400	36	95	\$10

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	13°	2400	3-9.5	80	3000



HERITAGE FUSION

LED HERITAGE FUSION 52"

MODEL FEATURES

52" Blade Span | Frosted White Glass | 3-Speed Pull Chain
4-1/2" Downrod | Integrated LED Light Fixture



CF52832-53-ES-LED / 52HEF5SN-ES-LED


Satin Nickel Finish
Rosewood / Black Forest Blades PB-2023-BF/RW
G7754 Satin Opal Glass



CF52832-30-ES-LED / 52HEF5WH-ES-LED

White Finish
White Blades PB-2023-WH
G7754 Satin Opal Glass

PRODUCT DIMENSIONS



A: 17-1/2" | B: 10-2/5" | C: 11"
WEIGHT 20.72lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
3265	37	89	\$10

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	13°	1600	19	90	3000

HERITAGE FUSION 52"


MODEL FEATURES

52" Blade Span | Faux Alabaster Glass | 3-Speed Pull Chain
 4-1/2" Downrod | (2) 9.5W MB A19 LED Bulbs Included



CF52831-53-MB-LED / 52HEF5SN-MB-LED


Satin Nickel Finish
 Rosewood / Black Forest Blades PB-2023-BF/RW
 G7753 Faux Alabaster Glass



CF52831-30-MB-LED / 52HEF5WH-MB-LED

White Finish
 White Blades PB-2023-WH
 G7753 Faux Alabaster Glass

PRODUCT DIMENSIONS



A: 17" | **B:** 9-7/8" | **C:** 11"

WEIGHT 16.72lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
3037	36	83	\$10

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	12°	1600	2-9.5	80	3000



VALORE


VALORE QUICK CONNECT 52"

MODEL FEATURES

52" Blade Span | Frosted White Glass
 4-1/2" Downrod | (3) MB A19 LED Bulbs Included | Quick Connect




CF52880-53-MB-LED / 52VALQC5SN-MB-LED
 Satin Nickel Finish
 Rosewood / Chrome Blades PB-2033-CH/RW
 G-1214-WH Frosted White Glass



CF52880-30-MB-LED / 52VALQC5WH-MB-LED
 White Finish
 White Blades PB-2033-WH
 G-1214-WH Frosted White Glass

PRODUCT DIMENSIONS



A: 18-7/8" | **B:** 9-7/8" | **C:** 11"
WEIGHT 19.14lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3280	37	88	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
N	4-1/2"	12°	2400	3-9	90	3000





HERITAGE SQUARE

HERITAGE SQUARE 52"

MODEL FEATURES

52" Blade Span | White Alabaster Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A15 LED Bulbs Included




CF52878-53-MB-LED / 52HES5SN-MB-LED

Satin Nickel Finish
Rosewood/Silver Oak Blades PB-2023-SR
Y-202S-WH White Alabaster Glass



PRODUCT DIMENSIONS



A: 18-1/8" | **B:** 8-7/8" | **C:** 11"
WEIGHT 18.7lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3130	37	86	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	12°	1800	3-6.5	80	3000



CF52878-50-MB-LED / 52HES5ST-MB-LED

Stainless Steel Finish
Rosewood / Chrome Blades PB-2023-CH/RW
Y-202S-WH White Alabaster Glass



CF52878-30-MB-LED / 52HES5WH-MB-LED

White Finish
White Blades PB-2023-WH
Y-202S-WH White Alabaster Glass



CF52878-43-MB-LED / 52HES5ORB-MB-LED

Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades PB-2023-ORB
Y-202S-AAS Antique Amber Scavo Glass

LED HERITAGE SQUARE 52"


MODEL FEATURES

52" Blade Span | Frosted Bowl Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A15 LED Bulbs Included



CF52878-43-MB-LED-WH / 52HES5ORB-MB-LED-WH
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades PB-2023-ORB
G52879 Frosted Bowl Glass

PRODUCT DIMENSIONS



A: 18-1/8" | B: 8-7/8" | C: 11"
WEIGHT 18.7lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3130	37	85	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	12°	1800	3-6.5	80	3000

HERITAGE SQUARE 42"

MODEL FEATURES

42" Blade Span | Faux White Alabaster Bowl Glass | 3-Speed Pull Chain
 4-1/2" Downrod | (3) MB A15 LED Bulbs Included




CF42877-53-MB-LED / 42HES4SN-MB-LED

Satin Nickel Finish
 Rosewood / Silver Oak Blades PB-2223-SR
 G42877 Faux White Alabaster Bowl Glass



PRODUCT DIMENSIONS



A: 18-1/2" | **B:** 9-5/8" | **C:** 8-7/8"
WEIGHT 14.96lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
2160	28	77	\$8			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	12°	1800	2-6.5	80	3000



HERITAGE DESIGN

LED HERITAGE DESIGN 52"


MODEL FEATURES

52" Blade Span | White Glass | 3-Speed Pull Chain
4-1/2" Downrod | Integrated LED Light Fixture




CF52868-50-ES-LED / 52HD5ST-ES-LED

Stainless Steel Finish
Rosewood / Dark Walnut Blades PB-2025-RW/DW
G52879 White Glass



PRODUCT DIMENSIONS



A: 19" | B: 10-2/5" | C: 11"

WEIGHT 20.72lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3555	36	97	\$10			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	12°	1600	20	80	3000



HERITAGE HOME

HERITAGE HOME 42"


MODEL FEATURES

42" Blade Span | Frosted Scalloped Glass | 3-Speed Pull Chain
 4-1/2" Downrod | (3) MB A15 LED Bulbs Included



CF42848-53-MB-LED / 42HEH5SN-MB-LED


Satin Nickel Finish
 Rosewood / Silver Oak Blades PB-2223-SR
 G7747 Frosted Scalloped Glass



CF42848-30-MB-LED / 42HEH5WH-MB-LED

White Finish
 White Blades PB-2223-WH
 G7745 Frosted Ribbed Glass

PRODUCT DIMENSIONS



A: 18-1/2" | **B:** 9-5/8" | **C:** 8-7/8"

WEIGHT 14.96lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
2160	28	78	\$8			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	12°	1800	3-6.5	80	3000

HERITAGE HOME 52"

MODEL FEATURES

52" Blade Span | Faux White Alabaster Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A15 LED Bulbs Included



CF52836-53-MB-LED / 52HEH5SN-MB-LED


Satin Nickel Finish
Rosewood/Silver Oak Blades PB-2023-SR
G7772 Faux White Alabaster Glass



CF52837-43-MB-LED / 52HEH5ORB-ALB-MB-LED

Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades PB-2023-ORB
G7772 Faux White Alabaster Glass

PRODUCT DIMENSIONS



A: 16-7/8" | B: 9-7/8" | C: 11"

WEIGHT 17.6lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3173	35	90	\$10			

Diming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	12°	1800	3-6.5	80	3000



CF52836-30-MB-LED / 52HEH5WH-MB-LED

White Finish
White Blades PB-2023-WH
G7772 Faux White Alabaster Glass



CF52836-10-MB-LED / 52HEH5BB-MB-LED

Polished Brass Finish
Light Oak / Dark Oak Blades PB-2023-LD
G7772 Faux White Alabaster Glass



CF52836-43-MB-LED / 52HEH5ORB-MB-LED

Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades PB-2023-ORB
G7774/G-008AAS Antique Amber Scavo Glass





LED ARACRUZ

LED ARACRUZ 60"

MODEL FEATURES


60" Blade Span | Tea Glass Uplight | 3-Speed Pull Chain
6" Downrod | (4) CB B10 LED Bulbs Included



60AC5ORB-LED

Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades PB-2560-ORB
AC-1060 Tea Glass

PRODUCT DIMENSIONS



A: 16-3/4" | B: 14-1/2" | C: 17-1/2"
WEIGHT 52.23lbs

ENERGYGUIDE (Excluding Lights)

LED



All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
5607	60	93	\$18			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	14°	1200	4-4	90	2700

LED ARACRUZ 52"

MODEL FEATURES


52" Blade Span | Tea Glass Uplight | 3-Speed Pull Chain
 6" Downrod | (4) CB B10 LED Bulbs Included



52AC5ORB-LED

Oil Rubbed Bronze Finish
 Oil Rubbed Bronze Blades PB-1032-ORB
 AC-1060 Tea Glass

PRODUCT DIMENSIONS



A: 16-3/4" | B: 14-1/2" | C: 17-1/2"
WEIGHT 52.23lbs

ENERGYGUIDE (Excluding Lights)

LED



All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3812	42	91	\$12			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	6"	14°	1200	4-4	90	2700



PONDEROSA

PONDEROSA 52"

MODEL FEATURES

52" Blade Span | 3-Speed Pull Chain
4-1/2" Downrod | Optional Light Kit




52PD5OWL

Old World Leather Finish
ABS Knotty Pine Blades PB-2022A-KP
w/ Optional Light Kit



PA-250A-S-OWL-MB-LED
Optional Light Kit

PRODUCT DIMENSIONS



A: 20" | B: 16-3/16" | C: 12"

WEIGHT 33.03lbs

ENERGYGUIDE (Excluding Lights)



All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
3770	39	98	\$11

Dimming Light	Downrod Length	Blade Pitch	Light Kit Specifications			
			Lumens	Watts	CRI	CCT (K)
	4-1/2"	14°	1620	2-9	90	3000



FERNLEAF BREEZE

FERNLEAF BREEZE 52"

MODEL FEATURES

52" Blade Span | 3-Speed Pull Chain
4-1/2" Downrod | Optional Light Kit



52FEB5RI

Rustic Iron Finish

ABS Dark Fernleaf Blades PB-5102A-DK




LED

PA-017-S-RI-MB-LED

Optional Light Kit

PRODUCT DIMENSIONS



A: 15-1/2" | B: 13-3/4" | C: 9-3/4"

WEIGHT 27.17lbs

ENERGYGUIDE (Excluding Lights)



All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
3247	40	80	\$11

Dimming Light	Downrod Length	Blade Pitch	Light Kit Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	14°	810	1-9	90	3000





PORCH

PORCH 52"

MODEL FEATURES


52" Blade Span | 3-Speed Pull Chain
4-1/2" Downrod



CF52264-53 / 52POR5SN

Satin Nickel Finish
ABS Wood Grain Chrome Blades PB-1052A-CH

PRODUCT DIMENSIONS



A: 12-7/8" | B: 9-7/8" | C: 11"
WEIGHT 18.7lbs

ENERGYGUIDE (Excluding Lights)



All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3441	36	95	\$10			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
N/A	4-1/2"	12°	N/A	N/A	N/A	N/A



CF52264-30 / 52POR5WH

White Finish

ABS Wood Grain White Blades PB-1052A-WH



CF52264-43 / 52POR5ORB

Oil Rubbed Bronze Finish

ABS Wood Grain Weathered Bronze Blades PB-1052A-WB



CALIFORNIA HOME

CALIFORNIA HOME 52"

MODEL FEATURES

52" Blade Span | 3-Speed Pull Chain
4-1/2" Downrod




CF52242-30 / 52CH5WH
White Finish
White Blades PB-2222-WH



CF52242-53 / 52CH5SN
Satin Nickel Finish
Rosewood / Silver Oak Blades PB-2222-SR



PRODUCT DIMENSIONS



A: 11-1/2" | **B:** 12-3/4" | **C:** 11-3/4"
WEIGHT 15.43lbs

ENERGYGUIDE (Excluding Lights)

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3328	38	88	\$11			

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
N/A	4-1/2"	13°	N/A	N/A	N/A	N/A





RICHMOND

RICHMOND 52"

MODEL FEATURES

52" Blade Span | Clear Chisel Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A15 LED Bulbs Included




CF52889-50-MB-LED / 52RIC5ST-MB-LED

Stainless Steel Finish
Rosewood / Black Blades PB-2025-BK/RW
G52889 Clear Chisel Glass



PRODUCT DIMENSIONS



A: 16-7/8" | **B:** 9-7/8" | **C:** 11"

WEIGHT 18.48lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3007	63	83	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	12°	1800	3-6.5	80	3000

RICHMOND 42"


MODEL FEATURES

42" Blade Span | Clear Chisel Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A15 LED Bulbs Included




CF42889-50-MB-LED / 42RIC5ST-MB-LED

Stainless Steel Finish
Rosewood / Black Blades PB-2034-BK/RW
G52889 Clear Chisel Glass



PRODUCT DIMENSIONS



A: 16-7/8" | **B:** 9-7/8" | **C:** 8-7/8"

WEIGHT 16.28lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
2058	49	80	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	12°	1800	3-6.5	80	3000



SAN MARCOS

SAN MARCOS 52"

MODEL FEATURES


52" Blade Span | Clear Prism Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A15 LED Bulbs Included



CF52838-50-MB-LED / 52SM5ST-MB-LED

Stainless Steel Finish
Mahogany Blades PB-2025-MH
G7765/G-024 Clear Prism Glass

PRODUCT DIMENSIONS



A: 16-7/8" | **B:** 9-7/8" | **C:** 11"

WEIGHT 18.26lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3012	59	82	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	12°	1800	3-6.5	80	3000



MONTEGO BAY DELUXE

MONTEGO BAY DELUXE 52"

Concord Fans / Montego Bay Deluxe

MODEL FEATURES

52" Blade Span | Clear Ribbed Glass | 3-Speed Pull Chain
(4) MB A15 LED Bulbs Included




CF52148-10-MB-LED / 52MBD5BB-MB-LED

Polished Brass Finish
Light Oak / Dark Oak Blades PB-2023-LD
G7746 Clear Ribbed Glass



PRODUCT DIMENSIONS



A: 14" | B: 6-1/2" | C: 11-1/2"

WEIGHT 19.25lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
2624	36	74	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	N/A	11°	2400	4-6.5	80	3000

MONTEGO BAY DELUXE 52"

MODEL FEATURES


52" Blade Span | Frosted Ribbed Glass | 3-Speed Pull Chain
(4) MB A15 LED Bulbs Included



CF52148-30-MB-LED / 52MBD5WH-MB-LED

White Finish
White Blades PB-2023-WH
G7749 Frosted Ribbed Glass

PRODUCT DIMENSIONS



A: 14" | B: 6-1/2" | C: 11-1/2"

WEIGHT 19.25lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
2624	36	74	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	N/A	11°	2400	4-6.5	80	3000



HUGGER

HUGGER 52"

MODEL FEATURES

52" Blade Span | 3-Speed Pull Chain



CF52142-30 / 52HUG5WH

White Finish

White Blades PB-2023-WH




CF52142-10 / 52HUG5BB

Polished Brass Finish

Light Oak / Dark Oak Blades PB-2023-LD



PRODUCT DIMENSIONS



A: 8" | B: 6-1/5" | C: 11"

WEIGHT 14.88lbs

ENERGYGUIDE (Excluding Lights)

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
2628	36	72	\$10

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
N/A	N/A	12°	N/A	N/A	N/A	N/A

HUGGER SCHOOLHOUSE 52"

MODEL FEATURES


52" Blade Span | Schoolhouse Glass | 3-Speed Pull Chain
(1) MB A19 LED Bulb Included



CF52139-30-MB-LED / 52HUG5WH-YG8-MB-LED

White Finish
White Blades PB-2222-WH
G-8 Schoolhouse Glass

PRODUCT DIMENSIONS



A: 14" | B: 5" | C: 11"

WEIGHT 14.52lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
2632	37	72	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	N/A	12°	800	1-9.5	80	3000

HUGGER SCHOOLHOUSE 42"

MODEL FEATURES

42" Blade Span | Schoolhouse Glass | 3-Speed Pull Chain
(1) MB A19 LED Bulb Included



CF42839-30-MB-LED / 42HUG4WH-YG6-MB-LED

White Finish
White Blades / Natural Oak PB-2223-WHN
G530-1 Schoolhouse Glass




CF42839-10-MB-LED / 42HUG4BB-YG6-MB-LED

Polished Brass Finish
Light Oak / Dark Oak Blades PB-2223-LD
G530-1 Schoolhouse Glass



PRODUCT DIMENSIONS



A: 12" | B: 6-1/8" | C: 8-3/4"

WEIGHT 10.56lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
1547	25	63	\$7

Dimming Light	Downrod Length	Blade Pitch	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	N/A	12°	800	1-9.5	80	3000

HUGGER BULLET LIGHT KIT 42"

MODEL FEATURES

42" Blade Span | Bullet Light Kit | 3-Speed Pull Chain
(4) MB A15 LED Bulbs Included




CF42837-30-MB-LED / 42HUG4WH-Y408-MB-LED

White Finish

White Blades PB-2223-WHW

PRODUCT DIMENSIONS



A: 14" | B: 6-1/8" | C: 8-3/4"

WEIGHT 10.56lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
1542	25	61	\$7			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	N/A	12°	2400	4-6.5	80	3000





HOME AIR

HOME AIR 52"

MODEL FEATURES


52" Blade Span | Frosted Ribbed Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A15 LED Bulbs Included



CF52848-30-MB-LED / 52HA5WH-MB-LED

White Finish
White Blades PB-2222-WH
G7745/G-005 Frosted Ribbed Glass

PRODUCT DIMENSIONS



A: 19-1/2" | **B:** 9-7/8" | **C:** 11"
WEIGHT 19.36lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
3180	63	87	\$10			
Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	13°	1800	3-6.5	80	3000

HOME AIR 52"

MODEL FEATURES

52" Blade Span | Frosted Scallop Glass | 3-Speed Pull Chain
4-1/2" Downrod | (3) MB A15 LED Bulbs Included




CF52848-53-MB-LED / 52HA5SN-MB-LED

Satin Nickel Finish
Rosewood / Silver Oak Blades PB-2222-SO/RW
G7747 Frosted Scallop Glass



PRODUCT DIMENSIONS



A: 19-1/2" | **B:** 9-7/8" | **C:** 11"

WEIGHT 19.36lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost
3180	63	87	\$10

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	4-1/2"	13°	1800	3-6.5	80	3000



ROSEMOUNT

ROSEMOUNT 52"


MODEL FEATURES

52" Blade Span | White Alabaster Glass | 3-Speed Pull Chain
(3) MB A15 LED Bulbs Included




CF52147-53-MB-LED / 52RO5SN-MB-LED

Satin Nickel Finish
Rosewood / Nude Maple Blades PB-2023-RW/NM
G7772 White Alabaster Glass



PRODUCT DIMENSIONS



A: 14" | B: 6-1/2" | C: 52"

WEIGHT 19.25lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
2748	36	74	\$10			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	N/A	12°	1800	3-6.5	80	3000

ROSEMOUNT 42"

MODEL FEATURES

42" Blade Span | White Alabaster Glass | 3-Speed Pull Chain
(3) MB A15 LED Bulbs Included




CF42147-53-MB-LED / 42RO5SN-MB-LED

Satin Nickel Finish
Rosewood / Nude Maple Blades PB-2042-RW/NM
G7772 White Alabaster Glass



PRODUCT DIMENSIONS



A: 14" | **B:** 6-1/2" | **C:** 11-1/2"

WEIGHT 16.6lbs

ENERGYGUIDE (Excluding Lights)

LED

All estimates based on typical use. Based on 12 cents per kWh and 6.4 hours use per day. Your cost depends on rate and use. The higher the airflow, the more air the fan will move. Testing for EnergyGuide data shown was performed with the supplied downrod.

Airflow (CFM)	Energy Use (Watts)	Airflow Efficiency (CFM per Watt)	Estimated Yearly Energy Cost			
2140	25	61	\$7			

Dimming Light	Downrod Length	Blade Pitch	Downlight Specifications			
			Lumens	Watts	CRI	CCT (K)
Y	N/A	12°	1800	3-6.5	80	3000



ACCESSORIES



3-Speed Wall Control
PD-009



3-Speed Wall Control
PD-004



4-Speed Wall Control
SW46W
SW46LA



4-Speed Wall Control
SW90LA
SW90W



3-Speed Wall Control
SW93



4-Speed Wall Control
SW96


ITEM	CONTROLS	INSTALLATIONS	FEATURES
PD-009	3 Speed Push Button & Light Kit On/Off or Optional Dimming	2 Wire & Ground Installation	Intelligent Remote / 65,000 Code Combination for Multifamily Applications
PD-004	3 Speed Slide Bar & On/Off	3 Wire & Ground Installation	HI-MED-LOW-OFF / 120VAC / 60Hz / Capacitor 6+6UF
SW46W	4-Speed Slide Control - White	2 Wire Installation	Fan Control Only / 120VAC / 60Hz / 1.2 Amps Maximum Installs Easily (In new Installation & Premounted Fan) Includes Decorative Faceplate
SW46LA	4-Speed Slide Control - Almond	2 Wire Installation	Fan Control Only / 120VAC / 60Hz / 1.2 Amps Maximum Installs Easily (In new Installation & Premounted Fan) Includes Decorative Faceplate
SW90LA	4-Speed Slide Control - Almond	3 Wire Installation	Fan & Light Control / Includes Decorative Face Plate 1.25 AMPS Fan Load / 120VAC / 60Hz Continuous Light Dimming (300W Light Load Maximum)
SW90W	4-Speed Slide Control - White	3 Wire Installation	Fan & Light Control / Includes Decorative Face Plate 1.25 AMPS Fan Load / 120VAC / 60Hz Continuous Light Dimming (300W Light Load Maximum)
SW93	Multi-Fan 3-Speed Fan Control	2 Wire Installation	Fan Control Only / 3Amps Max / 120VAC / 60Hz Includes White and Almond Knobs / Faceplate Not Included
SW96	Multi-Fan 4-Speed Wall Control	2 Wire Installation	Includes White and Almond Knobs / Faceplate Not Included 5Amps Max / 120VAC / 60Hz



3-Speed Remote
RM-103-S / D4155



3-Speed Remote
RM-101-S / D4152



Remote and Wall Control Kit
RM-08
Includes:

ITEM	CONTROLS
A	Pig Tail Reversible Gut
B	RM-07-B Receiver
C	RM-08-A Remote Transmitter
D	Pig Tail 4.0F/350VAC*1 Capacitor
E	PD-011 Wall Transmitter Includes WH/IV Wall Plate & IV Face
F	Pig Tail 4.5UF/350VAC*1 Capacitor
G	Pig Tail for Fans with Both Up Light and Center Light

ITEM	CONTROLS	FEATURES
RM-103-S / D4155	3 Speed Forward Direction & Master On/Off Button for Non-Dimming Fluorescent Light Kits	No Reverse Function / Does Not Need Receiver Shell / Includes Transmitter and Receiver / Not compatible with Any Fans Installed Outdoors / Not Compatible with Fans Equipped with Uplight Feature
RM-101-S / D4152	3 Speed Forward Direction & Master On/Off Button for Motors Smaller than 188mm x 15mm	No Reverse Function / Does Not Need Receiver Shell / Includes Transmitter and Receiver / Not compatible with Any Fans Installed Outdoors / Not Compatible with Fans Equipped with Uplight Feature
RM-08	N/A	Includes All Parts Pictured: Receiver Gut (A) / Receiver (B) / Remote Transmitter (C) M41 (D) / Wall Transmitter (E) / M45 (F) / Pig Tail for Fans with Both Up Light and Center Light (G) & WH/IV Wall Plate and IV Face Plate
RM-08-A	N/A	Remote Transmitter (C)
RM-07-B	N/A	Receiver Gut (A) / Receiver (B) / M41 (D) / M45 (F)
RM-08-R	N/A	Remote Control Set: Receiver Gut (A) / Receiver (B) / Remote Transmitter (C) M41 (D) / M45 (F) / Pig Tail for Fans with Both Up Light and Center Light (G)
RM-08-W	N/A	Remote Control Set: Receiver Gut (A) / Receiver (B) / M41 (D) / Wall Transmitter (E) M45 (F) / Pig Tail for Fans with Both Up Light and Center Light (G) & WH/IV Wall Plate and IV Face Plate




White Swirl Glass
G-086 / G4919



Clear Glass
G-216 / G7746



Light Kit
**Y-262A-S-WH-MB-LED
F7765-30-MB-LED**



Light Kit
**Y-260A-S-ST-MB-LED
Y-260A-S-WH-MB-LED**



Light Kit
**Y-263A-SN-MB-LED / F7761-53-MB-LED
Y-263A-WH-MB-LED / F7761-30-MB-LED**



Light Kit
**Y-308A-S-WH-MB-LED
F7783-30-MB-LED**



52" Nautika Fan Light Kit
**PA-210A-S-ORB-MB-LED / F7706-43-MB-LED
PA-210A-S-SN-MB-LED / F7706-53-MB-LED**



Light Kit w/ Pull Chain
**PA-211A-S-WH / F7708-30
PA-211A-S-ORB / F7708-43**



52" Fernleaf Breeze Light Kit
PA-017-S-RI-MB-LED

● Featured Finish ● 

ITEM		DIMS.	WATTAGE	GLASS	FINISH
G-086 / G4919		5"W x 4-7/8"H	N/A	White Swirl	N/A
G-216 / G7746		4-1/8"W x 4-7/8"H	N/A	Clear	N/A
Y-262A-S-WH-MB-LED / F7765-30-MB-LED	●	11"D x 4-1/2"H	2-9W/120V/3000K/810Lm/CRI 90/ MB LED A19 JA8 Bulbs Included	Frosted	White
Y-260A-S-ST-MB-LED	●	11"D x 3-1/2"H	2-9W/120V/3000K/810Lm/CRI 80/ MB LED A19 JA8 Bulbs Included	Faux Alabaster	● Stainless Steel
Y-260A-S-WH-MB-LED	●	11"D x 3-1/2"H	2-9W/120V/3000K/810Lm/CRI 80/ MB LED A19 JA8 Bulbs Included	Faux Alabaster	White
Y-263A-SN-MB-LED / F7761-53-MB-LED	●	11"D x 4-1/2"H	2-9W/120V/3000K/810Lm/CRI 90/ MB LED A19 JA8 Bulbs Included	Faux Alabaster	● Satin Nickel
Y-263A-WH-MB-LED / F7761-30-MB-LED	●	11"D x 4-1/2"H	2-9W/120V/3000K/810Lm/CRI 90/ MB LED A19 JA8 Bulbs Included	Faux Alabaster	White
Y-308A-S-WH-MB-LED / F7783-30-MB-LED	●	16"D x 6"H	3-9W/120V/3000K/810Lm/CRI 90/ MB LED A19 JA8 Bulbs Included	N/A	White
PA-210A-S-ORB-MB-LED / F7706-43-MB-LED	●	12"D x 5-1/2"H	2-9W/120V/3000K/810Lm/CRI 90/ MB LED A19 JA8 Bulbs Included	Faux Alabaster	● Oil Rubbed Bronze
PA-210A-S-SN-MB-LED / F7706-53-MB-LED	●	12"D x 5-1/2"H	2-9W/120V/3000K/810Lm/CRI 90/ MB LED A19 JA8 Bulbs Included / Wet	Faux Alabaster	Satin Nickel
PA-211A-S-WH / F7708-30		10-1/2"D x 5"H	2-13W/120V/3000K MB CFL Spiral Bulbs Included / Wet	Satin Opal	● White
PA-211A-S-ORB / F7708-43		10-1/2"D x 5"H	2-13W/120V/3000K MB CFL Spiral Bulbs Included / Wet	Satin Opal	Oil Rubbed Bronze
PA-017-S-RI-MB-LED	●	8-1/4"D x 6-1/4"H	9W/120V/3000K/810Lm/CRI 90/ MB LED A19 JA8 Bulbs Included / Damp		Rustic Iron



Light Kit
YG-9CG-S-BB-MB-LED / F7723-10-MB-LED
 YG-9CG-S-WH-MB-LED / F7723-30-MB-LED



Light Kit
Y-386A-S-SN-MB-LED / F7772-53-MB-LED
 Y-386A-S-WH-MB-LED / F7772-30-MB-LED



Light Kit
Y-261A-S-03-MB-ES-LED
F7768-03-MB-ES-LED



Light Kit
Y-261A-S-03-MB-ES-LED-1
F7768-03-MB-ES-LED-1

● Featured Finish

ITEM		DIMS.	WATTAGE	GLASS	FINISH
YG-9CG-S-BB-MB-LED / F7723-10-MB-LED	●	9"D x 7"H x 4" Fitter	1-9W/120V/3000K/810Lm/CRI 90/ MB LED A19 JA8 Bulb Included	White	● Polished Brass
YG-9CG-S-WH-MB-LED / F7723-30-MB-LED	●	9"D x 7"H x 4" Fitter	1-9W/120V/3000K/810Lm/CRI 90/ MB LED A19 JA8 Bulb Included	White	White
Y-261A-S-03-MB-ES-LED / F7768-03-MB-ES-LED	●	12-3/4"D x 7-1/8"H	2-9W/120V/3000K/810Lm/CRI 90/ MB LED A19 ES Bulbs Included	Faux Alabaster	Stainless Steel Oil Rubbed Bronze Satin Nickel White Caps & Finials
Y-261A-S-03-MB-ES-LED-1 / F7768-03-MB-ES-LED-1	●	12-3/4"D x 6-1/2"H	2-9W/120V/3000K/810Lm/CRI 90/ MB LED A19 JA8 ES Bulbs Included	Faux Alabaster	White and Dark Wood White Caps & Finials
Y-386A-S-SN-MB-LED / F7772-53-MB-LED	●	13"D x 6-5/8"H x 2-1/4" Fitter	3-9W/120V/3000K/810Lm/CRI 90/ LED MB LED A19 JA8 Bulbs Included	Faux Alabaster	● Satin Nickel
Y-386A-S-WH-MB-LED / F7772-30MB-LED	●	13"D x 6-5/8"H x 2-1/4" Fitter	3-9W/120V/3000K/810Lm/CRI 90/ LED MB LED A19 JA8 Bulbs Included	Faux Alabaster	White



Light Kit Part
Y-202S-WH / G52878



45° Ceiling Adapter
45AD-SN
45AD-WH



Flush Mount Kits
PS-3022-ST
PS-3022-WH
PS-3022-SN



250' Beaded Chain
PSB-1001-BB
PSB-1001-CH
PSB-1001-AB



Universal Coupler
DR-1000-ST

ITEM	DESCRIPTION	FINISH
Y-202S-WH / G52878	Faux Alabaster / Order only with Y-2001-S Fitter	N/A
45AD-SN	Includes Canopy, Mounting Brackets, Rubber Pads, and Mounting Screws	Satin Nickel
45AD-WH	Includes Canopy, Mounting Brackets, Rubber Pads, and Mounting Screws	White
PS-3022-ST	Includes Canopy, Mounting Brackets, Rubber Pads, and Mounting Screws, Fits Most Fans	Stainless Steel
PS-3022-WH	Includes Canopy, Mounting Brackets, Rubber Pads, and Mounting Screws, Fits Most Fans	White
PS-3022-SN	Includes Canopy, Mounting Brackets, Rubber Pads, and Mounting Screws, Fits Most Fans	Satin Nickel
PSB-1001-BB	Beaded Chain Size #6 / 250' per roll	Polished Brass
PSB-1001-CH	Beaded Chain Size #6 / 250' per roll	Chrome
PSB-1001-AB	Beaded Chain Size #6 / 250' per roll	Antique Brass
DR-1000-ST	Universal Coupler	Stainless Steel



Oil Rubbed Bronze (-ORB) **Rustic Iron (-RI)** **White (-WH)** **Satin Nickel (-SN)** **Stainless Steel (-ST)** **Barbeque Black (-BQ)**

Down Rods (3/4" D)


12", 18", 24", 36", 48", 60", 72" lengths

Matching finishes for ceiling fans. Threaded and drilled on both ends.

ITEM	DESCRIPTION	FINISH
DR-12-BQ	3/4IN X 12IN DOWN ROD BQ	Barbeque Black
DR-18-BQ	3/4IN X 18IN DOWN ROD BQ	Barbeque Black
DR-24-BQ	3/4IN X 24IN DOWN ROD BQ	Barbeque Black
DR-36-BQ	3/4IN X 36IN DOWN ROD 3/4 BQ	Barbeque Black
DR-48-BQ	3/4IN X 48IN DOWN ROD BQ	Barbeque Black
DR-60-BQ	3/4IN X 60IN DOWN ROD BQ	Barbeque Black
DR-72-BQ	3/4IN X 72IN DOWN ROD BQ	Barbeque Black
DR-12-ORB / DR12-43	3/4INX12IN DOWN ROD ORB	Oil Rubbed Bronze
DR-18-ORB / DR18-43	3/4IN X 18IN DOWN ROD ORB	Oil Rubbed Bronze
DR-24-ORB / DR24-43	3/4IN X 24IN DOWN ROD ORB	Oil Rubbed Bronze
DR-36-ORB / DR36-43	3/4IN X 36IN DOWN ROD ORB	Oil Rubbed Bronze
DR-48-ORB / DR48-43	3/4IN X 48IN DOWN ROD ORB	Oil Rubbed Bronze
DR-72-ORB / DR72-43	3/4IN X 72IN DOWN ROD ORB	Oil Rubbed Bronze
DR-12-RI	3/4IN X 12 INCH DOWN ROD RI	Rustic Iron
DR-18-RI	3/4IN X 18 INCH DOWN ROD RI	Rustic Iron
DR-24-RI	3/4IN X 24 INCH DOWN ROD RI	Rustic Iron
DR-12-SN / DR12-53	3/4IN X 12IN DOWN ROD SN	Satin Nickel
DR-18-SN / DR18-53	3/4IN X 18IN DOWN ROD SN	Satin Nickel
DR-24-SN / DR24-53	3/4IN X 24IN DOWN ROD SN	Satin Nickel
DR-36-SN / DR36-53	3/4IN X 36IN DOWN ROD SN	Satin Nickel
DR-48-SN / DR48-53	3/4IN X 48IN DOWN ROD SN	Satin Nickel
DR-60-SN / DR60-53	3/4IN X 60IN DOWN ROD SN	Satin Nickel
DR-72-SN / DR72-53	3/4IN X 72IN DOWN ROD SN	Satin Nickel
DR-12-ST / DR12-50	3/4IN X 12IN DOWN ROD ST	Stainless Steel
DR-18-ST / DR18-50	3/4IN X 18IN DOWN ROD ST	Stainless Steel
DR-24-ST / DR24-50	3/4IN X 24IN DOWN ROD ST	Stainless Steel
DR-36-ST / DR36-50	3/4IN X 36IN DOWN ROD ST	Stainless Steel
DR-48-ST / DR36-50	3/4IN X 48IN DOWN ROD ST	Stainless Steel
DR-72-ST / DR72-50	3/4IN X 72IN DOWN ROD ST	Stainless Steel
DR-36-WH	3/4IN X 36IN DOWN ROD WH	White


SUPPORT ROD LENGTHS GUIDE

The following chart will help in choosing the correct support rod length when installing a ceiling fan in rooms with different ceiling heights. Couplers are also available to create lengths different from the standard lengths stocked.



CONCORD FAN FEATURES

MOTORS



CONCORD MOTOR

The key to the life expectancy of a fan lies in its motor. Concord has spent years redesigning and refining our motors to produce the quietest, coolest running motors in the industry. Heat is the biggest enemy of a ceiling fan motor. Our motors are specially designed and sized to match the sweep and pitch of each fan, insuring a low heat operating environment within the unit. Highest quality components namely, H-60 grade silicon steel, heavy gauge copper wire and finest fiberglass insulation are a few of the other reasons a Concord motor is a "cool" motor. Pure aluminum die cast rotors are machined to tolerances thinner than a human hair. Two piece motor and rotor housings insure true Micro-Balanced operation. Constant magnetic flow is insured with vacuum dipped, lacquered stators. Factory lubricated and permanently sealed precision NTN ball bearings installed with bearing retainers provide years of silent, maintenance free use. Finally, our motor housings are stamped, lathed and instrument matched to insure a perfect fit between the various pieces and triple plated and double lacquered to provide for lasting beauty. And, Concord motors receive a 100% Quality Control inspection twice during production plus several more post-production Q.C. inspections.

MOTOR COUPLER

This unique design not only adds decorative qualities to our fans, but this standard feature insures safety and stability to the fan with double threads, double safety pin and set screws. Color is always matched to the fan finish.

MOTOR SHIPPING BLOCK

Factory installed motor shipping blocks protect motors during transit.

TURBO 212 MOTOR

The Turbo 212 is our largest motor with a 212 mm overall diameter. Powerful, yet energy efficient. Huge, double sealed bearings provide stability and balance. 50CS1300 grade of silicon steel on the motor stator insures the highest performance.

QUADRUPLE LOCKING SYSTEM

Double threaded downrod, safety cross screw, set screw, safety cotter pin.

80" LEAD WIRES

Our 80" lead wire is designed with a special outer insulation to withstand cuts and nicks plus temperatures up to 105° Celsius. The extra length allows for installation of ceiling fans on support rods of up to 72" in length without wire splicing.



BLDC - BRUSHLESS MOTOR

Our DC motor uses computer technology to create multiple speeds, cooler operating temperatures, noise reduction, and 65% energy savings over traditional fan motors.



WARRANTY

All Concord motors are covered by a limited LIFETIME warranty. All other components of our fans, plus light kits and electronics are covered by a 1 year warranty.



UL / ETL APPROVED

All fans and light kits meet approval standards to be Underwriter's Laboratory (UL) listed or ETL Listed

LIGHTING

LIGHT FIXTURE GLASS HOLDERS

Threaded grommets in each light fixture glass holder guarantees a secure grip on the glass globe. These grommets will not strip out like the type normally found in the industry.

LIGHT KIT ADAPTABLE

All fans, with exception of the Nautika, are fully light kit adaptable. The detachable switch housing unit makes adding a light kit a quick and easy installation.

LIGHT KIT ADAPTABLE

All fans, with exception of the Nautika, are fully light kit adaptable. The detachable switch housing unit makes adding a light kit a quick and easy installation.

CONTROLS

NOISE FREE SPEED CONTROL METHOD

Concord uses precisely manufactured triple capacitors with Underwriter's Laboratory (U.L.) tested and approved quality to insure and guarantee all fans not to hum or buzz.

4 WAY UPLIGHT SWITCH

Provides: HI - MED - LOW - OFF operation.

DETACHABLE SWITCH HOUSING

Our switch housings are pre-wired with Molex plug-in connectors, providing ease of installation and swift handling of potential problem areas. It also allows for quick and easy addition of remote and/or wall control operation system.

3 SPEED & REVERSIBLE

All Concord fans come equipped with three speeds - high, medium, low. And all of our fans are reversible to provide re-circulation of warm air trapped at the ceiling level during the winter season.

SPEED SWITCH


Concord Speed Switches come standard with a dual brass coupling to eliminate breakage of switch due to repeated use.

REMOTE CONTROL COMPATIBLE

All Concord fans are remote control compatible. Some models come with remote controls included..

ENERGY SAVINGS WITH THE ADDITION OF A CEILING FAN


The addition of a ceiling fan can have a positive impact on your heating and cooling energy uses. In the summer, a room with a ceiling fan can have the temperature set to 74° and still feel the same as a room without a ceiling fan set at 70°. Alternatively, a room can be set to 68° in the winter and also feel like 70° in the winter, saving you money.



COUNTER-CLOCKWISE BLADE ROTATION

Summer

Ceiling fans create a wind chill effect that can make you feel cooler, allowing you to raise your thermostat setting by 4°, resulting in a reduction of overall usage costs.




CLOCKWISE BLADE ROTATION

Winter


Setting a ceiling fan to rotate clockwise at a low speed during the winter will also create energy savings. This warms the entire room by mixing the warm air sitting at the ceiling with the cooler air at the bottom of the room.

BASIC MEASUREMENTS FOR CONCORD CEILING FANS


The following guide will help in choosing the correct type of ceiling fan or the possible addition of an adapter kit for the installation location you have in mind. These measurements are from the ceiling to the lowest part of the fan (without light fixture).



SUPPORT ROD TYPE




FLUSHMOUNT TYPE




HUGGER TYPE

THE RIGHT CONCORD FAN FOR YOUR ROOM


All Concord ceiling fans will perform quietly and efficiently in any room size. However, we recommend the following maximum room size. When using a single fan, ceiling fans should be mounted at the center of the room or as close to the center of the room as possible and blade tips should be at least 18" from any wall. For larger rooms, consider using multiple fans to increase effectiveness.




64 SQUARE FEET
24"-30" FANS




100 SQUARE FEET
36"-42" FANS



225 SQUARE FEET
52"-60" FANS



400 SQUARE FEET
70" FANS



225 SQUARE FEET **450 SQUARE FEET**
(4) 36"-42" FANS (3) 36"-42" FANS

NAME	CONCORD ITEM NUMBER	SUNSET ITEM NUMBER	MOTOR (MM)	NUMBER OF POLES	NUMBER OF BLADES	BLADE PART NUMBER	LEAD WIRE SIZE	HANGING SYSTEM	DUAL MOUNT ADAPTER
60" LED Aracruz	60AC	N/A	212x25	16	5	PB-2560	80"	Rod	N
52" LED Aracruz	52AC	N/A	188x15	16	5	PB-1032	80"	Rod	N
52" LED Aero	52AER	CF52474	153X15	16	5	PB-2552	80"	Rod	N
52" LED Arondale	52AR	CF52359	153x18	16	3	PB-13355	80"	Rod	N
52" California Home	52CH	CF52242	173X18	16	5	PB-2222	80"	Dual	Y
52" LED Centurion	52CNT-ES-LED	CF52374-ES-LED	153x18	16	4	PB-2552	80"	Rod	N
52" LED Centurion	52CNT	CF52374	153X18	16	4	PB-2552	80"	Rod	N
52" Fernleaf Breeze	52FEB	N/A	172x17	16	5	PB-5102A	80"	Rod	N
52" Home Air	52HA	CF52848	153x13	16	5	PB-2222	80"	Dual	Y
52" Heritage Design ES	52HD-ES-LED	CF52868-ES-LED	153x16	16	5	PB-2025	80"	Dual	Y
52" LED Heritage Fusion Easy Hang	52HEF-LED-QC	CF52831-LED-QC	153x16	16	5	PB-2036	80"	Dual	Y
52" LED Heritage Fusion	52HEF-ES-LED	CF52832-ES-LED	153x16	16	5	PB-2023	80"	Dual	Y
52" Heritage Fusion	52HEF	CF52831	153x13	16	5	PB-2023	80"	Dual	Y
52" LED Heritage Home Easy Hang	52HEH-LED-QC	CF52836-LED-QC	153x16	16	5	PB-2033	80"	Dual	Y
52" Heritage Home Easy Hang	52HEHZ	CF52883	153x13	16	5	PB-2033	80"	Dual	Y
52" Heritage Home	52HEH	CF52836/ CF52837	153x13	16	5	PB-2023	80"	Dual	Y
42" Heritage Home	42HEH	CF42848	153x10	16	5	PB-2223	80"	Dual	Y
52" LED Heritage Square Easy Hang	N/A	CF52858-LED-QC	153x16	16	5	PB-2033	80"	Dual	Y
52" Heritage Square	52HES	CF52878	153x13	16	5	PB-2023	80"	Dual	Y
42" Heritage Square	42HES	CF42877	153x10	16	4	PB-2223	80"	Dual	Y
52" Hugger	52HUG	CF52142	153x13	16	5	PB-2023	24"	Flush	N
42" Hugger Bullet	42HUG-Y408	CF42837	153x10	16	4	PB-2223	24"	Flush	N
52" Hugger Schoolhouse	52HUG-YG8-GU	CF52139	153x13	16	5	PB-2222	24"	Flush	N
42" Hugger Schoolhouse	42HUG-YG6	CF42839	153x10	16	4	PB-2223	24"	Flush	N
52" Montego Bay Deluxe	52MBD	CF52148	153x13	16	5	PB-2023	24"	Flush	N
52" Ponderosa	52PD	N/A	188x15	16	5	PB-2022	80"	Rod	N
52" Porch	52POR	CF52264	153x13	16	5	PB-1052A	80"	Dual	Y
52" Richmond	52RIC	CF52889	153x13	16	5	PB-2025	80"	Dual	Y
42" Richmond	42RIC	CF42889	153x10	16	5	PB-2034	80"	Dual	Y
52" Rosemount	52RO	CF52147	153x13	16	5	PB-2023	24"	Flush	N

BLADE PITCH	WATTS HIGH LOW	AMP HIGH LOW	RPM HIGH LOW	AIRFLOW	AIRFLOW EFFICIENCY	LIGHTING POWER USAGE	DIM. A	DIM. B	DIM. C
14	96/20	0.82/0.38	160/60	5607	96	16W	16-3/4	14-1/2	17-1/2
14	71/10	0.59/0.22	173/55	3812	91	16W	15	14	15-1/2
12	57/14	0.47/0.24	176/78	3343	92	19W	15-5/6	10-1/3	10-1/4
13	60/11	0.53/0.32	199/60	3206	73	19W	17-4/5	13-3/5	6-4/5
13	61/11	0.51/0.22	181/67	3328	88	N/A	11-1/2	12-3/4	11-3/4
12	74/13	0.62/0.26	171/57	3970	88	19W	15-5/6	10-1/3	10-1/4
12	58/12	0.49/0.22	190/79	3291	89	19W	15-5/6	10-1/3	10-1/4
14	68/11	0.57/0.23	179/58	3247	80	N/A	15-1/2	13-3/4	9-3/4
13	60/11	0.50/0.21	174/70	3180	87	19.5W	19-1/2	9-7/8	11
12	59/11	0.49/0.22	178/67	3555	97	20W	19	10-2/5	11
13	60/10	0.50/0.22	178/67	3265	89	19W	17-1/2	10-2/5	11
13	60/10	0.50/0.22	178/67	3265	89	19W	17-1/2	10-2/5	11
12	60/10	0.47/0.22	171/71	3037	83	19W	17	9-7/8	11
13	59/10	0.49/0.21	190/72	3559	97	28.5W	18-3/10	10-2/5	11
12	60/10	0.49/0.22	177/71	3370	92	19.5W	19-1/2	12-1/8	11
12	57/11	0.48/0.21	159/64	3173	90	19.5W	16-7/8	9-7/8	11
12	43/10	0.37/0.18	200/91	2160	78	19.5W	18-1/2	9-5/8	8-7/8
13	58/11	0.48/0.21	175/66	3400	95	28.5W	19	10-2/5	11
12	60/11	0.5/0.22	168/67	3130	86	19.5W	18-1/8	8-7/8	11
12	44/10	0.38/0.18	214/101	2160	77	13W	18-1/2	9-5/8	8-7/8
12	59/10	0.49/0.21	173/70	2628	72	N/A	8	6-1/5	11
12	38/11	0.33/0.17	192/100	1542	61	26W	14	6-1/8	8-3/4
12	59/11	0.49/0.21	163/65	2632	72	9.5W	14	5	11
12	38/10	0.33/0.17	186/97	1547	63	9.5W	12	6-1/8	8-3/4
11	58/11	0.47/0.21	170/70	2624	74	26W	14	6-1/2	11-1/2
14	64/10	0.53/0.21	180/59	3770	98	N/A	20	16 -3/16	12
12	60/10	0.51/0.22	178/62	2798	75	N/A	12-7/8	9-7/8	11
12	60/11	0.50/0.22	165/69	3007	83	19.5W	16-7/8	9-7/8	11
12	39/11	0.33/0.17	185/93	2058	80	19.5W	16-7/8	9-7/8	8-7/8
12	60/10	0.49/0.21	166/67	2748	75	19.5W	14	6-1/2	11-1/2


NAME	CONCORD ITEM NUMBER	SUNSET ITEM NUMBER	MOTOR (MM)	NUMBER OF POLES	NUMBER OF BLADES	BLADE PART NUMBER	LEAD WIRE SIZE	HANGING SYSTEM	DUAL MOUNT ADAPTER
42" Rosemount	42RO	CF42147	153x13	16	5	PB-2042	24"	Flush	N
52" San Marcos	52SM	CF52838	153x13	16	5	PB-2025	80"	Dual	Y
52" LED Saturn-Ex	52SAX-LED	CF52370- LED	188x15	16	5	PB-2300	80"	Rod	N
52" LED Skylark w/ Pullchain	52SKY-ES- LED	CF52874- ES-LED	153x18	16	3	PB-1030	80"	Dual	Y
52" LED Skylark	52SKY-ES- LED	CF52873- ES-LED	153x18	16	3	PB-1030	80"	Dual	Y
52" Skylark w/ Pullchain	52SKY	CF52874	153x18	16	3	PB-1030	80"	Dual	Y
52" Skylark	52SKY	CF52873	153x18	16	3	PB-1030	80"	Dual	Y
52" Valore	52VALQC	CF52880	153x13	16	5	PB-2033	80"	Rod	N
56" Vento	56VEN	CF56011	155x16	16	5	PB-5605	80"	Rod	N

BLADE PITCH	WATTS HIGH LOW	AMP HIGH LOW	RPM HIGH LOW	AIRFLOW	AIRFLOW EFFICIENCY	LIGHTING POWER USAGE	DIM. A	DIM. B	DIM. C
12	51/12	0.47/0.21	209/95	2140	65	19.5W	14	6-1/2	11-1/2
12	59/10	0.49/0.21	165/67	3012	82	19.5W	16-7/8	9-7/8	11
13	74/13	0.62/0.26	171/57	3970	88	19W	16	9	12-3/4
13	54/12	0.46/0.22	189/81	3790	109	20W	17	12-1/4	10
13	54/12	0.46/0.21	189/81	3790	109	20W	17	12-1/4	10
13	47/14	0.39/0.22	165/83	3088	95	19W	16	11	10
13	47/14	0.39/0.22	165/83	3088	95	19W	16	11	10
12	60/10	0.51/0.22	180/64	3280	88	27W	18-7/8	9-7/8	11
11	35/4.6	0.52/0.09	213/91	5144	221	19W	18-1/2	14-4/5	7


FAN FINISHES




**Barbeque Black
(BQ)**




**Oil Rubbed
Bronze (ORB)**




**Old World
Leather (OWL)**




**Polished Brass
(PB)**



**Rustic Iron
(RI)**



**Satin Nickel
(SN)**




**Stainless Steel
(ST)**




**White
(WH)**


BLADE FINISHES




**Black Forest
(-BF)**




**Barbeque Black
(-BQ)**




Charcoal




**Chrome
(-CH)**




**Dark Oak
(-DO)**




**Dark Walnut
(-DW)**




**Dark Fernleaf
(-DK)**




**Knotty Pine
(-KP)**




**Light Oak
(-LO)**




**Mahogany
(-MH)**




**Natural Oak
(-NO)**



**Nude Maple
(-NM)**




**Oil Rubbed
Bronze (-ORB)**




**Rosewood
(-RW)**




**Silver Oak
(-SR)**



**Wood Grain
Chrome (ABS-CH)**



**Wood Grain
Weathered Bronze
(ABS-WB)**



**Wood Grain
White (ABS-WH)**



**White
(-WH)**

FANS / BLADES CHART

BLADE PART NUMBER	PB-1030	PB-1032	PB-1052A	PB-13355	PB-2010	PB-2022A	PB-2023	PB-2025	PB-2033	PB-2034	PB-2036	PB-2042	PB-2152	PB-2160	PB-2222	PB-2223	PB-2300	PB-2552	PB-2560	PB-4403	PB-5102A	PB-5605
60" LED Aracruz																		X				
52" Vento																					X	
52" LED Aracruz		X																				
52" LED Arondale			X																			
52" California Home														X								
52" LED Centurion																	X					
52" LED Aero																	X					
52" Fernleaf Breeze																				X		
52" Home Air													X									
52" Heritage Design							X															
52" Heritage Fusion Easy Hang										X												
52" Heritage Fusion						X																
52" Heritage Home Easy Hang								X														
52" Heritage Home						X																
52" Heritage Square Easy Hang								X														
52" Heritage Square						X																
52" Hugger						X																
52" Montego Bay Deluxe						X																
52" Ponderosa					X																	
52" Porch		X																				
52" Rosemount						X																
52" San Marcos							X															
52" Saturn-Ex																X						
52" LED Skylark	X																					
52" Skylark	X																					
52" Valore								X														
42" Heritage Home															X							
42" Heritage Square															X							
42" Hugger													X									
42" Rosemount											X											

INDEX

42HEH5SN-MB-LED.....	235
42HEH5WH-MB-LED.....	235
42HES4SN-MB-LED.....	231
42HUG4BB-YG6-MB-LED.....	264
42HUG4WH-Y408-MB-LED.....	265
42HUG4WH-YG6-MB-LED.....	264
42RIC5ST-MB-LED.....	255
42RO5SN-MB-LED.....	272
45AD-SN.....	278
45AD-WH.....	278
52AC5ORB-LED.....	241
52AER5ST-MB-LED.....	208
52AER5ST-MB-LED-WC.....	207
52AR3ST-LED.....	197
52CH5SN.....	251
52CH5WH.....	251
52CNT4BQ-MB-LED.....	205
52CNT4ORB-ES-LED.....	203
52CNT4ST-ES-LED.....	202
52CNT4ST-MB-LED.....	204
52CNT4WH-ES-LED.....	203
52CNT4WH-MB-LED.....	205
52FEB5RI.....	245
52HA5SN-MB-LED.....	269
52HA5WH-MB-LED.....	268
52HD5ST-ES-LED.....	233
52HEF5SN-ES-LED.....	222
52HEF5SN-MB-LED.....	223
52HEF5ST-LED-QC.....	219
52HEF5WH-ES-LED.....	222
52HEF5WH-MB-LED.....	223
52HEH5BB-MB-LED.....	237
52HEH5ORB-ALB-MB-LED.....	236
52HEH5ORB-MB-LED.....	237
52HEH5SN-MB-LED.....	236
52HEH5ST-LED-QC.....	217
52HEH5WH-MB-LED.....	237
52HEHZ5ST-MB-LED.....	218
52HES5ORB-MB-LED.....	229
52HES5ORB-MB-LED-WH.....	230
52HES5SN-MB-LED.....	228
52HES5ST-MB-LED.....	229
52HES5WH-MB-LED.....	229
52HUG5BB.....	262
52HUG5WH.....	262
52HUG5WH-YG8-MB-LED.....	263
52MBD5BB-MB-LED.....	259
52MBD5WH-MB-LED.....	260
52PD5OWL.....	243
52POR5ORB.....	249
52POR5SN.....	248
52POR5WH.....	249
52RIC5ST-MB-LED.....	254
52RO5SN-MB-LED.....	271
52SAX5ST-LED.....	215
52SKY3BQ-PCHN-MB-LED.....	212
52SKY3SN-LED-90CRI.....	211
52SKY3SN-PCHN-ES-LED.....	210
52SKY3SN-PCHN-MB-LED.....	212
52SKY3WH-MB-LED.....	213
52SM5ST-MB-LED.....	257
52VALQC5SN-MB-LED.....	225
52VALQC5WH-MB-LED.....	225
56VEN5SN-DC-LED.....	199
60AC5ORB-LED.....	240

C

CF42147-53-MB-LED.....	272
CF42837-30-MB-LED.....	265
CF42839-10-MB-LED.....	264
CF42839-30-MB-LED.....	264
CF42848-30-MB-LED.....	235
CF42848-53-MB-LED.....	235
CF42877-53-MB-LED.....	231
CF42889-50-MB-LED.....	255
CF52139-30-MB-LED.....	263
CF52142-10.....	262
CF52142-30.....	262
CF52147-53-MB-LED.....	271
CF52148-10-MB-LED.....	259
CF52148-30-MB-LED.....	260
CF52242-30.....	251
CF52242-53.....	251
CF52264-30.....	249
CF52264-43.....	249
CF52264-53.....	248
CF52359-50-LED.....	197
CF52370-50-LED.....	215
CF52374-30-ES-LED.....	203
CF52374-43-ES-LED.....	203
CF52374-50-ES-LED.....	202
CF52374-50-MB-LED.....	204
CF52374-BQ-MB-LED.....	205
CF52474-50-MB-LED.....	208
CF52474-50-MB-LED-WC.....	207
CF52831-30-MB-LED.....	223
CF52831-50-LED-QC.....	219
CF52831-53-MB-LED.....	223
CF52832-30-ES-LED.....	222
CF52832-53-ES-LED.....	222
CF52836-10-MB-LED.....	237
CF52836-30-MB-LED.....	237
CF52836-43-MB-LED.....	237
CF52836-50-LED-QC.....	217
CF52836-53-MB-LED.....	236
CF52837-43-MB-LED.....	236
CF52838-50-MB-LED.....	257
CF52848-30-MB-LED.....	268
CF52848-53-MB-LED.....	269
CF52858-50-LED-QC.....	220
CF52868-50-ES-LED.....	233
CF52873-30-MB-LED.....	213
CF52873-53-LED-90CRI.....	211
CF52874-53-ES-LED.....	210
CF52874-53-MB-LED.....	212
CF52874-BQ-MB-LED.....	212
CF52878-30-MB-LED.....	229
CF52878-43-MB-LED.....	229
CF52878-43-MB-LED-WH.....	230
CF52878-50-MB-LED.....	229
CF52878-53-MB-LED.....	228
CF52880-30-MB-LED.....	225
CF52880-53-MB-LED.....	225
CF52883-50-MB-LED.....	218
CF52889-50-MB-LED.....	254
CF56011-53-DC-LED.....	199

D

DR12-43.....	279
DR12-50.....	279
DR12-53.....	279
DR-12-BQ.....	279

DR-12-ORB.....	279
DR-12-RI.....	279
DR-12-SN.....	279
DR-12-ST.....	279
DR18-43.....	279
DR18-50.....	279
DR18-53.....	279
DR-18-BQ.....	279
DR-18-ORB.....	279
DR-18-RI.....	279
DR-18-SN.....	279
DR-18-ST.....	279
DR24-43.....	279
DR24-50.....	279
DR24-53.....	279
DR-24-BQ.....	279
DR-24-ORB.....	279
DR-24-RI.....	279
DR-24-SN.....	279
DR-24-ST.....	279
DR36-43.....	279
DR36-50.....	279
DR36-53.....	279
DR-36-BQ.....	279
DR-36-ORB.....	279
DR-36-SN.....	279
DR-36-ST.....	279
DR-36-WH.....	279
DR48-43.....	279
DR48-53.....	279
DR-48-BQ.....	279
DR-48-ORB.....	279
DR-48-SN.....	279
DR-48-ST.....	279
DR60-53.....	279
DR-60-BQ.....	279
DR-60-SN.....	279
DR72-43.....	279
DR72-50.....	279
DR72-53.....	279
DR-72-BQ.....	279
DR-72-ORB.....	279
DR-72-SN.....	279
DR-72-ST.....	279

F

F1018-53.....	83
F1028-53.....	83
F2060-30.....	145
F2061-30.....	145
F2062-30.....	145
F2075-30.....	145
F2201-10.....	157
F2201-53.....	157
F2202-10.....	157
F2203-30.....	157
F2203-53.....	157
F2204-30.....	157
F2204-53.....	157
F2213-53.....	157
F2213-62.....	157
F2252-10.....	147
F2252-15.....	147
F2252-53.....	147
F2253-10.....	147
F2253-15.....	147
F2253-30.....	147
F2253-53.....	147


F2254-15	147	F2992-80	171	F3459-31	83
F2255-15	147	F2992-80-LED	170	F3459-80	83
F2255-53	147	F3121-80	94, 133	F3512-80	150
F2256-15	147	F3121-80-LED	94, 133	F3513-30	78
F2291-80	94, 135	F3122-80	133	F3513-31	78
F2291-80-LED-JA8	94, 135	F3122-80-LED	133	F3514-80	150
F2295-80-LED-JA8	135	F3123-80	133	F3515-80	78
F2297-80	135	F3123-80-LED	133	F3540-15	146
F2297-80-LED-JA8	135	F3124-80	133	F3540-53	146
F2299-80	135	F3124-80-LED	133	F3542-10	146
F2299-80-LED-JA8	135	F3151-64	91, 129	F3542-15	146
F2400-31	184	F3151-80	91, 129	F3542-53	146
F2402-31	184	F3152-64	129	F3543-53	146
F2483-53	71	F3152-80	129	F3544-15	146
F2485-53	67	F3153-64	129	F3544-53	146
F2501-80	92, 138	F3153-80	129	F3561-53	92, 141
F2502-80	138	F3154-64	129	F3562-53	141
F2503-80	138	F3154-80	129	F3563-53	141
F2504-80	138	F3163-44	143	F3564-53	141
F2531-31	136	F3164-44	143	F3565-53	141
F2531-80	93, 136	F3170-80	83	F3566-53	141
F2531-80-LED	93, 136	F3190-64	82	F3571-53	92, 142
F2532-31	136	F3191-64	91, 130	F3573-53	142
F2532-80	136	F3191-80	91, 130	F3574-53	142
F2532-80-LED	136	F3192-64	130	F3575-53	142
F2533-31	136	F3192-80	130	F3592-31	75
F2533-80	136	F3193-64	130	F3615-80	75
F2533-80-LED	136	F3193-80	130	F3621-15	91, 137
F2534-31	136	F3194-64	130	F3621-53	91, 137
F2534-80	136	F3194-80	130	F3622-44	137
F2534-80-LED	136	F3276-15	153	F3622-53	137
F2801-80	132	F3276-30	153	F3623-15	137
F2802-80	132	F3277-15	153	F3623-44	137
F2803-80	132	F3277-30	153	F3623-53	137
F2804-80	132	F3278-30	153	F3624-15	137
F2811-80	91, 131	F3282-30	159	F3624-44	137
F2812-80	131	F3282-53	159	F3624-53	137
F2813-80	131	F3282-53-1-LED	156	F3643-80	143
F2814-80	131	F3283-53	156	F3644-80	143
F2830-10	92	F3283-53-1-LED	156	F3652-15	140
F2861-64	134	F3283-62	156	F3652-80	140
F2861-80	134	F3284-10	159	F3653-15	140
F2861-80-LED-JA8	134	F3284-30	159	F3653-80	140
F2862-80	134	F3284-53	159	F3654-15	140
F2862-80-LED-JA8	134	F3284-53-1-LED	156	F3654-80	140
F2863-64	134	F3285-53	159	F3681-15	91, 139
F2863-80	134	F3285-62	159	F3681-31	139
F2863-80-LED-JA8	134	F3286-30	159	F3681-53	91, 139
F2864-80	134	F3331-53	92	F3682-31	139
F2864-80-LED-JA8	134	F3332-53	94	F3682-44	139
F2916-30	171	F3333-53	94	F3682-53	139
F2916-80	171	F3401-30	78	F3683-15	139
F2958-80	171	F3401-31	78	F3683-31	139
F2960-80	171	F3402-30	78	F3683-44	139
F2963-80	171	F3402-31	78	F3683-53	139
F2967-80	171	F3403-30	78	F3684-15	139
F2981-80	170	F3403-31	78	F3684-31	139
F2982-80	170	F3415-53	75	F3684-44	139
F2984-80	170	F3417-64	73	F3684-53	139
F2984-80-LED	170	F3418-64	73	F3711-31	75
F2985-80	170	F3419-64	73	F3712-64	73
F2987-80	170	F3421-64	74	F3716-64	73
F2987-80-LED	170	F3423-64	74	F3720-64	73
F2988-80	171	F3426-64	74	F3962-30	159
F2990-80	171	F3429-64	74	F4307-31	179
F2990-80-LED	170	F3450-53	83	F4308-31	179
F2991-80	171	F3455-31	82	F4309-31	179
F2991-80-LED	170	F3455-80	82	F4310-31	178

F4343-31.....	185	F6873-31.....	112	F7288-53.....	153
F4344-31.....	181	F6874-31.....	112	F7289-53.....	153
F4345-31.....	181	F6884-31.....	183	F7291-53.....	153
F4380-31.....	182	F6891-31.....	175	F7293-53.....	153
F4511-16.....	178	F6891-44.....	175	F7297-80.....	153
F4511-31.....	178	F6891-58.....	175	F7298-80.....	153
F4512-31.....	179	F6892-31.....	175	F7299-80.....	150
F4514-31.....	76	F6892-44.....	175	F7416-66-3.....	187
F4514-80.....	76	F6892-58.....	175	F7418-66-3.....	187
F4600-31.....	178	F6901-31.....	174	F7419-66.....	186
F4601-31.....	180	F6901-31-LED.....	174	F7420-66-1.....	187
F4617-31.....	179	F6901-44.....	174	F7421-66.....	186
F4631-31-LED.....	177	F6901-44-LED.....	174	F7424-66-1.....	187
F4635-31-LED.....	177	F6901-58.....	174	F7500-10.....	154
F4639-31-LED.....	181	F6901-58-LED.....	174	F7500-30.....	154
F5161-54.....	77	F6902-31.....	174	F7500-53.....	154
F5161-62.....	77	F6902-31-LED.....	174	F7501-49-4K.....	186
F5165-54.....	68	F6902-44.....	174	F7501-49-5K.....	186
F5433-53.....	77	F6902-44-LED.....	174	F7502-10.....	154
F5453-53.....	71	F6902-58.....	174	F7502-53.....	154
F5455-53.....	67	F6902-58-LED.....	174	F7503-49-4K.....	186
F5503-53.....	71	F6903-31-LED.....	79, 175	F7503-49-5K.....	186
F5504-53.....	71	F6903-44-LED.....	79, 175	F7505-49-4K.....	186
F6101-64.....	93, 115	F6903-58-LED.....	79, 175	F7505-49-5K.....	186
F6101-80.....	93, 115	F6978-10.....	78	F7508-30.....	154
F6102-64.....	115	F6978-53.....	78	F7508-53.....	154
F6102-80.....	115	F7100-53.....	154	F7510-30.....	154
F6103-64.....	115	F7100-62.....	154	F7516-66-PC.....	188
F6103-80.....	115	F7102-53.....	154	F7517-66-PC.....	188
F6104-64.....	115	F7132-53.....	152	F7518-66-PC.....	188
F6104-80.....	115	F7134-53.....	152	F7531-23.....	88, 109
F6108-10.....	156	F7162-30.....	155	F7532-23.....	109
F6108-30.....	156	F7162-53.....	155	F7533-23.....	109
F6108-53.....	156	F7164-53.....	155	F7534-23.....	109
F6313-53.....	68	F7166-53.....	155	F7630-53.....	155
F6315-53.....	68	F7171-53.....	152	F7630-53-LED.....	152
F6316-53.....	68	F7171-53-LED.....	152	F7630-62.....	155
F6341-53.....	92	F7172-53.....	152	F7632-53.....	155
F6341-62.....	92	F7172-53-LED.....	152	F7632-53-LED.....	152
F6345-53.....	68	F7173-53.....	152	F7632-62.....	155
F6345-62.....	68	F7174-53.....	152	F7634-53.....	155
F6351-53.....	77	F7175-30-1-LED.....	150	F7634-62.....	155
F6401-80.....	93, 116	F7175-53.....	150	F7640-53.....	155
F6402-80.....	116	F7175-53-1-LED.....	150	F7642-53.....	155
F6403-80.....	116	F7175-62.....	150	F7642-64.....	155
F6404-80.....	116	F7176-53.....	152	F7644-53.....	155
F6501-31.....	88, 102	F7179-53.....	152	F7644-64.....	155
F6502-31.....	102	F7201-30.....	188	F7676-53.....	77
F6503-31.....	102	F7201-30-LED.....	184	F7678-53.....	77
F6504-31.....	102	F7204-30.....	188	F7678-62.....	77
F6511-80.....	88, 102	F7204-30-LED.....	188	F7679-53.....	77
F6512-80.....	102	F7204-30-LED-WHL.....	188	F7706-43-MB-LED.....	276
F6513-80.....	102	F7211-30.....	188	F7706-53-MB-LED.....	276
F6514-80.....	102	F7211-30-LED.....	188	F7723-10-MB-LED.....	277
F6601-31.....	88, 101	F7216-23.....	85	F7723-30-MB-LED.....	277
F6602-31.....	101	F7216-24.....	85	F7761-30-MB-LED.....	276
F6603-31.....	101	F7216-31.....	85	F7761-53-MB-LED.....	276
F6604-31.....	101	F7218-23.....	85	F7765-30-MB-LED.....	276
F6611-80.....	88, 101	F7218-24.....	85	F7768-03-MB-ES-LED.....	277
F6612-80.....	101	F7218-31.....	85	F7768-03-MB-ES-LED-1.....	277
F6613-80.....	101	F7221-80.....	89, 110	F7772-30-MB-LED.....	277
F6614-80.....	101	F7222-80.....	110	F7772-53-MB-LED.....	277
F6840-10.....	183	F7223-80.....	110	F7783-30-MB-LED.....	276
F6840-53.....	183	F7224-80.....	110	F7802-31.....	183
F6840-62.....	183	F7280-80.....	150	F7802-62.....	183
F6871-31.....	88, 112	F7284-31-3K.....	150	F7804-30.....	178
F6872-31.....	112	F7284-80-3K.....	150	F7804-31.....	178

F7813-62	183	F8911-31	86, 98	F9810-30-1	159
F7815-31	176	F8911-80	86, 98	F9812-30-LED-2	158
F7815-62	176	F8914-23	98	F9818-30-LED	158
F7818-31	183	F8914-31	98	F9821-30-LED-2	158
F7821-31	183	F8914-80	98	F9824-30-LED-2	158
F7841-31	183	F8916-23	98	F9833-30-LED-2	158
F7841-62	183	F8916-31	98	F9861-30	164
F7847-62	176, 183	F8916-80	98	F9866-30	164
F7850-31	176	F8924-23	99	F9867-30	164
F7850-62	176	F8924-31	99	F9888-80	145
F7851-31	183	F8924-80	99	F9889-80	145
F7896-31	182	F8926-23	99	F9901-30-CCT	160
F7898-31	184	F8926-31	99	F9904-30-2	160
F7898-62	184	F8926-80	99	F9910-80-3K	151
F7949-31	183	F9005-01	95	F9910-80-4K	151
F7972-31	182	F9016-80-LED	93	F9911-53	153
F7974-31-1-JA8-ADA	180	F9018-06	95	F9913-80-1-3K	151
F7976-31	181	F9022-15	93	F9913-80-1-4K	151
F7977-31	181	F9025-31-2-4K	185	F9913-80-1-5K	151
F7986-30	185	F9026-30	184	F9915-80-1-3K	151
F7986-31	185	F9027-30	184	F9915-80-1-4K	151
F7987-30	185	F9028-31-3K	185	F9916-80-1-3K	151
F7987-31	185	F9029-31-3K	185	F9916-80-1-4K	151
F7990-30	185	F9045-01	95	F9917-64-3-3K	165
F7990-31	185	F9071-53	95	F9917-64-3-4K	165
F7991-31	184	F9072-53	95	F9917-80-3-3K	165
F7994-31	184	F9109-30-LED	158	F9917-80-3-4K	165
F8053-30-LED	165	F9112-30-LED	158	F9918-80	168
F8055-30-LED	165	F9118-30-LED	158	F9919-80-2	94
F8057-30-LED	165	F9121-30-LED	158	F9919-80-2-4K	94
F8059-30-LED	165	F9124-30-LED	158	F9920-31-2-4K	180
F8204-30-1	163	F9133-30-LED	158	F9921-31-2-4K	177
F8206-30-1	163	F9140-53	83	F9922-31-2-4K	178
F8208-30-1	163	F9140-53-LED-JA8	83	F9923-31-2-4K	181
F8210-30-1	163	F9141-53	83	F9923-64-2-4K	181
F8210-31-2-4K	163	F9142-30-LED	158	F9924-30-CCT	160
F8224-30	163	F9152-31	182	F9926-31-2-4K	178
F8225-30	163	F9300-53	168	F9927-31-2-4K	180
F8226-30	163	F9430-30	162	F9928-31	181
F8227-30	163	F9431-30	162	F9930-31-2-4K	180
F8624-15-1	144	F9432-30	162	F9931-31-2-4K	177
F8624-80-1	144	F9432-52	162	F9932-31-2-4K	178
F8626-30	161	F9433-30	162	F9933-31-2-4K	181
F8626-30-4K	161	F9434-30	162	F9936-31-2-4K	178
F8626-31	161	F9506-30-2	161	F9937-31-2-4K	180
F8626-53	161	F9512-80	150	F9938-31-2-4K	179
F8636-15-1	144	F9514-80	150	F9939-31-2-4K	179
F8636-31-1	144	F9515-80	78	F9941-31-1	179
F8636-80-1	144	F9541-31	176	F9942-31-1	179
F8724-15-1	144	F9542-31	176	F9945-80-3K	168
F8724-31-1	144	F9561-31	173	F9951-31-1	177
F8724-80-1	144	F9562-31	173	F9952-31-1	173
F8736-15-1	144	F9563-31	173	F9953-31-1	177
F8736-80-1	144	F9564-31	173	F9954-31-1	181
F8807-30-1	161	F9571-31	173	F9955-31-1	177
F8807-80-1	161	F9572-31	173	F9957-31-1	177
F8809-30-1	160	F9573-31	173	F9958-31-2-3K	173
F8812-30-1	160	F9574-31	173	F9959-31-1	180
F8816-30-1	160	F9616-30	160	F9966-30-1	164
F8822-30-1	160	F9617-30	160	F9968-30	164
F8901-31	86, 97	F9618-30	160	F9969-30	164
F8901-80	86, 97	F9806-30-3K	161	F9983-31	95, 180
F8904-31	97	F9806-30-4K	161	F9983-44	95, 180
F8904-80	97	F9807-30-2-3K	165	F9983-53	95, 180
F8906-31	97	F9807-30-2-4K	165	F9987-80	145
F8906-80	97	F9808-30-1	159	F9988-80-1	145
F8911-23	86, 98	F9809-30-1	159	F9989-80-1	145

F9990-31-1	176	F17034-64	41, 119	F18042-80	127
F9991-31-1	173	F17034-80	41, 119	F18043-64	127
F10050-31	189	F17036-64	42, 167	F18043-80	127
F10054-31	189	F17036-80	42, 167	F18044-64	127
F11001-80	90, 117	F17038-64	42, 149	F18044-80	127
F11002-80	117	F17038-80	42, 149	F18203-31	21, 69
F11003-80	117	F17101-57	38, 89, 118	F18203-80	21, 69
F11004-80	117	F17102-57	38, 118	F18205-31	21, 65
F11010-80	81	F17103-57	38, 118	F18205-80	21, 65
F14082-53	168	F17104-57	38, 118	F18301-31	21, 87, 104
F15001-80	89, 120	F17113-57	37, 69	F18301-80	21, 87, 104
F15002-80	120	F17115-57	37, 66	F18302-31	21, 104
F15003-80	120	F17118-57	37, 64	F18302-80	21, 104
F15004-80	120	F17201-31	11, 87, 100	F18303-31	21, 104
F16090-80	82	F17202-31	11, 100	F18303-80	21, 104
F16092-64	126	F17203-31	11, 100	F18304-31	21, 104
F16093-64	126	F17204-31	11, 100	F18304-80	21, 104
F16093-80	126	F17210-31	10, 79	F19003-80	54, 70
F16094-64	126	F17213-31	10, 69	F19005-64	54, 67
F16094-80	126	F17215-31	10, 65	F19005-80	54, 67
F16201-81	16, 87, 103	F17223-31	11, 167	F19010-64	55, 81
F16201-85	16, 87, 103	F17301-80	11, 87, 100	F19010-80	55, 81
F16202-81	16, 103	F17302-80	11, 100	F19011-64	55, 90, 123
F16202-85	16, 103	F17303-80	11, 100	F19012-64	55, 123
F16203-81	16, 103	F17304-80	11, 100	F19012-80	55, 123
F16203-85	16, 103	F17310-80	10, 79	F19013-64	55, 123
F16204-81	16, 103	F17313-80	10, 69	F19013-80	55, 123
F16204-85	16, 103	F17315-80	10, 65	F19014-64	55, 123
F16210-81	15, 79	F17323-80	11, 167	F19014-80	55, 123
F16210-85	15, 79	F17501-31	13, 87, 105	F19020-64	45, 81
F16213-81	17, 167	F17501-80	13, 87, 105	F19020-80	45, 81
F16213-85	17, 167	F17502-31	13, 105	F19025-64	44, 66
F16215-81	17, 149	F17502-80	13, 105	F19025-80	44, 66
F16215-85	17, 149	F17503-31	13, 105	F19028-64	44, 149
F16223-81	15, 69	F17503-80	13, 105	F19028-80	44, 149
F16223-85	15, 69	F17504-31	13, 105	F19031-64	45, 90, 122
F16225-81	15, 65	F17504-80	13, 105	F19031-80	45, 90, 122
F16225-85	15, 65	F17510-31	13, 80	F19032-64	45, 122
F17003-64	57, 70	F17510-80	13, 80	F19032-80	45, 122
F17003-80	57, 70	F17801-31	19, 87, 106	F19033-64	45, 122
F17005-64	57, 67	F17802-31	19, 106	F19033-80	45, 122
F17005-80	57, 67	F17803-31	19, 80	F19034-64	45, 122
F17009-64	57, 64	F18003-64	60, 70	F19034-80	45, 122
F17009-80	57, 64	F18003-80	60, 70	F19036-64	44, 167
F17010-64	58, 82	F18005-64	60, 67	F19036-80	44, 167
F17010-80	58, 82	F18005-80	60, 67	F20002-80	149
F17012-64	58, 125	F18006-64	61, 67	F20004-80	76
F17012-80	58, 125	F18006-80	61, 67	F20005-80	168
F17013-64	58, 125	F18007-64	61, 76	F21002-80	52, 149
F17013-80	58, 125	F18007-80	61, 76	F21003-80	51, 70
F17014-64	58, 125	F18009-64	60, 64	F21005-80	51, 66
F17014-80	58, 125	F18009-80	60, 64	F21007-80	51, 76
F17023-64	40, 70	F18010-64	62, 82	F21008-80	52, 168
F17023-80	40, 70	F18010-80	62, 82	F21010-80	52, 81
F17025-64	40, 66	F18010-80-LED-JA8	62, 82	F21011-80	52, 90, 124
F17025-80	40, 66	F18011-64	62, 91, 128	F21012-80	52, 124
F17027-64	42, 76	F18011-80	62, 91, 128	F21013-80	52, 124
F17027-80	42, 76	F18012-64	62, 128	F21014-80	52, 124
F17029-64	40, 64	F18012-80	62, 128	F22002-80	49, 149
F17029-80	40, 64	F18013-64	62, 128	F22003-80	49, 76
F17030-64	41, 81	F18013-80	62, 128	F22004-80	47, 70
F17030-80	41, 81	F18014-64	62, 128	F22005-80	47, 66
F17031-64	41, 90, 119	F18014-80	62, 128	F22006-80	49, 167
F17031-80	41, 90, 119	F18016-64	61, 168	F22010-80	48, 81
F17032-64	41, 119	F18016-80	61, 168	F22011-80	48, 90, 121
F17032-80	41, 119	F18040-64	82	F22012-80	48, 121
F17033-64	41, 119	F18040-80	82	F22013-80	48, 121
F17033-80	41, 119	F18042-64	127	F22014-80	48, 121

F24010-64	33, 80	F29013-80	111	PA-211A-S-WH	276
F24010-80	33, 80	F29014-64	111	PA-250A-S-OWL-MB-LED	243
F24015-64	32, 66	F29014-80	111	PD-004	274
F24015-80	32, 66	F30030-66	187	PD-009	274
F24017-64	32, 75	F30030-66-V	187	PS-3022-SN	278
F24017-80	32, 75	F30031-66	187	PS-3022-ST	278
F24018-64	32, 64			PS-3022-WH	278
F24018-80	32, 64	G		PSB-1001-AB	278
F24101-64	33, 89, 114	G-086	276	PSB-1001-BB	278
F24101-80	33, 89, 114	G-216	276	PSB-1001-CH	278
F24102-64	33, 114	G4919	276		
F24102-80	33, 114	G7746	276	R	
F24103-64	33, 114	G52878	278	RM-07-B	275
F24103-80	33, 114			RM-08	275
F24104-64	33, 114	K		RM-08-A	275
F24104-80	33, 114	K635-31	182	RM-08-R	275
F25008-64	35, 149	K1001-53	83	RM-08-W	275
F25010-64	35, 81	K1002-45	83	RM-101-S	275
F25018-80	35, 149	K1002-53	83	RM-103-S	275
F25021-80	35, 81	K1018-53	83		
F25101-64	35, 89, 113	K9432	162	S	
F25102-64	35, 113	K9433	162	SW46LA	274
F25103-64	35, 113	K9434	162	SW46W	274
F25104-64	35, 113	K9703	191	SW90LA	274
F25201-80	35, 89, 113	K9704	191	SW90W	274
F25202-80	35, 113	K9708	191	SW93	274
F25203-80	35, 113	K9709	191	SW96	274
F25204-80	35, 113	K9713	191		
F26110-57	30, 167	K9714	191	T	
F26110-64	30, 167	K9963	191	T10698	193
F26111-57	30, 80	K9965	191	TL7522-3K-1	194
F26111-64	30, 80				
F26115-57	30, 65	L		Y	
F26115-64	30, 65	L7510-4	193	Y-202S-WH	278
F26117-57	30, 64	L7513-2	193	Y-260A-S-ST-MB-LED	276
F26117-64	30, 64	L7513-3-JA8	193	Y-260A-S-WH-MB-LED	276
F27001-12	167	L7520-3	194	Y-261A-S-03-MB-ES-LED	277
F27001-59	167	L7521-2	193	Y-261A-S-03-MB-ES-LED-1	277
F27011-18	24, 88, 107	L7522-2	194	Y-262A-S-WH-MB-LED	276
F27011-31	24, 88, 107	L7523-2-JA8	193	Y-263A-SN-MB-LED	276
F27012-18	24, 107	L7524-3K	194	Y-263A-WH-MB-LED	276
F27012-31	24, 107	L7526-1	194	Y-308A-S-WH-MB-LED	276
F27013-18	24, 107	L7530-1	194	Y-386A-S-SN-MB-LED	277
F27013-31	24, 107	L7531-3	194	Y-386A-S-WH-MB-LED	277
F27014-18	24, 107	L7532-3	194	YG-9CG-S-BB-MB-LED	277
F27014-31	24, 107	L7541-1	194	YG-9CG-S-WH-MB-LED	277
F27023-18	25, 167	L7560-2	193		
F27023-31	25, 167	L7571-3	194		
F27024-18	25, 149	L7591-3	193		
F27024-31	25, 149	L7593-3	193		
F27033-18	23, 69	L7594-3	193		
F27033-31	23, 69	L7595-4	193		
F27035-18	23, 65	L7653-1	194		
F27035-31	23, 65	L7662-3K-1-JA8	194		
F27041-18	25, 80	L7663-3K-1-JA8	193		
F27041-31	25, 80	L7663-27K-1-JA8	193		
F28001-23	28, 88, 108	L7670-27K-1-JA8	193		
F28002-23	28, 108				
F28003-23	28, 108	P			
F28004-23	28, 108	P6903-31	79, 175		
F28031-23	27, 80	P6903-44	79, 175		
F28033-23	27, 69	P6903-58	79, 175		
F28035-23	27, 65	P9966-1	164		
F29011-64	89, 111	PA-017-S-RI-MB-LED	245		
F29011-80	89, 111	PA-210A-S-ORB-MB-LED	276		
F29012-64	111	PA-210A-S-SN-MB-LED	276		
F29012-80	111	PA-211A-S-ORB	276		
F29013-64	111				



SUNSET
LIGHTING



CONCORD FANS

Divisions of LUMINANCE BRANDS™

ZC28-22



ADDRESS 370 FALLS COMMERCE PKWY. CUYAHOGA FALLS OH 44224
WEBSITE LUMINANCEBRANDS.COM **CUSTOMER SERVICE** 800.777.4440

24 HOUR ORDER FAX 800.866.7672 **SHOWROOM** DALLAS, TX

DISTRIBUTION CUYAHOGA FALLS, OH / RANCHO CUCAMONGA, CA / HOUSTON, TX

